

## Current Availability

Updated: 4/20/21

GREEN = new for 2021

PURPLE = Limited Qty

**NOTE: Due to limited space at sales/events, not all plants listed will be available. If coming for a specific plant, call or message to be sure plants will be there for pickup.**

Scientific Name	Common Name	Size	Description	Now
<b>Perennials</b>				
achillea	yarrow - various	Qt	Oertel's rose', desert red and a few straight species, full sun, med to dry soils	ready
actaea pachypoda	doll's eyes	1 gal	white blooms in spring turning to white berries in summer, 2'-3', full to part shade, avg soil, berries poisonous if ingested	dormant
actaea racemosa	black cohosh/fairy candles	1 Qt	white blooms on large spikes, Jun-Jul, 4'-6', part to full shade, med to moist soil	ready
Actinomeris (verbesina) alternifolia	wingstem	Qt	bright yellow, daisy-like blooms, Aug-Oct, 3-8', part-shade to shade, med to moist soil, high value to pollinators	<b>sold out</b>
agastache foeniculum	anise hyssop	Qt	purple blooms, late summer, 2'-4', full sun, avg to dry soil, attract pollinators/butterflies/hummingbirds	ready
agastache scrophulariaefolia	Purple giant hyssop	Qt	Very pale purple blooms, up to 6', full to part sun, dry to moist soil, attracts numerous pollinators/butterflies, birds feed on seeds	ready
allium cernuum	Nodding onion	Qt	soft pink/lilac blooms, late spring, 12-18", sun to part shade, med to dry soils, deer resistant, attracts pollinators, host plant for hairstreak butterfly	<b>sold out</b>
amorpha canescens	leadplant	Gal	blue/purple flowers w/ orange anthers, Jun-July, 2'-3', sun, dry to medium soil, substitute for butterfly bush	few left
amsonia	blue star 'blue ice'	2 Qt	blue blooms, late spring, 1'-1.5', full sun to part shade, med soil	<b>sold out</b>
amsonia ciliata	amsonia ciliata 'Georgie Pancake'	2 Qt	blue blooms, late spring, 3-6", sun to part shade, med soil, groundcover form of amsonia – unusual!	<b>sold out</b>
amsonia hubrichtii	threadleaf bluestar	Qt	blue blooms, late spring, 3', full to part sun, dry to moist soil, drought tolerant, bright gold to orange foliage in fall	ready
amsonia illustris	Shining bluestar	2 Qt	blue blooms, late spring, 3', sun to part shade, deer/rabbit resistant, nice fall color	dormant
amsonia 'Butterscotch'	Butterscotch' bluestar	Qt	blue blooms, late spring, 2-3', sun to part shade, dry to moist soil, colorful fall foliage	<b>sold out</b>
amsonia 'Starstruck'	Starstruck' bluestar	Gal	blue blooms, late spring/early summer, 20", sun to part shade, dry to moist, colorful fall foliage, darker stem than most amsonias	ready
amsonia 'Storm Cloud'	Storm Cloud' bluestar	Gal	blue blooms, late spring, 24-30", sun/part shade, med soil, shoots/stems in spring dark	<b>sold out</b>

Sheet1

amsonia tabernaemontana	bluestar	Qt	blue blooms, May, 2'-3', sun to part shade, avg soil, drought tolerant, willowy foliage turns yellow in fall, attracts butterflies	<b>sold out</b>
anemone virginiana	Tall thimbleweed	Qt	white/green flowers then prominent seed heads, mid-late spring, 1'-2', sun to part shade, dry to medium soil	<b>sold out</b>
anemonella thalictroides	Rue anemone	Qt	small white flowers, early spring, part shade	ready
Antennaria plantaginifolia	pussytoes	Qt	fuzzy white clusters of blooms, Apr-Jun, 6"-12", dry to med soil, full sun best, soft gray foliage spreads to form a nice ground cover	a few avail
aquilegia canadensis	wild columbine	Qt	red blooms with yellow centers, spring, 1'-3', partial shade best, moist soil – attract hummingbirds	plugs soon
aquilegia canadensis	wild columbine 'Corbett'	Qt	butter yellow flowers Apr-May, 12"-18", sun to part shade, avg/moist soil, attracts hummingbirds	ready blooming
aquilegia canadensis	wild columbine 'little lanterns'	Qt	red and yellow, 10"-12", sun to part shade, avg/moist soil, attracts hummingbirds, dwarf selection of wild	ready blooming
arisaema triphylum	Jack-in-the-pulpit	Qt	green/purple 'bloom', Apr-May, 1-2', med to moist soil, part to full shade	ready
aruncus dioicus	goat's beard	Gal	white/cream flowers, Jun-July, 4'-5', shade/part shade, moist but well-drained soil, Attracts butterflies, larval host to Dusky Azure butterfly	<b>sold out</b>
asaraum arifolium	little brown jug/evergreen ginger	Qt	small brown jug-shaped flowers, spring, evergreen foliage, moist soils	ready soon
asarum canadense	wild ginger	Qt	purple-brown blooms, mid spring, groundcover, part to full shade, med to wet soil	more soon
asclepias exaltata	poke milkweed	Qt	white blooms, summer, 3-5', shade/part shade, med soil, host plant for monarch butterfly, a milkweed for shade!	<b>sold out</b>
asclepias incarnata	swamp/red milkweed	Qt	pink blooms, June/July, 3'-5', full/part sun, average to moist soil, attracts numerous pollinators, host plant for monarchs	dormant
asclepias incarnata	swamp milkweed 'ice ballet'	Qt	white flowers June/July, moist soil, tolerates clay, attracts pollinators/monarchs	<b>sold out</b>
asclepias speciosa	showy milkweed	Qt	pink/purple flowers, May-Sept, 2-4', full sun, monarch host plant	<b>sold out</b>
asclepias syriaca	common milkweed	Qt	pink clusters of fragrant flowers, June-July, 2'-4', full sun, avg to dry soils, host plant for monarch	plugs breaking
asclepias tuberosa	butterfly milkweed	Qt	Orange blooms June-July, full sun, average to dry soils, drought tolerant, attracts many butterflies/pollinators, host plant for monarchs	dormant
asclepias tuberosa	butterfly milkweed 'gay butterflies'	Qt	orange/red/yellow blooms June-July, full sun, average to dry soils, drought tolerant, attracts many butterflies/pollinators, host plant for monarchs	<b>sold out</b>

Sheet1

asclepias tuberosa	butterfly milkweed 'hello yellow'	Qt	yellow blooms June-July, full sun, average to dry soils, drought tolerant, attracts many butterflies/pollinators, host plant for monarchs	dormant
asclepias verticillata	whorled milkweed	Qt	white or greenish-white blooms, Jul-Sept, 2', full sun to part shade, avg to dry soils, attracts numerous pollinators, host plant for monarch	sold out
asclepias viridis	Spider Milkweed	Qt	Green blooms, May-June, 12", full sun to part shade, med to dry soil, host plant for monarch	sold out
aster azureus	sky blue aster	Gal	light blue-violet blooms, fall, 2-3', sun, dry to med soil, tolerates rocky soils	ready
aster 'Bridal Veil'	Bridal veil aster	Qt	Numerous white blooms on arching/spreading stems, fall, up to 2', sun to part sun, tolerant of dry slopes, salt tolerant, nice for cascading over walls/down a bank	ready
aster cordifolius	blue wood aster	Gal	clouds of blue-violet blooms, early fall, 2'-3', full shade to part sun, avg soil, attracts butterflies	breaking
aster cordifolius 'Avondale'	Avondale' blue wood aster	Gal	light blue blooms, early fall, 2-3', full to part shade, avg soil, attracts butterflies	sold out
aster divaricatus	white wood aster	Qt	white blooms, Aug-Sept, 1-2.5', part to full shade, med to dry soil, attracts butterflies	ready
aster divaricatus	white wood aster 'Eastern Star'	Gal	white blooms on mahogany stems, fall, 18"-24", shade/part shade, moist to dry soils, attracts butterflies	ready
aster ericoides	Heath aster 'Snow Flurry'	Gal	white blooms, Sept-Oct, 6"-8", mat-forming groundcover, full sun, drought tolerant	sold out
aster laevis	smooth aster	Gal	violet blooms, late summer, 2-3', sun, avg/dry soil, upright form and generally clean foliage	ready
aster laevis	Bluebird' smooth aster	Qt	violet blooms, late summer/fall, 3-4', avg/dry soil, attractive to butterflies/pollinators, deer resistant, generally pest-free foliage, earned #1 ranking in Mt Cuba Center aster trial	ready
aster lateriflorus	Lady in Black' calico aster	QT	pale pink to white daisy-like blooms, dark stems and tint of purple to foliage, late summer-fall, 3-4', sun to part shade, dry to moist soil, attractive to pollinators/butterflies, deer resistant	ready
aster macrophylla	big leaf aster	Qt	violet blooms, late summer – fall, 1-3', full to part shade, dry to moist soil, attracts butterflies/pollinators	ready
aster macrophylla	Twilight' big leaf aster	Gal	large lavender-blue blooms on reddish stems, fall, 2-3', sun to part shade, dry to moist soils	ready
aster novae-angliae	New England aster	Qt	Pink-purple blooms, fall, 3-6', full sun, med soils	ready
aster novae-angliae	Aster 'Purple Dome'	Gal	dark purple blooms, fall, 1.5-2', full sun, med soil	sold out
aster novae-angliae	Aster 'Harrington's Pink'	Gal	pink blooms, fall, 3-6', full sun, avg soil, drought tolerant, deer resistant, attracts butterflies	sold out

Sheet1

aster novae-angliae	Aster 'Violetta'	Gal	deep violet-purple blooms, fall, 4-5', full sun, avg soil, deer/rabbit resistant, attracts butterflies	sold out
aster novi-belgii	New york aster	Qt	pink/purple/white blooms, Aug-Sept, 3'-5', full sun, avg to moist soil, attracts butterflies/pollinators, nice with fall mums	sold out
aster oblongifolius	Aromatic aster 'Raydon's favorite'	Qt	Blue-purple blooms, Sept-Oct, 2'-3', sun to part shade, tolerant of dry/poor soils	ready
aster oblongifolius	Aromatic aster 'October Skies'	Gal	light blue flowers, fall, 1.5-2', sun to part shade, tolerant of dry/poor soils	sold out
aster puniceus	Purple-stemmed/swamp aster	2 Qt	purple daisy-like blooms on reddish-purple stems, late Aug – Oct, 3'-6', moist soil, full sun	ready
aster umbellatus	Flat-topped white aster	Qt	clusters of white, daisy-like blooms, late Aug – Sept, 2'-5', moist soil, full sun to part shade, attractive to bees/butterflies	dormant
aster 'wood's pink'	wood's pink' aster	Gal	clear pink flowers with gold centers, fall, 12", med to moist soil, sun to part shade	sold out
aster 'Little Carlow'	Little Carlow blue wood aster	Qt	blue/purple blooms with yellow centers, Sept-Oct, 1.5-2', full sun, medium soil, a cross of a. cordifolius and a. novi-belgii	few left
astilbe biternata	Appalachian false goat's beard	2 Qt	creamy white flowers, late spring/early summer, 4-6', full to part shade, avg to moist soil	breaking
baptisia australis	Blue false indigo	Qt	blue blooms, late spring/early summer followed by interesting seed pods, 3-4', sun to part shade, med to dry soil, attractive to butterflies, drought tolerant, rabbit resistant	ready
baptisia 'Dark Chocolate'	Dark Chocolate' false indigo	Gal	dark purple to deep brown blooms, late spring/early summer, 3', sun/part sun, avg to poor soil	ready
baptisia lactea	white false indigo	2 Qt	white blooms, bluish stems, Jun-July, 3'-5', med to moist soil, full sun	sold out
baptisia tinctoria	yellow wild indigo	Gal	yellow blooms, blue-green foliage, summer, sun/light shade, 3', deer resistant, drought tolerant	ready
blephilia ciliata	downy wood mint/horsemint	qt	tiered clusters of lavender/pink blooms, June-Aug, 1-2', sun to part shade, med to dry soils, very attractive to a wide variety of pollinators (listed in '100 Plants to Feed the Bees' from the Xerces Society), drought tolerant	sold out
cacalia atriplicifolia	Pale Indian plantain	2 qt	White blooms, late summer/fall, 3 - 7', full to part sun, med to dry soils, purplish stems, bottom of leaves silvery	ready
callirhoe involucrata	wine cups/poppy mallow	qt	magenta flowers, summer, 6-8", full sun to part shade, dry to med soils, tolerant of poor/rocky soils and drought, makes a trailing groundcover, host plant for gray hairstreak butterfly and checkered skipper	sold out
campanula rotundifolia	harebell	Gal, Qt	blue blooms, June-Sept, 12"-15", sun to part shade, avg to moist soil, tolerates clay	sold out

Sheet1

cassia (senna) hebecarpa	wild senna	Qt	yellow blooms, July-Aug, 4'-6', full sun, med to moist soil, tolerates clay soil, seed pods attract upland game birds (such as turkey)	sold out
caulophyllum thalictroides	blue cohosh	Qt	green/yellow blooms in spring turning to blue berries, blue/green foliage, 1'-2', part to full shade, medium soil	ready
chelone glabra	white turtlehead	Qt	white blooms, late summer/fall, 2'-4', full to part sun, prefers moist soil, good for rain gardens, host plant for Baltimore checkerspot butterfly	ready
chelone lyonii	pink turtlehead	Qt	pink blooms, mid-late summer, 2'-4', sun to part shade, med to moist soil	sold out
chelone lyonii 'Hot Lips'	Hot Lips' pink turtlehead	Qt	pink flowers, late summer, 2-3', sun to part shade, med to moist soils, dark green foliage/dark stems	ready
chelone lyonii 'Tiny Tortuga'	pink turtlehead 'Tiny Tortuga'	Qt	pink blooms, late summer, 12-15", sun to part shade, moist soil	one left
chrysogonum virginianum	green and gold	Qt	yellow blooms on dark green foliage, spring, 6" (ground cover), shade/part shade, moist/average soil	plugs ready
chrysogonum virginianum	Pierre' green and gold	Qt	yellow blooms, spring, 6-8" (ground cover), shade/part shade, moist/avg soil	ready
coreopsis lanceolata	Lanceleaf coreopsis	Qt	golden yellow blooms, late spring-summer, full sun, dry to moist soils, drought resistant, deer resistant, short-lived perennial that easily reseeds, important nectar/pollen source, birds eat seeds	ready
coreopsis 'Gilded Lace'	Gilded Lace' tickseed	Qt	golden-yellow blooms for several weeks, summer – fall, fine textured foliage, 4-5', sun, dry to moist, attractive to pollinators, good resistance to disease, performed well in Mt Cuba plant trials	ready
coreopsis 'Red Satin'	Red Satin' tickseed	Qt	red blooms, fine foliage, summer, 15-18", sun, dry to med soi	ready
coreopsis rosea	tickseed 'American dream	Qt	medium pink flowers June-Aug, moist but well-drained soil, attracts butterflies	ready
coreopsis 'Mercury Rising'	Mercury Rising' tickseed	Qt	velvety dark red flowers later developing white streaks, mid-summer to fall, 12-18", sun	sold out
coreopsis 'Moonbeam'	Moonbeam' tickseed	Qt	pale yellow flowers and fine green foliage, summer, 15", sun, med soil	sold out
coreopsis pal. 'Summer Sunshine'	Summer Sunshine' tickseed	Gal	golden blooms, late summer/fall, 3-4', sun, moist soils, highly rated in Mt. Cuba coreopsis trials	ready
coreopsis 'Route 66'	Route 66' tickseed	Qt	yellow blooms with a ring of burgundy at the crown fading towards the tips, mid-summer-fall, 24", sun, med soil	sold out
coreopsis tinctoria	Plains coreopsis/tickseed	Qt	Yellow blooms with red centers, summer to fall, 2-4', sun, dry to med soil, tolerant of poor soils, self seeds	sold out

Sheet1

coreopsis trip. 'Gold Standard'	Gold Standard' tickseed	Gal	Yellow blooms, late summer/fall, up to 6', sun, avg to dry soil, upright form, high rating in Mt Cuba trials	<b>sold out</b>
coreopsis 'Uptick yellow and red'	Uptick yellow and red' tickseed	Qt	Yellow blooms with a dark purple/red eye, summer to early fall, 12-14", drought tolerant	ready
cornus canadensis	bunchberry	Plug/ Qt	white blooms in spring, red berries late summer/fall, spreads to form groundcover, part to full shade, acidic soil	<b>sold out</b>
delphinium exaltatum	tall larkspur	Qt	Violet blue blooms, Jun-Sept, 3'-6', sun to part shade, average to moist soil, attracts butterflies, cut flower	ready
delphinium tricorne	dwarf larkspur	Qt	Blue to purple flowers, spring, 6-24", rich soils	ready
desmodium canadense	showy tick trefoil	2 Qt	Pink blooms, July/Aug, 3-5', sun to part shade, moist to dry soils, fixes soil nitrogen, attractive to pollinators/butterflies/hummingbirds	breaking
dicentra cucullaria	Dutchman's breeches	Qt	white-pink flowers, spring, 6-12", part to full shade, med soil	ready
dicentra eximia	wild bleeding heart	variou s	pale pink heart-shaped blooms on lacy blue/green foliage, spring-summer, 1'-2', part sun to shade, med to moist soil, morning sun/afternoon shade best	ready blooming
dodecatheon meadia	Shooting star	4"/Qt	white/pink/lavender blooms, spring, 1', part to full shade, med soil	a few ready
echinacea pallida	Upright prairie/pale purple coneflower	Gal	pale pink blooms appear drooping, June-July, 2'-3', full sun, drought tolerant, attracts pollinators/butterflies	<b>sold out</b>
echinacea pallida 'Hula Dancer'	Hula Dancer' pale purple coneflower	Qt	blush to almost white blooms with drooping petals and reddish cone, 2-3', sun to part shade, dry to med soils, a favorite in Piet Oudolf designs	ready
echinacea paradoxa	Yellow coneflower	Qt	bright pure yellow blooms with petals drooping from brown cone, early summer, 2'-3', full to part sun, average to dry soils, finches love the seed heads	<b>sold out</b>
echinacea purpurea	purple coneflower	Qt	purple to rose pink blooms with orange cone center, July-Aug, 2'-3', full to part sun, average to dry soils, attracts pollinators, birds, butterflies	more soon
echinacea 'Baja Burgundy'	Baja Burgundy' coneflower	Gal	burgundy-red blooms, summer, 18-24", sun, avg to dry soils, attractive to pollinators/butterflies/birds	<b>sold out</b>
echinacea 'Cantaloupe'	Cantaloupe' coneflower	Qt	cantaloupe colored double/pompom blooms, summer, 24-30", sun, avg to dry soil	<b>sold out</b>
echinacea 'Cheyenne Spirit'	Cheyenne Spirit' coneflower	Qt	mix of colors (orange/pink/purple/white/yellow), summer, 18-24", sun, avg to dry soils, attractive to butterflies/pollinators, nice cut flower	few left
echinacea 'Fiery Meadow Mama'	Fiery Meadow Mama' coneflower	2 Qt	yellow blooms with reddish centers, summer, 2', full to part sun, avg to dry soils	<b>sold out</b>
echinacea 'Flamenco Orange'	Flamenco Orange' coneflower	Gal	orange blooms, summer-early fall, 18-20", full to part sun, avg soils, drought tolerant	breaking

Sheet1

echinacea 'Blushing Meadow Mama'	Blushing Meadow Mama' coneflower	2 Qt	white blooms with a hint of blush pink, summer, 2', full to part sun, avg to dry soil	sold out
echinacea 'Playful meadow mama'	Playful meadow mama' coneflower	2 Qt	dark pink petals with lighter to white tips, red centers, summer, 1-2', sun, med well drained soil	sold out
echinacea 'Fatal Attraction'	Fatal Attraction' coneflower	Qt	magenta-pink blooms, late summer, 2', sun to part sun, med well drained soil, darker stems than the species, petals curve slightly upwards	ready
echinacea 'Green Twister'	'Green Twister' coneflower	Qt	pink/purple/red blooms with lime green/yellow tips, mid-summer to fall, 2'-3', full to part sun, avg to dry soils, a selection of echinacea purp. 'magnus'	sold out
echinacea 'Green Jewel'	Green Jewel' coneflower	Qt	light green blooms, summer, 2', full to part sun, avg to dry soils	breaking
echinacea 'Happy Star'	Happy Star' coneflower	Qt	white blooms, summer, 3', full sun, avg to dry soils	ready
echinacea 'Kismet Red'	Kismet Red' coneflower	Gal	large red flowers, summer, 16-18", full sun	sold out
echinacea 'mellow yellows'	Mellow Yellows' coneflower	Gal	light yellow to golden blooms, mid-summer to fall, 2-3', full to part sun, avg to dry soils	one left
echinacea 'milkshake'	Milkshake' coneflower	2 Qt	creamy white double/pompom blooms, July-Sept, 2-3', sun, med, well-drained soil	sold out
echinacea 'Orange Skipper'	'Orange Skipper' coneflower	Qt	orange blooms, summer-early fall, 16-18", full to part sun, avg soils, drought tolerant, this cultivar is attractive to bees/butterflies	breaking
echinacea 'Powwow White'	Powwow White' coneflower	Qt	white blooms, summer-early fall, 1.5-2', full to part sun, avg well drained soils	sold out
echinacea 'Powwow Wild Berry'	Powwow Wild Berry' coneflower	Qt	rose-purple blooms with purple stems, summer, 1-2', full to part sun, avg well drained soil	sold out
echinacea 'Hot Coral'	Hot Coral' coneflower	Gal	hot orange-red flowers, summer, 20-24", sun, avg well drained soils, attractive to butterflies	sold out
Echinacea 'Rainbow Marcella'	Rainbow Marcella' coneflower	Gal	soft orange blooms fading to raspberry pink, summer, 18", full to part sun, avg well drained soil	sold out
Echinacea 'Ruby Star'	Ruby Star' coneflower	Qt	pinkish-red blooms, summer, 2-3', sun, avg well drained soils, stems of this variety often darker than most	sold out
echinacea 'Salsa Red'	Salsa Red' coneflower	Gal	red flowers, summer, 1.5-2', sun, avg well drained soils	sold out
echinacea 'Sangrita'	Sangrita' coneflower	Gal	reddish-orange blooms, 18-20", sun, avg well drained soils	sold out
echinacea 'Tomato Soup'	Tomato Soup' coneflower	Gal	tomato-red flowers, July-Sept, 2-3', sun, avg well drained soils, attractive to butterflies	one left
echinacea 'Virgin'	Virgin' coneflower	Qt	white petals w/ green cone, 1-2', sun/part sun, avg well drained soils	sold out
echinacea 'White Swan'	White Swan' coneflower	Qt	white flowers, July-Sept, 2-3', avg well drained soils, sun	sold out
echinacea tennesseensis	Tennessee Coneflower 'Rocky Top	Qt	Pinkish-purple blooms, June-Sept, 2'-3', tolerant of very alkaline soils, full sun, well-drained soils, drought tolerant	plugs ready

Sheet1

epilobium angustifolium	fireweed	Qt	pink blooms Jul-Sep, 2'-6' tall, med/moist soil in full sun, attracts hummingbird, pollinators	<b>sold out</b>
erigeron pulchellus	Lynnhaven Carpet' robin's plantain	Gal	lavender-white fringed daisy-like flowers, gradually fading to white, spring, 12-15", part sun to shade, moist to dry soils, deer/drought tolerant, attracts pollinators/butterflies	<b>ready</b>
erigonum allenii 'Little Rascal'	Little Rascal' share barren buckwheat	Plug/Qt	clusters of yellow blooms, summer, 1.5-2', well-drained soils, drought tolerant, long blooming, attracts pollinators, good for rocky sites	ready small
eryngium yuccifolium	rattlesnake master	Gal	Bluish-silver blooms Jun-Sept, 4-5', prefers hot, dry sites	<b>dormant</b>
Erythronium americanum	trout lily	Qt	yellow blooms, Apr-may, 6", med/moist soil, shade/part shade	<b>ready</b>
eupatorium 'Bartered Bride'	Bartered Bride' joe pye weed	Gal	white blooms, late summer/fall, 6-8', sun to part shade, med to moist soil, attractive to pollinators, highly rated in plant/pollinator trials	<b>dormant</b>
eupatorium coelestinum	mist flower/hardy ageratum	Qt	blue/lavendar blooms, Sept-Oct, 2'-3', sun-shade, avg to moist soil, late season pollinator attractor, in moist soil can spread to form groundcover	<b>sold out</b>
eupatorium dubium	'Little Joe' joe pye weed	Gal	Mauve-pink flowers, late summer/fall, 3-4', sun to part shade, med to moist soils	<b>sold out</b>
eupatorium dubium	coastal joe pye weed	Qt	2-5' tall, 2' wide, mauve-pink blooms, mid to late summer, moist to wet soil, sun to part shade	<b>sold out</b>
eupatorium hyssopifolium	Hyssop leaf thoroughwort	Qt	clusters of white flowers, Aug-Sept, 2'-4', full to part sun, med to dry soils, tolerates drought, attractive to pollinators, deer resistant	<b>sold out</b>
eupatorium perfoliatum	Boneset	2 Qt	flat clusters of white blooms, July-Sept, 3-4', attracts butterflies, tolerant of wet and clay soils	<b>dormant</b>
eupatorium 'Phantom'	Phantom' Joe Pye weed	Qt	rose-purple blooms, summer, up to 4', sun to part sun, moist to avg soil, butterfly nectar plant	<b>dormant</b>
eupatorium purpureum	sweet joe pye weed	Qt	rose-pink blooms, late summer, 4-7', sun to part shade, dry to moist soils, more tolerant of dry soils and shade than most Joe Pye weed, butterfly nectar plant	<b>sold out</b>
eupatorium 'Euphoria Ruby'	Euphoria Ruby' joe pye weed	Qt	mauve/pink flowers, mid-summer – fall, 2'-3', avg soil, full sun, attracts butterflies, earlier bloom, more compact and more drought tolerant than the straight species, high rating (4.5 out of 5, list of 'best of the best') in 2019 UGA garden trials	<b>dormant</b>
eupatorium purpurea mac.	Joe pye weed 'Gateway'	2 Qt	Mauve-pink flowers, July-Sept, 5'-6', full to part sun, avg to moist soil, butterfly magnet!	<b>a few ready</b>
eupatorium rugosum	chocolate joe pye/snakeroot	Qt	white blooms on bronze foliage, summer, 3'-4', sun to shade, moist to dry, plant toxic to animals/humans if ingested	<b>sold out</b>

Sheet1

euphorbia corollata	Flowering spurge aka wild baby's breath	Qt	white flowers resembling baby's breath, late June – Sept, 18" tall, full sun is best, med to dry soil, deer resistant	dormant
filipendula rubra	queen of the prairie	gal/qt	pink blooms, 6'-8', sun, prefers moist but well drained soil	sold out
filipendula rubra	'Venusta magnifia' queen of pr.	gal	pink blooms, 4'-5', sun, prefers moist but well drained soil	sold out
fragaria virginiana	wild strawberry	Qt	white blooms, spring, followed by small edible red berries (a parent plant of the modern strawberry), sun to part shade, med soil, spreading groundcover	ready
gaillardia	Arizona Apricot' blanketflower	Qt	pale yellow edges with apricot centers, late spring to fall, 12", full sun, tolerant of dry and poor soils	sold out
gaillardia	Arizona Sun' blanketflower	Qt	red blooms with yellow tips, late spring to fall, 12-18", full sun, tolerant of dry/poor soils	ready buds
gaultheria procumbens	Wintergreen/teaberry	Qt	white bell-shaped blooms, 3"-6", part to full shade, medium acidic soils, evergreen groundcover	sold out
gaultheria procumbens 'PP'	Peppermint Pearl' wintergreen	Qt	same as above, but with white berries	sold out
gentiana andrewsii	Closed bottle gentian	Qt	blue blooms, late summer/fall, 1-2', med to moist soil, part shade	sold out
geranium maculatum	Wild geranium	Qt	pink/lavender flowers, 12-18", sun to part shade, med to moist soil, attractive to pollinators	plugs ready
geranium 'Espresso'	Espresso' wild geranium	Gal	same as species (above), but with dusky brown foliage	ready
geum triflorum	Prairie smoke	Qt	feathery pink blooms, late spring, 3-6", full sun, dry to med soil, nice choice for rock garden	sold out
helenium autumnale	Common sneezeweed	Qt	yellow flowers, late summer/early fall, 3-5', med to moist soils, sun to part shade, one of the higher rated heleniums in Mt Cuba plant trial, attracted highest number of pollinators	ready
helenium autumnale 'Helena Red Shades'	Helena Red Shades' sneezeweed	2 Qt	russet red to red with yellow blooms, mid-summer to fall, 4', sun to part shade, wet to avg soils, attractive to native pollinators and butterflies, unpalatable to mammals	sold out
helenium 'Salsa'	Salsa' sneezeweed	Gal	tomato-red flowers, late summer, 18-20", wet to avg soils	sold out
helenium 'Potter's Wheel'	Potters Wheel' sneezeweed	Qt	velvety-red flowers, late summer/fall, 3-4', wet to avg soils, full sun	ready
helenium	sneezeweed 'Mardi Gras'	Qt	red/yellow/orange blooms, June-Aug, 2'-3', full sun, moist but well drained soil, adapts to avg garden soil well	sold out
helianthus decapetalus	Ten-petaled Sunflower	Gal	yellow daisy-like flowers, summer, 5', full sun to part shade, best in moist sites, adaptable, attractives to pollinators/butterflies	ready
helianthus multiflorus	perennial sunflower 'flore pleno'	Qt	yellow blooms, summer/fall, 4'-6', full sun, average soil	special order only

Sheet1

helianthus occ. Dowelianus	naked stemmed sunflower	Qt	yellow blooms on long slender (sometimes reddish) stems, late summer-fall, 2-4', full sun, tolerant of dry, rocky, clay soils, deer resistant, attracts butterflies/pollinators, birds eat seeds, good cut flower, eastern subspecies	ready
helianthus salic. 'First Light'	'First Light' willowleaf sunflower	Gal	yellow blooms, Sept-Oct, 3-4', full sun, med soil	<b>sold out</b>
helianthus salic. 'Low Down'	'Low Down' willowleaf sunflower	Gal	yellow blooms, late summer/fall, 12", full sun, med soil	<b>sold out</b>
helianthus strumosus	woodland/paleleaf sunflower	2 Qt	yellow blooms, Aug—Oct, 3'-5', sun to part shade (often grows along woodland edge/dappled shade), dry to medium soil, attracts pollinators/butterflies, deer resistant, birds love the seeds	<b>sold out</b>
heliopsis helianthoides	Smooth oxeye/false sunflower	Qt	yellow blooms, June-Aug, 4-5', sun to part shade, med to moist soils, attracts butterflies, birds eat seeds in fall	<b>sold out</b>
heliopsis hel.	Smooth oxeye 'Summer Sun'	2 Qt	yellow semi-double blooms, July-Sept, 3'-4', full sun, moist well drained soil, but drought tolerant when established	<b>sold out</b>
heliopsis hel.	Smooth oxeye 'Summer Nights'	Gal	yellow blooms with reddish centers and red stems, late summer, 3-4', full sun, med to moist soils	<b>dormant</b>
heliopsis hel.	Smooth oxeye 'Burning Hearts'	Qt	yellow flowers with orange centers and dark purple foliage, summer, 3-4', sun to part shade, moist to avg soil, drought tolerant once established, attractive to butterflies and bees	<b>sold out</b>
hepatica acutiloba	sharp-lobed hepatica	Qt	white/pink/pale purple blooms, early spring, 6-8", med soils, part to full shade, good in limestone soils	ready a few weeks
heuchera americana	Coral bell	Qt	pinkish-green flowers, late spring, 12", part to full shade, well-drained soils, foliage slightly ruffled and veined, turning red in fall, hummingbirds	ready
heuchera x	heuchera cultivars	Qt/Gal	various	ready
heuchera villosa	Coral bell 'Autumn Bride'	Qt	Creamy-white flower spikes, late summer-frost, 2', shade/part shade, med/well-drained soil	ready
hibiscus laevis	rose mallow	Gal	hardy native hibiscus, light pink flowers with dark throat, late summer, 3-6', moist, sunny sites, good for rain garden/wet areas	dormant
hibiscus moscheutos	Disco Belle Red' hibiscus	2Qt	large red blooms, 4-12" across, late summer, 2 – 2.5' tall, full sun, rich moist to wet soils, attracts pollinators/hummingbirds	dormant
hibiscus varieties	hardy hibiscus	1 gal	Kopper King	<b>sold out</b>
iris cris. 'Alba'	Dwarf crested iris 'Alba'	Qt	White flowers with yellow crest, spring, 6-8", sun to shade, med to moist soils, spreads to form groundcover	<b>sold out</b>
iris cris. 'Tennessee White'	Dwarf crested iris 'Tenn White'	Qt	White flowers with yellow crest, spring, 6-8", sun to shade, med to moist soils, spreads to form groundcover	<b>sold out</b>
jeffersonia diphylla	Twinleaf	Qt	white flowers in spring, interesting foliage, up to 1.5', shade to part shade, med to moist soils	ready a few weeks

Sheet1

liatris ligulastylis	Meadow blazingstar	Qt	Pink to purple blooms, mid to late summer, 3-5', full sun, med to moist soils, a monarch magnet (and many other butterflies)	<b>sold out</b>
liatris microcephala	dwarf blazing star	Qt	Purple blooms, Aug-Sept, 18-24", full to part sun, avg to dry soil, attractive to butterflies	a few breaking
liatris spicata	spike gayfeather	Qt	Pinkish-purple spikes, July-Aug, 3'-5', avg to moist soil, attracts wide variety of butterflies/pollinators	ready
liatris spicata 'Floristan white'	Floristan white' gayfeather	Gal	White spikes, summer, 2-3', sun, avg to moist soils, attractives butterflies/pollinators, nice cut flower	one left
lobelia cardinalis	cardinal flower	Qt	Red blooms, July-Sept, 2'-4', sun to shade, prefers moist soil, attracts hummingbirds	plugs ready
lobelia cardinalis	cardinal flower 'Queen Victoria'	3 qt	red blooms and burgundy foliage, July-Sept, 3'-4', sun to part shade, prefers moist soil, attracts hummingbirds	<b>sold out</b>
lobelia siphilitica	Great Blue Lobelia	Qt	blue-violet blues, July-Sept, 2'-3', sun to part shade, prefers moist soil – attracts butterflies and hummingbirds	plugs and few quarts
lysimachia ciliata	Fringed loosestrife 'firecracker'	Qt	yellow blooms, summer, 2'-3', sun, new foliage maroon turning greener later in summer	dormant
lysimachia lanceolata purp	Lanceleaf loosestrife	Gal	yellow blooms, 1-2', sun to part shade, med to moist soils, foliage has hints of burgundy	<b>sold out</b>
medeola virginiana	Indian cucumber	Qt	small greenish-yellow flowers, late spring, 1-3', part to full shade	ready a few weeks
meehania cordata	Meehan's mint	Qt	Blue-violet blooms, late spring, 6"-10", full shade to part sun, dry to moist soil, groundcover, good native substitute for ajuga	plugs ready
mertensia virginiana	Virginia bluebells	Qt	pink buds forming blue flowers, early spring, 8"-2', part to full shade, moist soils, good early pollinator plant, foliage dies back in summer	a few ready
mittella repens	Partridgeberry	4"	evergreen groundcover, small white flowers spring, red berries, 3", full to part shade, med soils	<b>sold out</b>
monarda 'balmy purple'	balmy purple' beebalm	Qt	violet-purple blooms, summer, 12", med to moist soils, good powdery mildew resistance	ready
monarda 'bee merry'	Bee Merry' beebalm	Gal	magenta blooms, summer, 12-15', good powdery mildew resistance	<b>sold out</b>
monarda 'coral reef'	Coral reef' beebalm	Gal	coral pink flowers, summer, 3', med to moist soils	<b>sold out</b>
monarda 'fire ball'	Fire ball' beebalm	Gal	red, summer, 24-30", med to moist soils	<b>sold out</b>
monarda bradburiana	Bradbury's/Eastern bee balm	Qt	pale pink blooms speckled w/ purple, late spring, 1'-2', sun to part shade, dry to avg soil, attracts pollinators/hummingbirds	<b>sold out</b>
monarda didyma	bee balm	Qt	<b>the straight species</b> , red blooms summer, 2-4', sun to part shade, med to moist soils, attracts hummingbirds/pollinators, aromatic foliage, not browsed by mammals	<b>sold out</b>
monarda didyma	Bee balm 'Marshall's delight'	Qt	Rose-pink flowers, summer, 3', sun to part shade, average to moist soils, attracts butterflies, pollinators, hummingbirds	<b>sold out</b>

Sheet1

monarda didyma	Bee balm 'Blue Stocking'	Qt	Deep violet blooms, Jun-July, 2'-3', sun to part shade, avg to moist but well-drained soil, attracts butterflies/pollinators/hummingbirds	<b>sold out</b>
monarda didyma	Bee balm 'Gardenview Scarlet'	Qt	Red blooms, mid to late summer, 2'-3', sun to part shade, avg to moist but well-drained soil, better resistance to mildew	<b>sold out</b>
monarda 'Jacob Cline'	Bee balm 'Jacob Cline'	gal	red blooms, mid to late summer, 3-5', sun to part shade, avg to moist soils	<b>sold out</b>
monarda raspberry wine	Raspberry Wine' beebalm	Qt	wine red flowers, 3-4', sun to part shade, avg to moist soils, good mildew resistance	ready
monarda didyma	Bee Balm 'Purple Rooster'	Gal	Purple blooms, June-July, 3-4', sun to part shade, moist to dry soils, attractive to wide variety of pollinators/butterflies, drought tolerant, 'Purple Rooster' reported as mildew free in Mt Cuba trials	ready
monarda didyma	Bee balm ' White'	Qt	White blooms, July, 2'-3', sun, avg to moist but well-drained soil, attracts butterflies/pollinators/hummingbirds	<b>sold out</b>
monarda fistulosa	wild bergamot	Qt	Lavendar blooms, late summer, 2'-5', full to part sun, dry to moist soil, drought tolerant, aromatic foliage, attracts bees, butterflies, hummingbirds, more resistant to powdery mildew than most	ready
monarda media	Purple bergamot	Qt	Red/purple/pink blooms (varies), July, 2-3', avg to moist soil, sun to part shade, attracts butterflies/hummingbirds/pollinators	<b>sold out</b>
monarda punctata	horsemint/spotted bee balm	Qt	purple spotted flowers atop stems with pink/lavender/cream bracts, 1-3', sun, moist to dry soils, attractive to pollinators/butterflies/hummingbirds, deer/rabbit resistant	ready
monarda spp.	pink and purple varieties	Qt	unknown varieties, a few red, some pink varieties	<b>few left</b>
oenothera fruticosa	narrowleaf evening primrose	Qt	red flower buds followed by bright yellow flowers, summer, 1-3', sun to part shade, dry to moist soil, attractive to pollinators and hummingbirds, songbirds eat seeds	<b>sold out</b>
pachysandra procumbens	Allegheny spurge	Qt	white bottlebrush flowers, early spring, 6-12", part to full shade, med soil, gradually spreads to form a groundcover, drought tolerant once established	ready soon
packera obovata	roundleaf ragwort	Qt	yellow daisy-like blooms, Apr – June, 1'-2', sun to part shade, med to wet soils, foliage semi-evergreen, tinged with burgundy at time, good ground cover	ready
parthenium integrifolium	wild quinine	Qt	white flower clusters, 3'-5', summer-fall, full sun, dry to medium soils	breaking
paxistima canbyi	Canby's mountain lover/cliffgreen	Qt	evergreen groundcover, small green flowers, May, 6-12", sun to part shade, good for rocky slopes	<b>sold out</b>

Sheet1

pedicularis canadensis	Canadian wood betony	Qt	reddish/violet with yellow blooms, 12", Apr-May, full to part sun, med to dry soil, well drained best, attractive to bumblebees	sold out
penstemon calycosus	Calico penstemon	Qt	pale lavender to white tubular blooms, late spring/early summer, 2'-3', part shade, avg soil, attracts wide variety of pollinators/hummingbirds, tolerant of alkaline soils	sold out
penstemon digitalis	beardtongue	Qt	white to pink blooms, late spring/early summer, 3'-4', full sun to part sun, average to dry soil, drought tolerant, attracts bees/butterflies/hummingbirds	sold out
penstemon digitalis	beardtongue 'husker red'	Qt	pale pink/white blooms late spring/early summer, reddish-green foliage, 2-3', sun/part shade, average soil, attracts hummingbirds	ready
penstemon 'Dark Towers'	Dark Towers' beardtongue	Qt	pale pink/white blooms late spring/early summer, very dark maroon foliage, 2-3', sun/part shade, average soil, attracts hummingbirds	nice foliage
penstemon 'Onyx and Pearls'	Onyx and Pearls' beardtongue	Gal	pale lavender to white blooms, late spring/early summer, 3-4', sun/part shade, avg soil, dark foliage (near black when mature),	sold out
penstemon hirsutus	hairy beardtongue	Qt	pale purple flowers, May-June, 12-18", sun to shade, moist to dry soils, attractive to bumblebees, butterflies and hummingbirds	sold out
penstemon hir. 'Pygmaeus'	hairy beardtongue 'Pygmaeus'	Qt	pale pink/lavender/white blooms, late spring/early summer, 6", sun to part shade, med soil, good drainage, attracts hummingbirds/bumblebees, compact size for front of border	sold out
penstemon smallii	Small's penstemon	Qt	lavendar/pink blooms, summer, 1'-2', sun/part shade, average soil, attracts hummingbirds, bees, butterflies	sold out
penstemon tubaeflorus	white wand beardtongue	Qt	white flowers, late spring/summer, 1-3', sun/part shade, avg to dry soil, attracts hummingbirds, bees	ready
phlox carolina	phlox 'Minnie Pearl'	Gal	white blooms, early summer, 1-2', sun to part sun, med soil, good resistance to powdery mildew	sold out
phlox carolina	thickleaf phlox 'Kim'	Qt	pinkish/purple blooms, summer, 1'-2', sun to part shade, avg to moist soil, good resistance to powdery mildew	sold out
phlox divaricata	wild blue phlox	Qt	pink/white/lavendar blooms Apr-May, 8"-12", part shade, moist soil, attracts butterflies, fragrant	blooming
phlox divaricata	woodland phlox 'blue moon'	Qt	violet blue blooms Apr-May, 12"-18", part shade, moist soil, attracts hummingbirds, pollinators	blooming
phlox divaricata	woodland phlox 'may breeze'	Qt	light blue to white blooms Apr-May, 10"-12", part shade, moist soil, attracts hummingbirds, pollinators	blooming

Sheet1

phlox glaberrima	Morris Berd' smooth phlox	Gal	bright pink flowers, late spring/early summer, 2-3', sun to part shade, moist to dry soil, excellent disease resistance, nice maroon foliage in fall, good rating in Mt Cuba and Chicago Botanic Garden Trials, similar to phlox paniculata but more compact, narrower foliage	plugs ready
phlox maculata	wild sweet william/meadow phlox	Qt	pink-violet blooms, late summer to fall, 2-3', sun to part shade, moist soils, fragrant, spreads gradually, attracts butterflies, good powdery mildew resistance	ready
phlox paniculata	garden phlox 'Jeana'	Qt	lavendar/pink fragrant blooms, June to late summer, 3'-5', avg to moist soil, good resistance to powdery mildew, butterfly magnet	ready
phlox pan. 'Blue Paradise'	phlox 'Blue Paradise'	Gal	pale blue to deep violet blooms, summer, 2-3', sun/part shade, med to moist soil, attracts butterflies	ready
phlox stolonifera	Creep. Phlox 'Blue Ridge'	Qt	lavender-blue blooms, late-spring to early summer, 6-8", med to moist (but well-drained) soil, part to full shade, attractive to butterflies/hummingbirds, drought tolerant once established, can gradually spread to form groundcover	plugs ready
phlox stolonifera	Creep. Phlox 'Home Fires'	Qt	Deep pink flowers starting in Apr, 6-10", shade to part shade, moist well-drained soil, attracts butterflies/pollinators	ready blooming
phlox stolonifera	Creep. Phlox 'Sherwood Purple'	Qt	Purplish-blue flowers starting in Apr, 6-10", shade to part shade, moist well-drained soil, attracts butterflies/pollinators	ready buds
phlox subulata	Moss phlox	Qt, Gal	groundcover phlox with semi-evergreen foliage, spring, sun to part shade, well-drained soil, tolerates poor soils, several varieties available	ready
physostegia virginiana	obedient plant	Qt	pink flowers spikes bloom late summer/fall, 3'-4', full sun, tolerates wet clay soil, but fine in average soil, can spread if happy	ready, also bareroot clumps
physostegia virginiana	obedient plant 'miss manners'	Qt	white flower spikes bloom late summer/fall, 2'-2.5', full sun, medium soil, tolerates moist, less aggressive	ready
podophyllum peltatum	Mayapple	Qt	white blooms, Apr-May, 1-1.5', part to full shade, med soil, edible fruit after flowering	ready
polemonium reptans	Jacob's ladder	Gal	light blue flowers, late spring, 12"-18", shade/part sun, average to moist soil, forms groundcover	<b>sold out</b>
polemonium reptans 'Stairway to Heaven'	Stairway to Heaven' jacob's ladder	Gal	same as above, but with variegated foliage	<b>ready blooming</b>
polemonium 'Blue Pearl'	Jacob's ladder	Qt	light blue flowers, late spring, 10-12", shade/part sun, avg to moist soils, forms groundcover	<b>sold out</b>
porteranthus trifoliatius	Bowman's root/Indian physic	Qt	White-pink blooms on red stems, late spring/early summer, 2'-3', shade to part sun, bronze-red fall foliage	<b>sold out</b>

Sheet1

prunella vulgaris	Magdalena' self heal	Qt	purple blooms, summer to fall, 6", avg to moist soils, sun to part shade, attracts bees and butterflies	ready
pycnanthemum flexuosum	Appalachian mountain mint	Qt	Silver-white blooms, late summer/fall, 2'-3', full to part sun, moist to dry soil, more clump forming than most mountain mints, nice fall foliage color, host plant for gray hairstreak, attracts pollinators	<b>sold out</b>
pycnanthemum incanum	Hoary mountain mint	Qt	clusters of lavender to white flowers, late summer, 3'-4', sun to part shade, average well-drained soil, aromatic foliage with silver tinge, very attractive to wide variety of pollinators	plugs ready
pycnanthemum muticum	Short toothed/clustered mountain mint	Qt	silver bracts with light pink blooms, late summer, 2'-3', full sun to full shade, moist to dry soil, aromatic foliage, nice in arrangements – attracts bees and butterflies	ready
pycnanthemum pilosum	Hairy mountain mint	Qt	fuzzy white blooms, late summer/fall, 1-3', sun to part shade, dry to medium soil, silvery-green foliage, attractive to numerous pollinators, deer/rabbit resistant	ready
pycnanthemum tenuifolium	narrowleaf mountain mint	Qt	white blooms, mid-late summer, 2'-3', sun to part shade, dry to medium soil, fragrant, attracts pollinators	one left
pycnanthemum virginianum	American mountain mint	Qt	white blooms, July-Sept, 2-3', full sun, wet to dry soil, aromatic foliage, attracts numerous pollinators	ready
rudbeckia fulgida v. deamii	Deam's coneflower	Qt	yellow blooms, 3', summer, full sun, average soil, attractive to pollinators, seed heads attractive to birds	ready
rudbeckia hirta	black eyed susan	Qt, 2 Qt	yellow blooms, summer, 2'-3', sun to part shade, average soil, can be short-lived/biennial, but reseeds	<b>sold out</b>
rudbeckia hirta	Autumn Colors' black eyed susan	Qt	deep red, orange, bronze and yellow blooms, 2-3', fun, avg soil	<b>sold out</b>
rudbeckia hirta	Prairie Sun' black eyed susan	Qt	green centers with darker petal color in the center, fading to yellow, 2-3', sun, avg soil	<b>sold out</b>
rudbeckia laciniata	cutleaf coneflower	Qt, Gal	yellow blooms, Aug-Sept, 5'-8', full to part sun, average to moist soil, attracts butterflies and birds, nice cut flower, pretty with ironweeds	ready
rudbeckia maxima	great coneflower	Qt	yellow flowers with dark cones July-Sept, blue/green foliage, 6'-8', full sun, dry to medium soil	ready
rudbeckia subtomentosa	sweet coneflower 'Henry Eilers'	Gal	yellow quilled flowers, Aug-Sept, 4-5', moist-average soil, drought tolerant when established	plugs ready
rudbeckia subtomentosa	sweet coneflower 'little Henry'	2 Qt	yellow quilled flowers, Jul-Sept, 3', moist-average soil, drought tolerant when established	<b>sold out</b>
rudbeckia triloba	Three lobed coneflower	Qt	yellow blooms, July-Sept, 3', sun, good for moist areas but tolerant of dry sites as well	<b>sold out</b>
rudbeckia triloba 'Blackjack Gold'	Three lobed coneflower 'Blackjack Gold'	Gal	yellow blooms with dark centers/stems, 3', sun, longer lived than the species, longer bloom time	<b>sold out</b>

Sheet1

rudbeckia tri. 'Little Charm'	Little Charm' three lobed coneflower	Gal	yellow blooms, 3', sun, long blooming variety	<b>sold out</b>
rudbeckia 'Viette's little suzy'	Viette's Little Suzy' black eyed susan	Qt	yellow flowers w/ dark centers, summer-fall, 15-18", sun/part shade, a more compact form of black-eyed susan	<b>sold out</b>
salvia azurea	Blue sage	Qt	sky blue blooms, late summer, 5', sun, med to dry soil, aromatic foliage, attractive to pollinators/butterflies, good native substitute for Russian sage	<b>dormant</b>
salvia lyrata	Purple knockout' Lyre-leaf sage	4"	maroon foliage, white/lavendar blooms, 1', sun to part shade, moist to dry	ready
sanguinaria canadensis	Bloodroot	Qt	white flowers, yellow centers, early spring, moist, shade	ready
sanguisorba officinalis	greater burnet	Gal	dark red to maroon-purple blooms, summer, 2-3', sun, med soil, deer resistant, unusual foliage, attracts songbirds/pollinators/butterflies, nice addition to cut arrangements	<b>sold out</b>
sarracenia	pitcher plant		red/green "hooded pitchers", can reach 16" tall, bog plant	<b>ready</b>
scrophularia marilandica	late figwort	Qt	small reddish-green blooms, late summer/fall, 6', sun to part sun, med to dry, attractive to hummingbirds/pollinators	<b>dormant</b>
scutellaria incana	hoary skullcap	2 Qt	Voilet-blue blooms, summer, 2'-4', full to part sun, avg to dry soil, tolerates clay soil, attracts butterflies	plugs ready
sedum ternatum	woodland stonecrop	Qt	Larinem Park', white blooms late spring/summer, 2"-6", full to part shade, moist/average soil, good groundcover for shade	ready nice
senecio aureus	packera aurea	Qt	yellow blooms Mar-May, 12"-15" tall, full sun to shade, dry to moist, early pollinator plant	<b>sold out</b>
silene caroliniana	wild pink 'short and sweet'	Qt	pink blooms May-Jun, 6"-8", sun to part shade, med to dry soil, attracts hummingbirds/butterflies, native subst for dianthus	<b>few left</b>
silene virginica	fire pink	Qt	scarlet red blooms spring, 12"-20", part shade, moist good drainage, found on rocky wooded slopes in open woods	<b>sold out</b>
silphium mohrii	Mohr's rosinweed	Gal	pale yellow blooms, mid sum - fall, 2-5', sun to part shade, med to dry soil, does well in rocky sites, a slightly more compact and drought tolerant silphium	<b>one avail</b>
silphium perfoliatum	Cup plant	Gal	Yellow daisy-like blooms, July-Oct, 6-8', sun, med to wet soils, large leaves form 'cups' that collect water for birds, frogs and other wildlife	<b>a few avail</b>
Sisyrinchium ang. 'Suwannee'	Suwannee' Blue Eyed Grass	Gal	sky blooms blooms, spring into summer, 8-10", moist to dry soils, sun to part shade, grass-like foliage, groundcover	ready
Sisyrinchium ang. 'Lucerne'	Lucerne' blue eyed grass	Qt	violet-blue flowers, spring into summer, 8-10", moist to dry soils, sun to part shade, grass-like foliage	<b>sold out</b>
smilacina racemosa	False Solomon's seal	Qt	ivory flower plumes, late spring, followed by red berries, 1-3', part to full shade, med to moist soils	<b>a few avail</b>

Sheet1

solidago flexicaulis	Zigzag Broadleaf goldenrod	Qt	yellow blooms late summer/fall, 1-3', a woodland variety of goldenrod, best in dappled shade, attracts pollinators	dormant
solidago graminifolia	grass-leaved goldenrod	Qt	flat-topped clusters of golden-yellow flowers, fine textured foliage, late summer/fall, 3-4', sun to part shade, med to moist soil, attractive to butterflies/pollinators, a variety of birds eat the seeds, nice cut flower	breaking
solidago juncea	Early goldenrod	Qt	2-4' tall, 2-3' wide, yellow flower panicles on arching stems, blooms July-Aug, moist to dry soil, sun to part shade	dormant
solidago 'Little Lemon'	'Little Lemon' goldenrod	Qt	compact goldenrod, lemon-yellow blooms, 8"-14", good choice for fall containers	ready
solidago odora	Sweet goldenrod	Qt	yellow blooms, late summer/fall, 2-4', sun to part shade, tolerant of dry soil, clump forming (not as aggressive as other goldenrods), also called anise-scented goldenrod	sold out
solidago rigida	Stiff goldenrod	Qt	yellow blooms, gray/green foliage, late summer/fall, 2'-5', full sun, moist to dry	sold out
solidago rugosa	'Fireworks' goldenrod	2 Qt	yellow blooms, late summer/fall, 3'-4', full to part sun, avg soil, attracts late season pollinators, nice with asters	sold out
solidago shortii	'Solar Cascade' goldenrod	Qt	yellow blooms, late summer/fall, 2'-3', full to part sun, average soil, drought tolerant once established, late season pollinator plant, not as aggressive as many other goldenrods	ready
solidago speciosa	Showy goldenrod	2 Qt	2-3' tall and wide, pyramidal yellow/gold blooms, reddish stems, late summer to fall, moist to dry, sun to part shade	breaking
solidago sph. 'Golden Fleece'	Golden Fleece' goldenrod	Gal	Yellow blooms, late summer-fall, 1-1.5', full sun, dry to med soil, more compact and mounding habit than most goldenrods	ready
spigelia marilandica	Indian pink	Gal	red w/ yellow blooms, 12"-18", summer, part sun/shade, moist soil	dormant
spiranthes cernua odora	Ladies tresses	Gal	fragrant white flowers late summer-frost, 8"- 2', part shade, medium to wet soil, prefers acidic, a native woodland orchid	sold out
stokesia laevis	Stokes' aster	Gal	lilac-blue flowers, summer, 18", sun, med to moist but well-drained soils	one left
stokesia 'Color Wheel'	Color Wheel' aster	Gal	white flowers changing to lavender then blue/purple, 12-18", sun, med to moist well-drained soils	ready
stokesia laevis 'Divinity'	Divinity' Stokes' aster	Gal	white blooms with pale yellow centers, 1-1.5', sun, med to moist but well-drained soil, avoid wet winter sites	one left
stylophorum diphyllum	wood/celandine poppy	Qt	golden yellow blooms Apr – Jun, 12"-15", shade, moist soil, attracts butterflies/pollinators	ready
thalictrum dasycarpum	tall/purple meadow rue	2 Qt	cream blooms on purple stems, late spring, 6', full to part sun, med to wet soil,	ready
thermopsis caroliniana	Carolina lupine	Gal	yellow blooms, June, 3'-4', full sun, avg soil	ready

Sheet1

tiarella cordifolia	foamflower	Qt	White/light pink blooms, 12"-18", full to part shade, moist to average soils, can spread to form groundcover in these conditions	few left
tiarella cordifolia	New Moon Motley' foamflower	Qt	white flowers, spring, 8-12", part to full shade, med to moist soils, this variety has a mix of leaf shades and dark variegation on the leaves	ready
tradescantia 'Sweet Kate'	Sweet Kate' spiderwort	Gal	purple flowers, chartreuse foliage, late spring/summer, 18", best with afternoon shade to prevent scorching	ready
trillium	trillium (varieties)	Qt	various varieties - grandiflora (white), nodding, prairie	few left
uvularia grandiflora	Bellwort	Qt	pale yellow blooms, mid spring, 1-2', part to full shade, med soil	ready
uvularia sessifolia	Small bellwort	Qt	cream to yellow flowers, spring, 6-12", part to full shade	ready soon
verbena hastata	blue vervain	Qt	purple blooms, July/August, 4'-6', full sun, moist to wet soil, attracts butterflies	sold out
verbena stricta	hoary vervain	Qt	lavender blooms, summer, 2'-4', full sun, dry to avg soil, drought tolerant, poor/gravel/sandy soils, host plant for common buckeye, attracts numerous pollinators/butterflies, birds eat seeds	dormant
vernonia altissima	Tall ironweed	Gal	purple blooms, late summer, 5-8', sun to part sun, moist to wet soils, one of the tallest and showiest ironweeds	dormant
vernonia glauca	Upland Ironweed	Qt	purple blooms, Aug-Sept, 3-5', sun to part shade, moist to dry soils, attractive to wide variety of pollinators/butterflies, drought tolerant	plugs ready
vernonia lettermannii	'Iron butterfly' ironweed	Qt	purple blooms, late summer-fall, 2-3', full sun, avg soil, fine-textured foliage, more tolerant of dry sites than most ironweed	breaking
vernonia noveboracensis	New York ironweed	Gal	purple blooms, late summer, 4'-7', full sun, moist to dry soil, but found naturally in moist soils – attracts butterflies, striking in mass mixed with yellow flowers (solidago, rudbeckia, etc)	sold out
vernonia 'Southern Cross'	Southern Cross' ironweed	Gal	purple blooms, late summer/fall, 2.5-3', sun, dry to med soil, attracts butterflies/pollinators, a drought tolerant ironweed	sold out
veronicastrum virginicum	Culver's root	Gal, Qt	white flower spikes, Jun-Aug, 4'-6', prefers moist soils but tolerates drought once established	ready
viola pedata	Bird foot's violet	Qt	lilac-purple blooms, spring, 3-6", sun to part shade, tolerant of dry, rocky soils, butterfly host plant, avoid over crowding and wet sites, attracts pollinators/small butterflies, host plant for fritillary butterflies	one left
viola striata	stiped cream violet	Qt	cream colored flowers with some purple stripes on lower petal, spring-summer, 8-12", moist soils, part to full shade, deer resistant, ground cover	ready
Waldsteinia fragarioides	barren strawberry	Qt, 2 Q	yellow blooms early to late spring, 3-6" high, spreading groundcover, full sun to part shade	sold out

xanthorhiza simplicissima	yellowroot	Qt	Star-shaped maroon blooms, spring, 2-3', considered woody perennial or sub-shrub, part to full shade, med to wet soil, spreads to form groundcover, attractive fall color, shades of yellow/red/purple	a few left
yucca filamentosa	Color Guard' yucca	Gal	creamy white flowers, summer, 3-6', sun, dry to med soils, gold foliage with green edges, has some pink coloration in fall	sold out
zizia aurea	golden alexander	Qt/Gal	yellow blooms May-Jun, 2'-3', part shade, med to moist soil, attracts pollinators/butterflies, larval host to Black Swallowtail	ready
<b>Vines</b>				
Aristolochia durior	Dutchman's pipe/pipevine	Gal	Maroon-green pipe-shaped blooms, late spring, can reach 30', large heart-shaped leaves, good for shade on trellis, host plant for pipevine swallowtail	dormant
clematis virginiana	Virgin's bower	Gal	white blooms, late summer-fall, 9', sun to part shade, med to moist but well-drained soil	sold out
Decumaria barbara	climbing hydrangea/woodvamp	Gal	white blooms, summer to fall, dark foliage, climbs trees or brick, blooms attractive to butterflies/pollinators	breaking
Lonicera sempervirens	Trumpet honeysuckle vine	Gal	Scarlet/orange/red blooms, late spring, followed by red berries in fall, 10-20', full sun, med soil, attractive to hummingbirds/pollinators	sold out
Lonicera sempervirens	Trumpet honeysuckle vine 'Major Wheeler'	Gal	Red blooms, late spring, followed by red berries in fall, 3-8', full sun, med soil, attractive to hummingbirds/pollinators	sold out
Lonicera sempervirens	Trumpet honeysuckle vine 'John Clayton'	Gal	pale yellow blooms, late spring, profuse berry production, 6-12', full sun, med soil, attractive to pollinators	sold out
Matelea carolinensis	Caroline milkvine or climbing milkweed	2 Qt	Unusual maroon blooms in summer followed by seed pods, vines die back completely each winter and re-emerge late spring, blooms attractive to variety of butterflies, host plant for monarch	sold out
menispermum canadense	Common moonseed	Qt	greenish-white flowers, may-june, followed by fruit (not edible), part shade, medium soil, 8-20'	breaking
Passiflora incarnata	Passion flower vine	Gal	Exotic-looking purple and white blooms following by small green 'fruit', summer-fall, up to 20', sun to part shade, attractive to pollinators	dormant
wisteria frutescens	american wisteria	Gal	Lilac-purple blooms, mid spring, 15-30', sun, med soil	sold out
wisteria frutescens 'Nivea'	american wisteria 'Nivea'	Gal	<b>white</b> flowered form of the above	sold out
<b>Ferns</b>				
adiantum pedatum	Maidenhair fern	Qt	delicate foliage on dark stems, 12"-18", part to full shade, avg to moist soil	breaking

Sheet1

asplenium trichomanes	Maidenhair spleenwort	Qt	small evergreen fronds, dark stems, tolerant of dry, rocky sites in shade	few left
athyrium felix femina	lady fern	Qt	red/brown stems with green foliage, 2', prefers shade to part shade	sold out
athyrium 'ghost'	ghost fern	Gal	silvery-green foliage with reddish stems, 2-3' tall/wide, part to full shade, med to moist soil	sold out
athyrium felix femina 'Lady in Red'	Lady in Red' lady fern	Qt	same as above, but stems have more red coloration	sold out
athyrium felix femina 'minutissima'	dwarf lady fern	Qt	same as above, but more compact form (6-12")	sold out
athyrium felix femina 'Victoriae'	Victoriae' lady fern	Qt	unusual selection of lady fern with criss-crossed fronds with crested tips, 18-24" tall, part to full shade, med to moist soil, deer resistant	sold out
dennstaedtia punctilobula	Hay-scented fern	Qt	green foliage, 1.5-2', part to full shade, med soil	more ready soon
dryopteris australis	Dixie wood fern	Qt	green foliage, 3-4' tall, full to part shade, med to moist soil	nice
dryopteris cristata	Crested woodfern	Qt	green foliage, 1-2', part to full shade, moist to wet soil	sold out
dryopteris filix-mas	Parsley' male fern	Gal	crested or fringed fern, 18-24", part to full shade, moist to avg soil, deer resistant	breaking
dryopteris goldiana	Goldie's wood fern	Qt	green foliage, 3', part shade/shade, moist soil	sold out
dryopteris intermedia	evergreen wood fern	Qt	lacy, evergreen fronds, 1-3', best in moist, shady sites	sold out
dryopteris marginalis	eastern/marginal wood fern	Qt	green foliage, 12"-18", prefers shade to part shade, tolerates dry soils when established	sold out
matteuccia struthiopteris	ostrich fern	Qt, 2 Qt	large fern, 3-6', part to full shade, med to moist soils, deer/rabbit resistant, spreads to form colonies	dormant
onoclea sensibilis	sensitive fern	Qt	green foliage, 12"-18", shade to part shade, moist soils, spreads to form groundcover	sold out
osmunda cinnamomea	cinnamon fern	Qt	green foliage, red/brown upright fronds emerge in summer, 2'-5', prefers shade/part shade, moist soil	breaking
osmunda claytonia	interrupted fern	Qt	vase-like shape, 3-4', fronds develop brown clumps of spores halfway up giving the "interrupted" appearance, best in moist shade, but tolerant of drier conditions once established, deer resistant	few left
polystichum acrostichoides	Christmas fern	Qt	evergreen foliage, 1-2', part to full shade, dry to medium soils, clump forming, grows well on rocky banks, good for erosion control	ready
thelypteris noveboracensis	New York fern	Qt	fine textured, green foliage, 1-2', part to full shade, moist to dry, spreads to form colonies	sold out
thelypteris palustris	marsh fern	Qt	Yellow-green fronds 18"-24", tolerates sun in moist/wet soils	sold out

Grasses				
andropogon gerardii	big bluestem	Gal	green to blue-green foliage, purplish blooms resembling a turkey foot in fall, foliage has shades of red/bronze/purple in fall, 7'+, sun, dry to med soils	dormant
andropogon 'Blackhawks'	Blackhawks' bluestem	Gal	dark green foliage turning dark purple to black in fall, 4-5', sun, dry to med soils	dormant
carex appalachica	Appalachian Sedge	Qt	fine green foliage, 6", shade to part shade, avg to dry soil, good groundcover for dry, shady sites or accent plant in container/stump/rock crevice	ready
carex laxiculmis	bunny blue sedge	Qt	blue/green foliage, 8"-12", shade to part sun, evergreen (cut back late winter)	sold out
carex pennsylvanica	Pennsylvania sedge	Qt	green airy foliage, 6"-12", shade to part shade, average to dry soil, good groundcover for dry, deciduous shade sites	sold out
carex plantaginea	Seersucker sedge	Qt	wide dimpled leaves, purplish black flowers in spring, 8-12", part to full shade, dry to moist soils	ready
carex platyphylla	Silver Sedge	Qt	clump-forming sedge, 8-12", with powdery blue-green textured leaves about an inch wide, dry to moist soils, part to full shade, good for dry, rocky banks to stabilize soil	sold out
Chasmanthium latifolium	northern sea oats	Qt	Flat, oat-like seed heads on bamboo-like foliage, sun to part shade, good for dry shady sites	sold out
Elymus hystrix	Bottlebrush grass	Gal	seed heads resembling bottle brushes, 3-5', tolerant of part shade and dry soil	dormant
Elymus virginicus	Virginia wild rye	Qt	wheat/rye-like spikes, 2-4', moist sites, sun to shade, reseeds, good choice for erosion control on slopes	breaking
eragrostis spectabilis	Purple love grass	Qt	green foliage with reddish-purple seed heads in late summer, 1-2', sun, dry to med soil, tolerant of poor/dry soils	sold out
hierochloe odorata	vanilla sweet grass	Qt	blue green grass, brownish blooms, 1'-2', sun to part shade, moist to wet soil best, spreads up to 2' year, best in winter-proof container, leaves have vanilla fragrance (dried, braided and then burned, once used by Native Americans in ceremonies)	ready
muhlenbergia capillaris	Pink hair grass	QT	fluffy pink flower/seed heads, fall, 3-4', sun to part shade, tolerant of poor soils	sold out
muhlenbergia 'White Cloud'	White Cloud' white hair grass	Gal	soft clouds of airy ivory flower heads on blue-green foliage, 3-4'	sold out
panicum virgatum	Switchgrass ' Shenandoah'	Qt	green foliage turns to red late summer/fall, 2'-3', full to part sun, avg to moist soil, drought tolerant when established, good substitute for non-native ornamental grasses (miscanthus, blood grass, etc)	breaking
panicum virgatum	switchgrass, other varieties	Qt/Gal	Heavy Metal, Rotstrahlbusch, Purple tears avail	sold out
schizachrium scoparium	little bluestem	Qt	green/blue/purple turning red/orange in fall, white seed heads Aug-Oct, 3'-4', full sun, avg to dry soil, well drained	sold out

schizachrium scoparium	little bluestem 'The Blues'	1 Qt	Blue-green foliage with reddish tints, turning burgundy red in fall	<b>sold out</b>
schizachrium scoparium	little bluestem, additional varieties	Qt	Jazz' - blue/gray foliage, burgundy-red fall color, 2-3' upright clumping form, silvery-white seed heads in fall	dormant
sorghastrum nutans	Indian grass	Gal	upright clumps of slender blue-green foliage, turning yellow/gold in fall, sun, moist to dry, 3-4'	dormant
Indian Steel' sorghastrum	Indian Steel' indian grass	Gal	same as above but with showier steel blue-green foliage	dormant
sporobolus heterolepis	prairie dropseed	Qt	fine textured, green hair-like foliage, 2'-3', drought tolerant, nice fall color, seeds attract birds,	<b>sold out</b>
<b>Shrubs/Sm. Trees</b>	<b><i>Check our Tree/Shrub Special Order List for full list of available trees/shrubs</i></b>			
Aesculus parviflora	bottlebush buckeye	2 gal	white flower, summer, 8-12', part to full shade, med to moist soil, attractive yellow fall foliage, large compound leaves, intolerant of dry sites	<b>a few available</b>
Aesculus pavia	Red Buckeye	1 gal	Red flower clusters, late spring, 12-15', sun to part shade, med soil, attracts hummingbirds	plugs ready
Amelanchier canadensis	Serviceberry/Shadblow	1 gal	large shrub/small tree, white spring flowers, edible june berries and fall color, attracts pollinators and birds	special order only
Amelanchier laevis	Allegheny serviceberry	1 gal	large shrub/small tree, white spring flowers, edible june berries and fall color, attracts pollinators and birds	special order only
Amelanchier stolonifera	Running serviceberry	Qt	white flowers, spring, followed by edible red fruits, nice fall color, 4-5', sun to part shade, med soil, spreading by suckers to form a low thicket	<b>sold out</b>
Aralia nudicaulis	Wild sarsaparilla	gal	white flowers, spring, followed by small berries, 18-24", part shade to shade, dry to moist soil, spreads by suckers	breaking
Aralia racemosa	Spikenard	1 gal	clusters of white flowers, berries follow, 3-5', med soil, full to part shade	<b>ready</b>
Aronia arbutifolia	Red chokeberry	1 gal	white spring flowers, red berries persisting into fall, red leaves fall, attracts pollinators, native sub for burning bush	a few available
Aronia melanocarpa	Black chokeberry	1 gal	white flower clusters in summer, becoming dark purple/black berries, nice reddish fall foliage	a few available
aronia mel. Varieties	Ground hog' , 'Low Scape Mound'	3 gal	same as above, but compact (only 1-3')	special order only
Callicarpa americana	American beautyberry	1 gal	small lavender/pink blooms followed by vibrant purple berries in late summer/fall, 3'-6', sun to part shade, medium soil, may die back to the ground in harsh winters	<b>a few in stock</b>
Callicarpa americana 'Welch's pink'	American beautyberry 'Welch's pink'	1 gal	same as above but <b>pink berry</b> form	<b>sold out</b>

Sheet1

Calycanthus floridus	sweetshrub/caroline allspice	1-2 gal	Unique dark red/brown blooms with strong fragrance in late spring, tolerates clay soil, very adaptable, 6-10', grown from cuttings of highly fragrant parent plant	ready
Calycanthus floridus 'Athens'	sweetshrub 'Athens'	1 gal	yellow-flowered form of the above	ready
Ceanothus americanus	New Jersey tea	1 gal	White blooms May-June, 3'-4-, sun to part shade, med to dry soil, drought tolerant	special order only
Cephalanthus occidentalis	Common buttonbush	2 gal	white round blooms in June, moist/wet soils in full sun/part shade, attracts bees/butterflies	a few in stock
Clethra acuminata	Cinnamon pepperbush	gal	white blooms, mid to late summer, 6-12', part shade, dry to wet soil, prefers acidic, attractive yellow fall foliage, interesting bark	<b>sold out</b>
clethra alnifolia	Sweet pepperbush	gal	white blooms, late summer, 3-8', sun to part shade, med to wet soil, tolerant of full shade, attractive to pollinators/butterflies, nice fall color	special order only
Cornus amomum	silky dogwood	1 gal	yellow/white blooms in late spring/early summer followed by white to blue berries, 6'-12', sun to part shade, med to moist soil	special order only
Cornus drummondii	rough-leaved dogwood	1-2 gal	yellow-white blooms, late spring, white berries, 6-15', sun to part shade, med to moist soil, tolerant of poor/dry soils, tolerant of limestone soils, birds eat berries	a few in stock
Cornus racemosa	gray dogwood	2 gal	white blooms, May-June, 10-15', sun to part shade, white berries in fall, fall foliage purple/red	special order only
Euonymus americanus	Strawberry bush/hearts a bustin	Qt	greenish/yellow blooms, late spring, followed by attractive and unique fruit, 4-6', part shade, attractive fall foliage	a few small
Euonymus atropurpureus	Eastern wahoo	Qt	purple/red blooms, summer, followed by attractive fruit, 12-20', sun to part shade, med soil, nice fall foliage	one left small
Fothergilla gardenii	Dwart witchalder	1 gal	white blooms in spring, 1.5'-3', sun to part shade, medium soils, fall foliage shades of red/orange/yellow	special order only
Gaylussacia baccata	Black huckleberry	Qt	flowers in spring, black berries in summer, nice fall color, 1-3', prefers acidic soil	more soon
Gaylussacia brachycera	Box huckleberry	Qt	white flowers late spring/summer, berries in summer, 6-8", spreads to form colony/groundcover over time, acidic	<b>sold out</b>
Hamamelis virginiana	Witchhazel	1 gal	yellow blooms, fall, 15-20', sun to part shade, medium soil	special order only
Hydrangea quercifolia	Oakleaf hydrangea 'Little Honey'	1 gal	white blooms June/July, 3'-4', part shade, med to moist soil, foliage is golden-yellow to chartreuse in spring, turns shades of red in fall	ready, small
Hypericum prolificum	Shrubby St. John's wort	Gal	yellow blooms, June-Aug, 1'-5', sun to part shade, med soil, tolerates clay soil, dry, sandy and rocky soils	a few available

Sheet1

Ilex glabra	Inkberry	1 gal	evergreen shrub, 5-8', sun to part shade, med to wet soils, prefers acidic soils, black berries	special order only
Ilex verticillata	Winterberry	1 gal	3-12', red berries persist after leaves drop, sun to part shade, med to wet soils, prefers acidic soils	a few in stock
itea virginica	Virginia sweetspire	1 gal	white blooms, June-July, 3'-5', sun to part shade, med to wet soil, red/orange/gold fall foliage, substitute for burning bush	one avail
Kalmia latifolia	Mountain laurel	1 gal	white to rose blooms, late May/June, 5-15', part shade, med soil, acidic soil with good drainage	special order only
Lindera benzoin	Spicebush	1 gal	yellow blooms early spring, full sun/part shade, med soils, yellow fall color, host plant for Spicebush Swallowtail Butterfly	special order only
Myrica pensylvanica	Bayberry	1 gal	5-10', sun to part shade, dry to med soils, produces blue/gray berries attractive to birds	special order only
Neviusia alabamensis	Alabama snow wreath	1 gal	clusters of fluffy white flowers, late spring, 3-6', med soil, sun to part shade, rare	one avail
Rhus aromatica	Aromatic sumac 'Gro-Low'	1 gal	yellow blooms, Apr-May, 2', sun to part shade, medium to dry soils, tolerates shallow/rocky soil, females produce fruit attractive to wildlife, excellent fall color	special order only
Rosa virginiana	Virginia rose	1 gal	pink blooms late spring/summer, fragrant, attract butterflies/pollinators, 5'-6', cold hardy and more resistant to disease	special order only
Rubus odoratus	Purple flowering raspberry	1 gal	rose-purple blooms, summer, 3-6' tall, up to 12' wide (spreads by suckering), sun to part shade, med well-drained soil	sold out
salix discolor	American pussy willow	1 gal	white catkins in spring, 6-15', moist to wet soil, full sun	a few in stock
Sambucus canadensis	American elderberry	1 gal	white flower clusters in early summer, black elderberry fruit later in summer	a few in stock
Spiraea alba	Meadowsweet	1 gal	white flower clusters, summer, 3-4', sun to part shade, med to wet soil	special order only
Spiraea tomentosa	Steeplebush	2 gal	pink spike blooms, Jul-Sept, 2'-3', sun to part sun, moist soil, host for columbia silkmoth, good substitute for invasive butterfly bush or japanese spiraea	special order only
Symphoricarpos albus	Snowberry bush	various	small pale pink flowers in summer followed by white berries in late summer/fall, tolerates drought, clay and rocky soils	few left
Symphoricarpos orbiculatus	Coralberry/Indian Currant	1 gal	small greenish-white flower clusters in summer followed by coral-pink to purple berries in late summer/fall, 2-4', shade to part sun, gradually spreads, good for bank stabilization	one left
Vaccinium angustifolium	Lowbush blueberry	Qt	6"-2', prefers moist acidic soil, blooms in spring, followed by fruit, then colorful fall foliage	more soon
Vacc. Angust. Var. Pennsyl.	Lowbush blueberry	Qt	6"-2', white blooms in spring, fruit in summer, acidic soil,	sold out

Sheet1

Vaccinium corymbosum	Highbush blueberry	1 gal	6'-12', prefers moist acidic soil, blooms in spring, followed by fruit, then colorful fall foliage	special order only
Vaccinium corymbosum	Blueberry varieties	1 L	variety, including 'Blue Gold', 'Chippewa' and 'Northland'	ready
Viburnum acerifolium	Mapleleaf viburnum	1 gal	white flowers mid to late spring, blue/black berries later in summer, magenta fall foliage	a few available
Viburnum cassinoides	Witherod viburnum 'Lil Ditty'	1 gal	fragrant white flowers in spring followed by colorful berries and foliage in fall, compact shrub only 1'-2' tall and wide	one left
Viburnum dentatum	Arrowwood viburnum	1 gal	white flowers in late spring, blue/black fruit later in summer attractive to birds/wildlife	special order only
Viburnum lentago	Nannyberry viburnum	1 gal	white flowers, spring, followed by edible blue-black berries, 14-16', sun to part shade, med soil, nice fall color	special order only
Viburnum nudum	Smooth witherod or possumhaw	1 gal	aromatic white flowers late spring/early summer, berries change colors as ripen from pink to blue to purple/black with reddish foliage	a few available
Viburnum prunifolium	blackhaw	2 gal	white flowers in spring, blue/black berries later in summer attract birds/wildlife, red/purple foliage in fall	special order only
Viburnum trilobum	American cranberrybush	2 gal	lacecap white flowers in spring, red berries in fall	a few available
<b>Trees</b>				
acer pensylvanicum	Snakebark/striped maple	Qt	small understory maple, 15-25', part shade, greenish bark with white stripes on young trees/new branches, nice fall color	one left
acer rubrum	Red Maple	2 gal	shade tree, 40-70', sun to part shade, med to wet soil, red fall color	one in stock
asimina triloba	pawpaw	1gal	purple blooms, April-May, followed by yellow-green edible fruit (similar taste to bananas), 15'-30', sun/part shade, med to moist soils	a few in stock
Cercis canadensis	Redbud	2 gal	pink blooms spring, part shade, med soils	special order only
Cercis canadensis	Rising Sun, Forest Pansy	15 gal	cultivars with apricot/gold/yellow/green foliage (Rising Sun) or dark maroon (forest pansy)	special order only
Chionothus virginiana	fringe tree	1 gal	white blooms, May-June, 12'-20', med soil, sun to part shade	a few in stock
Cladrastis lutea	Yellowwood	2 gal	shade tree, white blooms, spring, 30-50', tolerant of limestone soils, adaptable to moist to dry sites, yellow fall color	special order only
Cornus alternifolia	pagoda dogwood	3 gal	clusters of small white blooms, May-June, 15-25', sun to part shade, best in moist soils, but can tolerate dry, nice fall foliage, blue-black berries	special order only

Sheet1

Cornus florida	dogwood	2 gal	white blooms in spring, 15'-30', sun to part shade, med soils, best in part shade, foliage shades of red in fall, red berries	special order only
Diospyros virginiana	American persimmon	2/3 gal	white/greenish yellow flowers in late spring, orange fruit in fall persists after leaf drop, nice fall foliage color, 35-60', sun to part shade, dry to med soils, few disease/pest issues	a few in stock
Franklinia alatamaha	Franklin Tree	1 gal	white blooms, late summer/fall, 10-20', sun to part shade, med well-drained soil, nice fall foliage	special order only
Gymnocladus dioicus	Kentucky coffee tree	2 gal	shade tree, white blooms spring, 60-75', full sun, moist well-drained soils, drought tolerant when established, tolerant of alkaline soils	special order only
Ilex opaca	American Holly	3 gal	evergreen foliage, red berries, 15'-30', prefers acidic soils	special order only
Juniperus virginiana	Eastern red cedar	1-2 gal	green/blue/gray evergreen, 30'-60', full sun, dry to medium soil, tolerant limestone soils, blue/gray berries	small, larger special order
Liriodendron tulipifera	Tulip poplar	2 gal	yellow/orange blooms, 60'-90', full sun, shade tree	special order only
Magnolia macrophylla	Bigleaf magnolia	1 gal	huge leaves with silvery undersides, 30-40', white flowers followed by red fruit, sun to part shade	one left
Magnolia virginiana	Sweetbay magnolia	1 gal	white blooms, May – June, 10'-35', full sun to part shade, med to moist soils, prefers acidic, red seeds in fall	special order only
Nyssa sylvatica	Tupelo/Black gum	2 gal	Greenish-white blooms, late spring, 30-50', sun to part shade, med to wet soils, scarlet fall foliage	one in stock
Oxydendrum arboreum	Sourwood	2 gal	white blooms resembling lily-of-the-valley in June-July, followed by vibrant red fall color, prefers moist, acidic, organically rich soil, full sun to part shade, excellent specimen tree	special order only
Pinus strobus	White pine	1 gal	Bluish-green needles, fast growing, full sun, med soils	special order only
Pinus rigida	Pitch pine	1 gal	dark green needles, 40-60', full sun, best in sandy, well-drained and acidic soils, tolerant of poor soil, interesting plated bark	a few in stock
Pinus taeda	Loblolly pine	1 gal	Fast-growing evergreen, 40'-90', full sun, med to wet soils	special order only
Pinus virginiana	Virginia pine	1 gal	Evergreen, 15'-40', full sun, med soils, does well in poor, dry sites	special order only
Prunus americana	Wild american plum	1 gal	White flowers followed by small fruits	A few in stock
Quercus alba	White Oak	2 gal	full sun, dry to med soil, tolerates drought/clay, fall color varies from brown to shades of red	special order only

Sheet1

Quercus alba	White oak 'Wye'	varies	full sun, dry to med soil, tolerates drought/clay, fall color varies from brown to shades of red, 'Wye' is descendant of historic MD Wye Oak	special order only
Quercus bicolor	Swamp white oak	2 gal	full sun, prefers medium/moist/wet soil, but can also tolerate drought once established	special order only
Quercus coccinea	Scarlet oak	2 gal	full sun, dry to med soil, scarlet foliage in fall	special order only
Quercus muehlenbergii	Chinkapin oak	2 gal	shade tree, 50'+ at maturity, full sun, dry to medium soil, tolerates limestone soils	one in stock
Quercus palustris	Pin Oak	2 gal	shade tree, 50'-70', full sun, moist to avg soil, better in more acidic soil	special order only
Quercus phellos	Willow Oak	1 gal	shade tree, 40-75', med to wet soils, narrow leaves	special order only
Quercus rubra	Northern Red Oak	2 gal	shade tree, 50'-70', full sun, average to dry soil, red fall color	special order only
Sassafras albidum	Sassafras	1 gal	Med-size tree, 30-60', full to part shade, greenish-yellow flowers in early spring, vibrant red/orange fall foliage	special order only