

Current Availability

Updated: 10/30/21

GREEN = new for 2021

PURPLE = Limited Qty

NOTE: Due to limited space at sales/events, not all plants listed will be available. If coming for a specific plant, call or message to be sure plants will be there for pickup.

Scientific Name	Common Name	Size	Description	Now
Perennials				
allium cernuum	Nodding onion	Qt	soft pink/lilac blooms, late spring, 12-18", sun to part shade, med to dry soils, deer resistant, attracts pollinators, host plant for hairstreak butterfly	plugs
amsonia hubrichtii	threadleaf bluestar	Qt	blue blooms, late spring, 3', full to part sun, dry to moist soil, drought tolerant, bright gold to orange foliage in fall	ready
amsonia illustris	Shining bluestar	2 Qt	blue blooms, late spring, 3', sun to part shade, deer/rabbit resistant, nice fall color	ready
amsonia 'Halfway to AR'	Halfway to Arkansas' bluestar	Gal	blue blooms, late spring, 2-3', full to part sun, dry to med soil, gold to orange fall foliage, slightly more compact than hubrichtii	ready
amsonia 'Midway to MT'	Midway to Montana' bluestar	Gal	blue blooms, late spring, 2-3', full to part sun, dry to med soil, gold to orange fall foliage, slightly more compact than hubrichtii	ready
amsonia 'Storm Cloud'	Storm Cloud' bluestar	Gal	blue blooms, late spring, 24-30", sun/part shade, med soil, shoots/stems in spring dark	ready
anaphalis margaritacea	pearly everlasting	Qt	white flowers with yellow centers, late summer, 1-3', sun to part shade, med to dry soils, tolerant of poor soils, host plant for painted lady butterflies	ready
anemone virginiana	Tall thimbleweed	Qt	white/green flowers then prominent seed heads, mid-late spring, 1'-2', sun to part shade, dry to medium soil	ready
aquilegia canadensis	wild columbine	Qt	red blooms with yellow centers, spring, 1'-3', partial shade best, moist soil – attract hummingbirds	few left
aquilegia canadensis	wild columbine 'Corbett'	Qt	butter yellow flowers Apr-May, 12"-18", sun to part shade, avg/moist soil, attracts hummingbirds	ready
aruncus dioicus	goat's beard	Gal	white/cream flowers, Jun-July, 4'-5', shade/part shade, moist but well-drained soil, Attracts butterflies, larval host to Dusky Azure butterfly	few left
asaraum arifolium	little brown jug/evergreen ginger	Qt	small brown jug-shaped flowers, spring, evergreen foliage, moist soils	ready
asclepias incarnata	swamp milkweed 'ice ballet'	Qt	white flowers June/July, moist soil, tolerates clay, attracts pollinators/monarchs	ready

asclepias verticillata	whorled milkweed	Qt	white or greenish-white blooms, Jul-Sept, 2', full sun to part shade, avg to dry soils, attracts numerous pollinators, host plant for monarch	ready
aster azureus	sky blue aster	Qt	light blue-violet blooms, fall, 2-3', sun, dry to med soil, tolerates rocky soils	ready
aster 'Bridal Veil'	Bridal veil aster	Qt	Numerous while blooms on arching/spreading stems, fall, up to 2', sun to part sun, tolerant of dry slopes, salt tolerant, nice for cascading over walls/down a bank	ready
aster cordifolius	blue wood aster	Qt	clouds of blue-violet blooms, early fall, 2'-3', full shade to part sun, avg soil, attracts butterflies	ready
aster divaricatus	white wood aster	Gal	white blooms, Aug-Sept, 1-2.5', part to full shade, med to dry soil, attracts butterfly	ready
aster divaricatus	white wood aster 'Eastern Star'	Gal	white blooms on mahogany stems, fall, 18"-24", shade/part shade, moist to dry soils, attracts butterflies	ready
aster laevis	smooth aster	Gal	violet blooms, late summer, 2-3', sun, avg/dry soil, upright form and generally clean foliage	ready
aster macrophylla	Twilight' big leaf aster	Gal	large lavender-blue blooms on reddish stems, fall, 2-3', sun to part shade, dry to moist soils	ready
aster novae-angliae	New England aster	Qt	Pink-purple blooms, fall, 3-6', full sun, med soils	ready
aster novae-angliae	Aster 'Purple Dome'	Gal	dark purple blooms, fall, 1.5-2', full sun, med soil	ready
aster novae-angliae	Aster 'Harrington's Pink'	Qt	pink blooms, fall, 3-6', full sun, avg soil, drought tolerant, deer resistant, attracts butterflies	ready
aster novae-angliae	Aster 'Violetta'	Qt	deep violet-purple blooms, fall, 4-5', full sun, avg soil, deer/rabbit resistant, attracts butterflies	ready
aster novi-belgii	New york aster	Qt	pink/purple/white blooms, Aug-Sept, 3'-5', full sun, avg to moist soil, attracts butterflies/pollinators, nice with fall mums	ready
aster oblongifolius	Aromatic aster 'Raydon's favorite'	Qt/Gal	Blue-purple blooms, Sept-Oct, 2'-3', sun to part shade, tolerant of dry/poor soils	ready
aster oblongifolius	Aromatic aster 'October Skies'	Gal	light blue flowers, fall, 1.5-2', sun to part shade, tolerant of dry/poor soils	ready
aster puniceus	Purple-stemmed/swamp aster	2 Qt	purple daisy-like blooms on reddish-purple stems, late Aug – Oct, 3'-6', moist soil, full sun	ready
aster spectabilis	showy aster	Qt	violet blooms, later summer-fall, 1-2', part shade to full sun, dry to moist	ready
aster umbellatus	Flat-topped white aster	Qt	clusters of white, daisy-like blooms, late Aug – Sept, 2'-5', moist soil, full sun to part shade, attractive to bees/butterflies	ready
aster 'wood's light blue'	wood's light blue aster	Qt	clear pale violet-blue flowers, fall, 12", med to moist soil, sun to part shade	blooming
aster 'wood's purple'	wood's purple aster	Gal	clear purple flowers, fall, 12", med to moist soil, sun to part shade	bud/bloom

aster 'Little Carlow'	Little Carlow blue wood aster	Qt	blue/purple blooms with yellow centers, Sept-Oct, 1.5-2', full sun, medium soil, a cross of a. cordifolius and a. novi-belgii	few left
astilbe biternata	Appalachian false goat's beard	2 Qt	creamy white flowers, late spring/early summer, 4-6', full to part shade, avg to moist soil	ready
baptisia australis	Blue false indigo	Qt	blue blooms, late spring/early summer followed by interesting seed pods, 3-4', sun to part shade, med to dry soil, attractive to butterflies, drought tolerant, rabbit resistant	ready
baptisia 'Dark Chocolate'	Dark Chocolate' false indigo	Gal	dark purple to deep brown blooms, late spring/early summer, 3', sun/part sun, avg to poor soil	ready
baptisia 'Vanilla Cream'	Vanilla Cream' false indigo	Gal	pale yellow buds open to creamy white, rest same as above	ready
baptisia 'Sparkling Sapphire'	Sparkling Sapphire' false indigo	Gal	deep violet blooms, slightly more compact than the species	ready
blephilia hirsuta	hairy wood mint	Qt	tiered clusters of white blooms, late summer/fall, 3', part to full shade, med to moist soils, good pollinator plant	ready
boltonia asteroides	thousand flowered/starry aster	Qt	white blooms, late summer-fall, 3-5', sun to part shade, moist to wet soils	ready
cacalia atriplicifolia	Pale Indian plantain	2 qt	White blooms, late summer/fall, 3 - 7', full to part sun, med to dry soils, purplish stems, bottom of leaves silvery	ready
coreopsis lanceolata	Lanceleaf coreopsis	Qt	golden yellow blooms, late spring-summer, full sun, dry to moist soils, drought resistant, deer resistant, short-lived perennial that easily reseeds, important nectar/pollen source, birds eat seeds	ready
coreopsis 'Gilded Lace'	Gilded Lace' tickseed	Qt	golden-yellow blooms for several weeks, summer – fall, fine textured foliage, 4-5', sun, dry to moist, attractive to pollinators, good resistance to disease, performed well in Mt Cuba plant trials	ready
coreopsis rosea	tickseed 'American dream	Qt	medium pink flowers June-Aug, moist but well-drained soil, attracts butterflies	one left
dicentra eximia	wild bleeding heart	various	pale pink heart-shaped blooms on lacy blue/green foliage, spring-summer, 1'-2', part sun to shade, med to moist soil, morning sun/afternoon shade best	ready
echinacea purpurea	purple coneflower	Qt	purple to rose pink blooms with orange cone center, July-Aug, 2'-3', full to part sun, average to dry soils, attracts pollinators, birds, butterflies	ready
echinacea 'Parrot'	Fine Feathered Parrot coneflower	Qt	golden yellow blooms with orange/red centers, summer-early fall, 15-18", full to part sun, avg soils, drought tolerant	ready
echinacea 'Fatal Attraction'	Fatal Attraction' coneflower	Gal	magenta-pink blooms, late summer, 2', sun to part sun, med well drained soil, darker stems than the species, petals curve slightly upwards	ready
echinacea 'Green Jewel'	Green Jewel' coneflower	Gal	light green blooms, summer, 2', full to part sun, avg to dry soils	ready

echinacea 'Powwow Wild Berry'	Powwow Wild Berry' coneflower	Qt	rose-purple blooms with purple stems, summer, 1-2', full to part sun, avg well drained soil	ready
echinacea 'Tomato Soup'	Tomato Soup' coneflower	Gal	tomato-red flowers, July-Sept, 2-3', sun, avg well drained soils, attractive to butterflies	sold out
erigeron pulchellus	Lynnhaven Carpet' robin's plantain	Qt	lavender-white fringed daisy-like flowers, gradually fading to white, spring, 12-15", part sun to shade, moist to dry soils, deer/drought tolerant, attracts pollinators/butterflies	ready
eriogonum allenii 'Little Rascal'	Little Rascal' share barren buckwheat	Plug/Qt	clusters of yellow blooms, summer, 1.5-2', well-drained soils, drought tolerant, long blooming, attracts pollinators, good for rocky sites	ready small
eryngium yuccifolium	rattlesnake master	Gal	Bluish-silver blooms Jun-Sept, 4-5', prefers hot, dry sites	ready
eupatorium dubium	'Little Joe' joe pye weed	Gal	Mauve-pink flowers, late summer/fall, 3-4', sun to part shade, med to moist soils	ready
eupatorium dubium	coastal joe pye weed	Qt	2-5' tall, 2' wide, mauve-pink blooms, mid to late summer, moist to wet soil, sun to part shade	ready
eupatorium hyssopifolium	Hyssop leaf thoroughwort	Gal	clusters of white flowers, Aug-Sept, 2'-4', full to part sun, med to dry soils, tolerates drought, attractive to pollinators, deer resistant	ready
eupatorium perfoliatum	Boneset	2 Qt	flat clusters of white blooms, July-Sept, 3-4', attracts butterflies, tolerant of wet and clay soils	one left
eupatorium purp. 'atropurpureum'	Joe pye weed 'Atropurpureum'	Qt, 2 Qt	mauve blooms on dark stems, late summer-fall, 6-9', sun to part shade, moist soil, butterfly nectar plant,	ready
eupatorium rugosum	chocolate' joe pye/snakeroot	Qt	white blooms on bronze foliage, summer, 3'-4', sun to shade, moist to dry, plant toxic to animals/humans if ingested	ready
fragaria virginiana	wild strawberry	Qt	white blooms, spring, followed by small edible red berries (a parent plant of the modern strawberry), sun to part shade, med soil, spreading groundcover	ready
helenium autumnale	Common sneezeweed	Qt	yellow flowers, late summer/early fall, 3-5', med to moist soils, sun to part shade, one of the higher rated heleniums in Mt Cuba plant trial, attracted highest number of pollinators	ready
helenium autumnale 'Helena Red Shades'	Helena Red Shades' sneezeweed	Qt	russet red to red with yellow blooms, mid-summer to fall, 4', sun to part shade, wet to avg soils, attractive to native pollinators and butterflies, unpalatable to mammals	ready
helenium flexuosum	purple-headed sneezeweed	Qt	yellow reflexed petals with brownish-purple center cone, late summer-fall, 2-5', moist to wet soil	cut back
helenium 'Potter's Wheel'	Potters Wheel' sneezeweed	2Qt	velvety-red flowers, late summer/fall, 3-4', wet to avg soils, full sun	cut back
helianthus angustifolius	swamp sunflower	Qt	yellow flowers, late summer/fall, 5-7', sun to part shade, med to moist soil	cut back

helianthus occ. Dowelianus	naked stemmed sunflower	Qt	yellow blooms on long slender (sometimes reddish) stems, late summer-fall, 2-4', full sun, tolerant of dry, rocky, clay soils, deer resistant, attracts butterflies/pollinators, birds eat seeds, good cut flower, eastern subspecies	ready
heliopsis hel.	Smooth oxeye 'Summer Sun'	Qt	yellow semi-double blooms, July-Sept, 3'-4', full sun, moist well drained soil, but drought tolerant when established	cut back
heliopsis hel.	Smooth oxeye 'Summer Nights'	Gal	yellow blooms with reddish centers and red stems, late summer, 3-4', full sun, med to moist soils	ready
heliopsis hel.	Smooth oxeye 'Bleeding Hearts'	Qt	ready blooms fading to orange, dark foliage, 3-4', sun, avg to moist soil	ready
heuchera am. Dale's strain	Dale's Strain' coral bell	Qt	same as above, foliage more silvery-green	ready
heuchera x	heuchera cultivars	Gal	various	ready
heuchera villosa	Coral bell 'Autumn Bride'	Qt	Creamy-white flower spikes, late summer-frost, 2', shade/part shade, med/well-drained soil	ready
hibiscus moscheutos	Disco Belle Red' hibiscus	2Qt	large red blooms, 4-12" across, late summer, 2 – 2.5' tall, full sun, rich moist to wet soils, attracts pollinators/hummingbirds	going dormant
hydrastis canadensis	goldenseal	Qt	white flowers, April-May, 6-12", part shade, med soil, best in rich soils with leaf mold, flowers followed by non-edible red berries	ready
lobelia siphilitica	Great Blue Lobelia	Qt	blue-violet blues, July-Sept, 2'-3', sun to part shade, prefers moist soil – attracts butterflies and hummingbirds	one left
monarda raspberry wine	Raspberry Wine' beebalm	Qt	wine red flowers, 3-4', sun to part shade, avg to moist soils, good mildew resistance	ready
monarda didyma	Bee Balm 'Purple Rooster'	Gal	Purple blooms, June-July, 3-4', sun to part shade, moist to dry soils, attractive to wide variety of pollinators/butterflies, drought tolerant, 'Purple Rooster' reported as mildew free in Mt Cuba trials	ready
monarda fistulosa	wild bergamot	Qt	Lavendar blooms, late summer, 2'-5', full to part sun, dry to moist soil, drought tolerant, aromatic foliage, attracts bees, butterflies, hummingbirds, more resistant to powdery mildew than most	ready
oenothera fruticosa	Fireworks' evening primrose	Qt	red buds lead to yellow blooms on red stems, late spring-summer, 15-18", sun, dry to avg soil	ready
pachysandra procumbens	Allegheny spurge	Qt	white bottlebrush flowers, early spring, 6-12", part to full shade, med soil, gradually spreads to form a groundcover, drought tolerant once established	ready
packera obovata	roundleaf ragwort	Qt	yellow daisy-like blooms, Apr – June, 1'-2', sun to part shade, med to wet soils, foliage semi-evergreen, tinged with burgundy at time, good ground cover	ready

penstemon digitalis	beardtongue	Gal	white to pink blooms, late spring/early summer, 3'-4', full sun to part sun, average to dry soil, drought tolerant, attracts bees/butterflies/hummingbirds	ready
penstemon digitalis	beardtongue 'husker red'	Qt	pale pink/white blooms late spring/early summer, reddish-green foliage, 2-3', sun/part shade, average soil, attracts hummingbirds	ready
penstemon 'Blackbeard'	Blackbeard' beardtongue	Gal	pale pink blooms, late spring, dark foliage, 3', sun/part shade, avg soil, attracts hummingbirds/bumblebees	ready
penstemon hirsutus	hairy beardtongue	Qt	pale purple flowers, May-June, 12-18", sun to shade, moist to dry soils, attractive to bumblebees, butterflies and hummingbirds	ready small
penstemon tubaeflorus	white wand beardtongue	Qt	white flowers, late spring/summer, 1-3', sun/part shade, avg to dry soil, attracts hummingbirds, bees	ready
phlox divaricata	wild blue phlox	Qt	pink/white/lavendar blooms Apr-May, 8"-12", part shade, moist soil, attracts butterflies, fragrant	few left
phlox divaricata	woodland phlox 'blue moon'	Qt	violet blue blooms Apr-May, 12"-18", part shade, moist soil, attracts hummingbirds, pollinators	one left
phlox glaberrima	Morris Berd' smooth phlox	Qt	bright pink flowers, late spring/early summer, 2-3', sun to part shade, moist to dry soil, excellent disease resistance, nice maroon foliage in fall, good rating in Mt Cuba and Chicago Botanic Garden Trials, similar to phlox paniculata but more compact, narrower foliage	ready
phlox maculata	wild sweet william/meadow phlox	Qt	pink-violet blooms, late summer to fall, 2-3', sun to part shade, moist soils, fragrant, spreads gradually, attracts butterflies, good powdery mildew resistance	cut back
phlox paniculata	garden phlox 'Jeana'	Qt	lavendar/pink fragrant blooms, June to late summer, 3'-5', avg to moist soil, good resistance to powdery mildew, butterfly magnet	ready
phlox stolonifera	Creep. Phlox 'Blue Ridge'	Qt	lavender-blue blooms, late-spring to early summer, 6-8", med to moist (but well-drained) soil, part to full shade, attractive to butterflies/hummingbirds, drought tolerant once established, can gradually spread to form groundcover	one left
phlox subulata	Moss phlox	Qt	groundcover phlox with semi-evergreen foliage, spring, sun to part shade, well-drained soil, tolerates poor soils, several varieties available	only scarlet flame
physostegia virginiana	obedient plant	Qt	pink flowers spikes bloom late summer/fall, 3'-4', full sun, tolerates wet clay soil, but fine in average soil, can spread if happy	ready, also bareroot clumps
polemonium reptans	Jacob's ladder	Gal	light blue flowers, late spring, 12"-18", shade/part sun, average to moist soil, forms groundcover	ready

polemonium reptans 'Stairway to Heaven'	Stairway to Heaven' jacob's ladder	Gal	same as above, but with variegated foliage	one left
prunella vulgaris	Magdalena' self heal	Qt	purple blooms, summer to fall, 6", avg to moist soils, sun to part shade, attracts bees and butterflies	ready
pycnanthemum flexuosum	Appalachian mountain mint	Gal	Silver-white blooms, late summer/fall, 2'-3', full to part sun, moist to dry soil, more clump forming than most mountain mints, nice fall foliage color, host plant for gray hairstreak, attracts pollinators	ready
pycnanthemum incanum	Hoary mountain mint	Qt	clusters of lavender to white flowers, late summer, 3'-4', sun to part shade, average well-drained soil, aromatic foliage with silver tinge, very attractive to wide variety of pollinators	ready
pycnanthemum virginianum	American mountain mint	Qt	white blooms, July-Sept, 2-3', full sun, wet to dry soil, aromatic foliage, attracts numerous pollinators	ready
ratibida pinnata	gray headed coneflower	Qt	yellow blooms with prominent center cone, late summer, 2-5', full sun, moist to dry	ready
rudbeckia laciniata	cutleaf coneflower	Qt, Gal	yellow blooms, Aug-Sept, 5'-8', full to part sun, average to moist soil, attracts butterflies and birds, nice cut flower, pretty with ironweeds	ready
rudbeckia maxima	great coneflower	Qt	yellow flowers with dark cones July-Sept, blue/green foliage, 6'-8', full sun, dry to medium soil	ready
rudbeckia subtomentosa	sweet coneflower 'Henry Eilers'	Qt	yellow quilled flowers, Aug-Sept, 4-5', moist-average soil, drought tolerant when established	ready
rudbeckia subtomentosa	sweet coneflower 'little Henry'	Gal	yellow quilled flowers, Jul-Sept, 3', moist-average soil, drought tolerant when established	ready
rudbeckia 'American Gold Rush'	American Gold Rush' black-eyed susan	Qt	yellow blooms, summer to fall, 18-24", full/part sun, compact form, good disease resistance	ready
scutellaria incana	hoary skullcap	Qt	Voilet-blue blooms, summer, 2'-4', full to part sun, avg to dry soil, tolerates clay soil, attracts butterflies	ready
senecio aureus	packera aurea	Qt	yellow blooms Mar-May, 12"-15" tall, full sun to shade, dry to moist, early pollinator plant	ready
silphium perfoliatum	Cup plant	2Qt and Gal	Yellow daisy-like blooms, July-Oct, 6-8', sun, med to wet soils, large leaves form 'cups' that collect water for birds, frogs and other wildlife	ready
Sisyrinchium 'Moody Blues'	Moody Blues' blue eyed grass	Qt	violet-blue flowers, spring to summer, 8-10", moist to avg, sun to part shade, grass-like foliage	one left
solidago caesia	Bluestem/wreath goldenrod	Gal	yellow blooms on arching blue-green stems, late summer/fall, full to part shade, dry to med soils, tolerant of rocky soils, clay, slopes	ready

solidago graminifolia	grass-leaved goldenrod	Qt	flat-topped clusters of golden-yellow flowers, fine textured foliage, late summer/fall, 3-4', sun to part shade, med to moist soil, attractive to butterflies/pollinators, a variety of birds eat the seeds, nice cut flower	ready
solidago juncea	Early goldenrod	Qt	2-4' tall, 2-3' wide, yellow flower panicles on arching stems, blooms July-Aug, moist to dry soil, sun to part shade	ready
solidago odora	Sweet goldenrod	Qt	yellow blooms, late summer/fall, 2-4', sun to part shade, tolerant of dry soil, clump forming (not as aggressive as other goldenrods), also called anise-scented goldenrod	one left
solidago rigida 'Golden Rockets'	Golden Rockets' stiff goldenrod	Qt	yellow blooms, fall, 2', sun, tolerant of poor dry soil	plugs
solidago rugosa	'Fireworks' goldenrod	Gal	yellow blooms, late summer/fall, 3'-4', full to part sun, avg soil, attracts late season pollinators, nice with asters	ready
solidago sempervirens	seaside goldenrod	Gal	yellow blooms, late summer/fall, 3-5', sun, avg soil, tolerant of a range of conditions (dry, wet, salt, etc), nice semi-evergreen foliage	ready
solidago shortii	'Solar Cascade' goldenrod	Qt	yellow blooms, late summer/fall, 2'-3', full to part sun, average soil, drought tolerant once established, late season pollinator plant, not as aggressive as many other goldenrods	ready
solidago sph. 'Golden Fleece'	Golden Fleece' goldenrod	Gal	Yellow blooms, late summer-fall, 1-1.5', full sun, dry to med soil, more compact and mounding habit than most goldenrods	ready
stokesia 'Peachies Pick'	Peachies Pick' stokes' aster	Qt	lilac-blue blooms, summer, 12", sun, med to moist well drained soils	few left
thalictrum dasycarpum	tall/purple meadow rue	Qt	cream blooms on purple stems, late spring, 6', full to part sun, med to wet soil,	ready
tiarella cordifolia	New Moon Motley' foamflower	Qt	white flowers, spring, 8-12", part to full shade, med to moist soils, this variety has a mix of leaf shades and dark variegation on the leaves	ready
tiarella wherryi	Wherry's foamflower	Qt	white blooms, spring, 10", part to full shade, moist soil	ready
vernonia glauca	Upland Ironweed	Qt	purple blooms, Aug-Sept, 3-5', sun to part shade, moist to dry soils, attractive to wide variety of pollinators/butterflies, drought tolerant	ready
vernonia lettermannii	'Iron butterfly' ironweed	Gal	purple blooms, late summer-fall, 2-3', full sun, avg soil, fine-textured foliage, more tolerant of dry sites than most ironweed	ready
vernonia noveboracensis	New York ironweed	Gal	purple blooms, late summer, 4'-7', full sun, moist to dry soil, but found naturally in moist soils – attracts butterflies, striking in mass mixed with yellow flowers (solidago, rudbeckia, etc)	ready
vernonia 'Southern Cross'	Southern Cross' ironweed	Gal	purple blooms, late summer/fall, 2.5-3', sun, dry to med soil, attracts butterflies/pollinators, a drought tolerant ironweed	ready
vernonia 'Summer's Swan Song'	Summer's Swan Song' ironweed	Gal	purple blooms, late summer/fall, 2-3', sun, dry to med soil, attracts butterflies/pollinators	ready

viola striata	stiped cream violet	Qt	cream colored flowers with some purple stripes on lower petal, spring-summer, 8-12", moist soils, part to full shade, deer resistant, ground cover	ready
xanthorhiza simplicissima	yellowroot	Qt	Star-shaped maroon blooms, spring, 2-3', considered woody perennial or sub-shrub, part to full shade, med to wet soil, spreads to form groundcover, attractive fall color, shades of yellow/red/purple	ready
zizia aptera	heart-leaved alexander	Qt	yellow blooms, late spring/early summer, 1-3', sun to part shade, moist to dry sites, swallowtail host plant	ready
Vines				
celastrus scandens	American bittersweet 'Indian Mix'	Gal	Small white flowers followed by orange-red berries, 15-20'	ready
Decumaria barbara	climbing hydrangea/woodvamp	Gal	white blooms, summer to fall, dark foliage, climbs trees or brick, blooms attractive to butterflies/pollinators	ready
Lonicera 'Dropmore Scarlet'	Dropmore Scarlet' trumpet honeysuckle	Gal	scarlet tubular blooms with orange centers, summer to fall, semi-evergreen foliage, 10-20'	ready
Ferns				
asplenium trichomanes	Maidenhair spleenwort	Qt	small evergreen fronds, dark stems, tolerant of dry, rocky sites in shade	few left
athyrium felix femina	lady fern	Qt	red/brown stems with green foliage, 2', prefers shade to part shade	ready
athyrium felix femina 'Lady in Red'	Lady in Red' lady fern	Qt	same as above, but stems have more red coloration	ready
dryopteris australis	Dixie wood fern	Qt	green foliage, 3-4' tall, full to part shade, med to moist soil	ready
matteuccia struthiopteris	ostrich fern	Qt, 2 Qt	large fern, 3-6', part to full shade, med to moist soils, deer/rabbit resistant, spreads to form colonies	going dormant
osmunda cinnamomea	cinnamon fern	Qt	green foliage, red/brown upright fronds emerge in summer, 2'-5', prefers shade/part shade, moist soil	ready
Grasses				
andropogon gerardii	big bluestem	Gal	green to blue-green foliage, purplish blooms resembling a turkey foot in fall, foliage has shades of red/bronze/purple in fall, 7'+, sun, dry to med soils	ready
andropogon 'Holy Smoke'	Holy Smoke' big bluestem	Gal	blue green foliage turning shades of purple in fall, 4-5', sun, dry to med soils	ready
andropogon virginicus	Broomsedge	Gal	green foliage turning orange in fall, 2-3', sun, moist to dry	ready
carex flaccosperma	blue wood sedge	Qt	wide blue/green foliage, 6-12", med to moist soil, but drought tolerant once established, good ground cover or edging for shade	ready

carex laxiculmis	bunny blue sedge	Qt	blue/green foliage, 8"-12", shade to part sun, evergreen (cut back late winter)	few left
carex pennsylvanica	Pennsylvania sedge	Qt	green airy foliage, 6"-12", shade to part shade, average to dry soil, good groundcover for dry, deciduous shade sites	ready
carex plantaginea	Seersucker sedge	Qt	wide dimpled leaves, purplish black flowers in spring, 8-12", part to full shade, dry to moist soils	ready
Chasmanthium latifolium	northern sea oats	Qt	Flat, oat-like seed heads on bamboo-like foliage, sun to part shade, good for dry shady sites	ready
deschampsia 'goldtau'	Goldtau' tufted hairgrass	Qt	Fine foliage, golden seed heads late summer/fall, part shade, med to moist soils	ready
Elymus hystrix	Bottlebrush grass	Gal	seed heads resembling bottle brushes, 3-5', tolerant of part shade and dry soil	ready
Elymus virginicus	Virginia wild rye	Qt	wheat/rye-like spikes, 2-4', moist sites, sun to shade, reseeds, good choice for erosion control on slopes	ready
eragrostis spectabilis	Purple love grass	Qt	green foliage with reddish-purple seed heads in late summer, 1-2', sun, dry to med soil, tolerant of poor/dry soils	ready
hierochloe odorata	vanilla sweet grass	Qt	blue green grass, brownish blooms, 1'-2', sun to part shade, moist to wet soil best, spreads up to 2' year, best in winter-proof container, leaves have vanilla fragrance (dried, braided and then burned, once used by Native Americans in ceremonies)	ready
muhlenbergia capillaris	Pink hair grass	QT	fluffy pink flower/seed heads, fall, 3-4', sun to part shade, tolerant of poor soils	ready
panicum virgatum	Switchgrass ' Shenandoah'	Gal	green foliage turns to red late summer/fall, 2'-3', full to part sun, avg to moist soil, drought tolerant when established, good substitute for non-native ornamental grasses (miscanthus, blood grass, etc)	ready
schizachrium scoparium	little bluestem, additional varieties	Qt	Jazz' - blue/gray foliage, burgundy-red fall color, 2-3' upright clumping form, silvery-white seed heads in fall	one left
Indian Steel' sorghastrum	Indian Steel' indian grass	Gal	same as above but with showier steel blue-green foliage	ready
sporobolus heterolepis	prairie dropseed	Qt	fine textured, green hair-like foliage, 2'-3', drought tolerant, nice fall color, seeds attract birds,	one left
Shrubs/Sm. Trees	<i>Check our Tree/Shrub Special Order List for full list of available trees/shrubs</i>			
Aesculus parviflora	bottlebush buckeye	2 gal	white flower, summer, 8-12', part to full shade, med to moist soil, attractive yellow fall foliage, large compound leaves, intolerant of dry sites	one avail
Calycanthus floridus	sweetshrub/caroline allspice	1-2 gal	Unique dark red/brown blooms with strong fragrance in late spring, tolerates clay soil, very adaptable, 6-10', grown from cuttings of highly fragrant parent plant	one avail
Euonymus americanus	Strawberry bush/hearts a bustin	3 gal	greenish/yellow blooms, late spring, followed by attractive and unique fruit, 4-6', part shade, attractive fall foliage	a few in stock

Gaylusaccia baccata	Black huckleberry	Qt	flowers in spring, black berries in summer, nice fall color, 1-3', prefers acidic soil	ready
hydrangea arborescens	Smooth hydrangea	5 gal	white flowers, summer, 3-6', sun to part shade, med to moist soil, drought tolerant once established	one avail
hydrangea arb. Haas Halo	Haas Halo' smooth hydrangea	3 gal	large white lace cap flowers, summer, 3-5', sun to part shade, dry to moist sites	a few in stock
Hydrangea quercifolia	Oakleaf hydrangea 'Little Honey'	1 gal	white blooms June/July, 3'-4', part shade, med to moist soil, foliage is golden-yellow to chartreuse in spring, turns shades of red in fall	a few in stock
Hydrangea quer. Pee Wee	Pee Wee' oakleaf hydrangea	3gal	white blooms, summer, 3-4', part shade, med to moist soil, burgundy-red fall color	one avail
Hypericum prolificum	Shrubby St. John's wort	Gal	yellow blooms, June-Aug, 1'-5', sun to part shade, med soil, tolerates clay soil, dry, sandy and rocky soils	one avail
Ilex verticillata	Winterberry	1 gal	3-12', red berries persist after leaves drop, sun to part shade, med to wet soils, prefers acidic soils	one avail
Neviusia alabamensis	Alabama snow wreath	1 gal	clusters of fluffy white flowers, late spring, 3-6', med soil, sun to part shade, rare	one avail
Rubus odoratus	Purple flowering raspberry	1 gal	rose-purple blooms, summer, 3-6' tall, up to 12' wide (spreads by suckering), sun to part shade, med well-drained soil	a few in stock
Vaccinium angustifolium	Lowbush blueberry	Qt	6"-2', prefers moist acidic soil, blooms in spring, followed by fruit, then colorful fall foliage	ready
Viburnum acerifolium	Mapleleaf viburnum	1 gal	white flowers mid to late spring, blue/black berries later in summer, magenta fall foliage	one avail
Viburnum cassinoides	Witherod viburnum 'Lil Ditty'	1 gal	fragrant white flowers in spring followed by colorful berries and foliage in fall, compact shrub only 1'-2' tall and wide	ready
Viburnum nudum	Smooth witherod or possumhaw	1 gal	aromatic white flowers late spring/early summer, berries change colors as ripen from pink to blue to purple/black with reddish foliage	a few in stock
Trees				
acer rubrum	Red Maple	2 gal	shade tree, 40-70', sun to part shade, med to wet soil, red fall color	one avail
acer saccharum	Sugar maple	2 gal	shade tree, 40-80', sun to part shade, med to wet soil, yellow-orange fall color	one avail
Juniperus virginiana	Eastern red cedar	1-2 gal	green/blue/gray evergreen, 30'-60', full sun, dry to medium soil, tolerant limestone soils, blue/gray berries	small, larger special order
liquidambar styraciflua	sweet gum	2 gal	shade tree, 60-80', sun, med to moist soils, brilliant fall color	a few in stock

Sheet1

magnolia tripetala	Umbrella magnolia	3 gal	large leaves, 15-30', white flowers with pink centers followed by pink-red fruit, part shade best	a few in stock
Quercus alba	White Oak	2 gal	full sun, dry to med soil, tolerates drought/clay, fall color varies from brown to shades of red	special order only
Quercus muehlenbergii	Chinkapin oak	2 gal	shade tree, 50'+ at maturity, full sun, dry to medium soil, tolerates limestone soils	special order only
Quercus palustris	Pin Oak	7gal	shade tree, 50'-70', full sun, moist to avg soil, better in more acidic soil	Green Pillar' avail