

Current Availability

Updated: 7/26/21

GREEN = new for 2021

PURPLE = Limited Qty

NOTE: Due to limited space at sales/events, not all plants listed will be available. If coming for a specific plant, call or message to be sure plants will be there for pickup.

Scientific Name	Common Name	Size	Description	Now
Perennials				
achillea	yarrow - various	Qt	various, full sun, med to dry soils	ready
actaea pachypoda	doll's eyes	1 gal	white blooms in spring turning to white berries in summer, 2'-3', full to part shade, avg soil, berries poisonous if ingested	sold out
actaea racemosa	black cohosh/fairy candles	1, 2 Qt	white blooms on large spikes, Jun-Jul, 4'-6', part to full shade, med to moist soil	ready
Actinomeris (verbesina) alternifolia	wingstem	Qt	bright yellow, daisy-like blooms, Aug-Oct, 3-8', part-shade to shade, med to moist soil, high value to pollinators	sold out
agastache foeniculum	anise hyssop	Qt	purple blooms, late summer, 2'-4', full sun, avg to dry soil, attract pollinators/butterflies/hummingbirds	ready
agastache scrophulariaefolia	Purple giant hyssop	Qt	Very pale purple blooms, up to 6', full to part sun, dry to moist soil, attracts numerous pollinators/butterflies, birds feed on seeds	ready
allium cernuum	Nodding onion	Qt	soft pink/lilac blooms, late spring, 12-18", sun to part shade, med to dry soils, deer resistant, attracts pollinators, host plant for hairstreak butterfly	plugs
amorpha canescens	leadplant	Gal	blue/purple flowers w/ orange anthers, Jun-July, 2'-3', sun, dry to medium soil, substitute for butterfly bush	sold out
amsonia	blue star 'blue ice'	2 Qt	blue blooms, late spring, 1'-1.5', full sun to part shade, med soil	sold out
amsonia ciliata	amsonia ciliata 'Georgie Pancake'	2 Qt	blue blooms, late spring, 3-6", sun to part shade, med soil, groundcover form of amsonia – unusual!	sold out
amsonia hubrichtii	threadleaf bluestar	Qt	blue blooms, late spring, 3', full to part sun, dry to moist soil, drought tolerant, bright gold to orange foliage in fall	ready
amsonia illustris	Shining bluestar	2 Qt	blue blooms, late spring, 3', sun to part shade, deer/rabbit resistant, nice fall color	ready
amsonia 'Butterscotch'	Butterscotch' bluestar	Qt	blue blooms, late spring, 2-3', sun to part shade, dry to moist soil, colorful fall foliage	sold out
amsonia 'Starstruck'	Starstruck' bluestar	Gal	blue blooms, late spring/early summer, 20", sun to part shade, dry to moist, colorful fall foliage, darker stem than most amsonias	sold out
amsonia 'Storm Cloud'	Storm Cloud' bluestar	Gal	blue blooms, late spring, 24-30", sun/part shade, med soil, shoots/stems in spring dark	sold out

amsonia tabernaemontana	bluestar	Qt	blue blooms, May, 2'-3', sun to part shade, avg soil, drought tolerant, willowy foliage turns yellow in fall, attracts butterflies	sold out
anemone virginiana	Tall thimbleweed	Qt	white/green flowers then prominent seed heads, mid-late spring, 1'-2', sun to part shade, dry to medium soil	ready
anemonella thalictroides	Rue anemone	Qt	small white flowers, early spring, part shade	sold out
Antennaria plantaginifolia	pussytoes	Qt	fuzzy white clusters of blooms, Apr-Jun, 6"-12", dry to med soil, full sun best, soft gray foliage spreads to form a nice ground cover	sold out
aquilegia canadensis	wild columbine	Qt	red blooms with yellow centers, spring, 1'-3', partial shade best, moist soil – attract hummingbirds	ready
aquilegia canadensis	wild columbine 'Corbett'	Qt	butter yellow flowers Apr-May, 12"-18", sun to part shade, avg/moist soil, attracts hummingbirds	ready
aquilegia canadensis	wild columbine 'little lanterns'	Qt	red and yellow, 10"-12", sun to part shade, avg/moist soil, attracts hummingbirds, dwarf selection of wild	one left
arisaema triphyllum	Jack-in-the-pulpit	Qt	green/purple 'bloom', Apr-May, 1-2', med to moist soil, part to full shade	sold out
aruncus dioicus	goat's beard	Qt	white/cream flowers, Jun-July, 4'-5', shade/part shade, moist but well-drained soil, Attracts butterflies, larval host to Dusky Azure butterfly	ready
asaraum arifolium	little brown jug/evergreen ginger	Qt	small brown jug-shaped flowers, spring, evergreen foliage, moist soils	ready
asarum canadense	wild ginger	Qt	purple-brown blooms, mid spring, groundcover, part to full shade, med to wet soil	one left
asclepias exaltata	poke milkweed	Qt	white blooms, summer, 3'-5', shade/part shade, med soil, host plant for monarch butterfly, a milkweed for shade!	ready small
asclepias incarnata	swamp/red milkweed	Qt	pink blooms, June/July, 3'-5', full/part sun, average to moist soil, attracts numerous pollinators, host plant for monarchs	ready
asclepias incarnata	swamp milkweed 'ice ballet'	Qt	white flowers June/July, moist soil, tolerates clay, attracts pollinators/monarchs	sold out
asclepias speciosa	showy milkweed	Qt	pink/purple flowers, May-Sept, 2'-4', full sun, monarch host plant	plugs
asclepias syriaca	common milkweed	gal	pink clusters of fragrant flowers, June-July, 2'-4', full sun, avg to dry soils, host plant for monarch	gal and plug
asclepias tuberosa	butterfly milkweed	4in	Orange blooms June-July, full sun, average to dry soils, drought tolerant, attracts many butterflies/pollinators, host plant for monarchs	ready
asclepias tuberosa	butterfly milkweed 'gay butterflies'	Qt	orange/red/yellow blooms June-July, full sun, average to dry soils, drought tolerant, attracts many butterflies/pollinators, host plant for monarchs	sold out

asclepias tuberosa	butterfly milkweed 'hello yellow'	Qt	yellow blooms June-July, full sun, average to dry soils, drought tolerant, attracts many butterflies/pollinators, host plant for monarchs	ready
asclepias verticillata	whorled milkweed	Qt	white or greenish-white blooms, Jul-Sept, 2', full sun to part shade, avg to dry soils, attracts numerous pollinators, host plant for monarch	sold out
asclepias viridis	Spider Milkweed	Qt	Green blooms, May-June, 12", full sun to part shade, med to dry soil, host plant for monarch	sold out
aster azureus	sky blue aster	Gal	light blue-violet blooms, fall, 2-3', sun, dry to med soil, tolerates rocky soils	plugs
aster 'Bridal Veil'	Bridal veil aster	Qt	Numerous white blooms on arching/spreading stems, fall, up to 2', sun to part sun, tolerant of dry slopes, salt tolerant, nice for cascading over walls/down a bank	ready
aster cordifolius	blue wood aster	Gal	clouds of blue-violet blooms, early fall, 2'-3', full shade to part sun, avg soil, attracts butterflies	plugs
aster cordifolius 'Avondale'	Avondale' blue wood aster	Gal	light blue blooms, early fall, 2-3', full to part shade, avg soil, attracts butterflies	sold out
aster divaricatus	white wood aster	Gal	white blooms, Aug-Sept, 1-2.5', part to full shade, med to dry soil, attracts butterflies	ready
aster divaricatus	white wood aster 'Eastern Star'	Gal	white blooms on mahogany stems, fall, 18"-24", shade/part shade, moist to dry soils, attracts butterflies	sold out
aster ericoides	Heath aster 'Snow Flurry'	Gal	white blooms, Sept-Oct, 6"-8", mat-forming groundcover, full sun, drought tolerant	plugs
aster laevis	smooth aster	Gal	violet blooms, late summer, 2-3', sun, avg/dry soil, upright form and generally clean foliage	ready
aster laevis	Bluebird' smooth aster	Qt	violet blooms, late summer/fall, 3-4', avg/dry soil, attractive to butterflies/pollinators, deer resistant, generally pest-free foliage, earned #1 ranking in Mt Cuba Center aster trial	ready
aster lateriflorus	Lady in Black' calico aster	QT	pale pink to white daisy-like blooms, dark stems and tint of purple to foliage, late summer-fall, 3-4', sun to part shade, dry to moist soil, attractive to pollinators/butterflies, deer resistant	ready
aster macrophylla	big leaf aster	Qt	violet blooms, late summer – fall, 1-3', full to part shade, dry to moist soil, attracts butterflies/pollinators	ready
aster macrophylla	Twilight' big leaf aster	Gal	large lavender-blue blooms on reddish stems, fall, 2-3', sun to part shade, dry to moist soils	ready
aster novae-angliae	New England aster	Qt	Pink-purple blooms, fall, 3-6', full sun, med soils	ready
aster novae-angliae	Aster 'Purple Dome'	Qt	dark purple blooms, fall, 1.5-2', full sun, med soil	one left
aster novae-angliae	Aster 'Harrington's Pink'	Qt	pink blooms, fall, 3-6', full sun, avg soil, drought tolerant, deer resistant, attracts butterflies	ready

aster novae-angliae	Aster 'Violetta'	Qt	deep violet-purple blooms, fall, 4-5', full sun, avg soil, deer/rabbit resistant, attracts butterflies	ready
aster novi-belgii	New york aster	Qt	pink/purple/white blooms, Aug-Sept, 3'-5', full sun, avg to moist soil, attracts butterflies/pollinators, nice with fall mums	sold out
aster oblongifolius	Aromatic aster 'Raydon's favorite'	Qt	Blue-purple blooms, Sept-Oct, 2'-3', sun to part shade, tolerant of dry/poor soils	ready
aster oblongifolius	Aromatic aster 'October Skies'	Gal	light blue flowers, fall, 1.5-2', sun to part shade, tolerant of dry/poor soils	ready
aster puniceus	Purple-stemmed/swamp aster	2 Qt	purple daisy-like blooms on reddish-purple stems, late Aug – Oct, 3'-6', moist soil, full sun	ready
aster spectabilis	showy aster	Qt	violet blooms, later summer-fall, 1-2', part shade to full sun, dry to moist	ready
aster umbellatus	Flat-topped white aster	Qt	clusters of white, daisy-like blooms, late Aug – Sept, 2'-5', moist soil, full sun to part shade, attractive to bees/butterflies	ready
aster 'wood's pink'	wood's pink' aster	Qt	clear pink flowers with gold centers, fall, 12", med to moist soil, sun to part shade	sold out
aster 'Little Carlow'	Little Carlow blue wood aster	Qt	blue/purple blooms with yellow centers, Sept-Oct, 1.5-2', full sun, medium soil, a cross of a. cordifolius and a. novi-belgii	few left
astilbe biternata	Appalachian false goat's beard	2 Qt	creamy white flowers, late spring/early summer, 4-6', full to part shade, avg to moist soil	ready
baptisia australis	Blue false indigo	Qt	blue blooms, late spring/early summer followed by interesting seed pods, 3-4', sun to part shade, med to dry soil, attractive to butterflies, drought tolerant, rabbit resistant	ready
baptisia 'Dark Chocolate'	Dark Chocolate' false indigo	Gal	dark purple to deep brown blooms, late spring/early summer, 3', sun/part sun, avg to poor soil	sold out
baptisia lactea	white false indigo	2 Qt	white blooms, bluish stems, Jun-July, 3'-5', med to moist soil, full sun	sold out
baptisia tinctoria	yellow wild indigo	Gal	yellow blooms, blue-green foliage, summer, sun/light shade, 3', deer resistant, drought tolerant	sold out
blephilia ciliata	downy wood mint/horsemint	qt	tiered clusters of lavender/pink blooms, June-Aug, 1-2', sun to part shade, med to dry soils, very attractive to a wide variety of pollinators (listed in '100 Plants to Feed the Bees' from the Xerces Society), drought tolerant	sold out
blephilia hirsuta	hairy wood mint	Qt	tiered clusters of white blooms, late summer/fall, 3', part to full shade, med to moist soils, good pollinator plant	ready
boltonia asteroides	thousand flowered/starry aster	Qt	white blooms, late summer-fall, 3-5', sun to part shade, moist to wet soils	plugs
cacalia atriplicifolia	Pale Indian plantain	2 qt	White blooms, late summer/fall, 3 - 7', full to part sun, med to dry soils, purplish stems, bottom of leaves silvery	ready

callirhoe involucrata	wine cups/poppy mallow	qt	magenta flowers, summer, 6-8", full sun to part shade, dry to med soils, tolerant of poor/rocky soils and drought, makes a trailing groundcover, host plant for gray hairstreak butterfly and checkered skipper	sold out
campanula rotundifolia	harebell	Gal, Qt	blue blooms, June-Sept, 12"-15", sun to part shade, avg to moist soil, tolerates clay	sold out
cassia (senna) hebecarpa	wild senna	Qt	yellow blooms, July-Aug, 4'-6', full sun, med to moist soil, tolerates clay soil, seed pods attract upland game birds (such as turkey)	sold out
caulophyllum thalictroides	blue cohosh	Qt	green/yellow blooms in spring turning to blue berries, blue/green foliage, 1'-2', part to full shade, medium soil	ready
chelone glabra	white turtlehead	Qt	white blooms, late summer/fall, 2'-4', full to part sun, prefers moist soil, good for rain gardens, host plant for Baltimore checkerspot butterfly	sold out
chelone lyonii	pink turtlehead	Qt	pink blooms, mid-late summer, 2'-4', sun to part shade, med to moist soil	sold out
chelone lyonii 'Hot Lips'	Hot Lips' pink turtlehead	Qt	pink flowers, late summer, 2-3', sun to part shade, med to moist soils, dark green foliage/dark stems	ready
chelone lyonii 'Tiny Tortuga'	pink turtlehead 'Tiny Tortuga'	Qt	pink blooms, late summer, 12-15", sun to part shade, moist soil	sold out
chrysogonum virginianum	green and gold	Qt	yellow blooms on dark green foliage, spring, 6" (ground cover), shade/part shade, moist/average soil	sold out
chrysogonum virginianum	Pierre' green and gold	Qt	yellow blooms, spring, 6-8" (ground cover), shade/part shade, moist/avg soil	ready
coreopsis lanceolata	Lanceleaf coreopsis	Qt	golden yellow blooms, late spring-summer, full sun, dry to moist soils, drought resistant, deer resistant, short-lived perennial that easily reseeds, important nectar/pollen source, birds eat seeds	ready
coreopsis 'Gilded Lace'	Gilded Lace' tickseed	Qt	golden-yellow blooms for several weeks, summer – fall, fine textured foliage, 4-5', sun, dry to moist, attractive to pollinators, good resistance to disease, performed well in Mt Cuba plant trials	ready
coreopsis 'Red Satin'	Red Satin' tickseed	Qt	red blooms, fine foliage, summer, 15-18", sun, dry to med soi	sold out
coreopsis rosea	tickseed 'American dream	Qt	medium pink flowers June-Aug, moist but well-drained soil, attracts butterflies	ready
coreopsis 'Mercury Rising'	Mercury Rising' tickseed	Qt	velvety dark red flowers later developing white streaks, mid-summer to fall, 12-18", sun	sold out
coreopsis 'Moonbeam'	Moonbeam' tickseed	Qt	pale yellow flowers and fine green foliage, summer, 15", sun, med soil	sold out

coreopsis pal. 'Summer Sunshine'	Summer Sunshine' tickseed	Gal	golden blooms, late summer/fall, 3-4', sun, moist soils, highly rated in Mt. Cuba coreopsis trials	one left
coreopsis 'Route 66'	Route 66' tickseed	Qt	yellow blooms with a ring of burgundy at the crown fading towards the tips, mid-summer-fall, 24", sun, med soil	sold out
coreopsis tinctoria	Plains coreopsis/tickseed	Qt	Yellow blooms with red centers, summer to fall, 2-4', sun, dry to med soil, tolerant of poor soils, self seeds	sold out
coreopsis trip. 'Gold Standard'	Gold Standard' tickseed	Gal	Yellow blooms, late summer/fall, up to 6', sun, avg to dry soil, upright form, high rating in Mt Cuba trials	ready
coreopsis 'Uptick yellow and red'	Uptick yellow and red' tickseed	Qt	Yellow blooms with a dark purple/red eye, summer to early fall, 12-14", drought tolerant	sold out
cornus canadensis	bunchberry	Plug/Qt	white blooms in spring, red berries late summer/fall, spreads to form groundcover, part to full shade, acidic soil	sold out
delphinium exaltatum	tall larkspur	Qt	Violet blue blooms, Jun-Sept, 3'-6', sun to part shade, average to moist soil, attracts butterflies, cut flower	sold out
delphinium tricornes	dwarf larkspur	Qt	Blue to purple flowers, spring, 6-24", rich soils	dormant
desmodium canadense	showy tick trefoil	2 Qt	Pink blooms, July/Aug, 3-5', sun to part shade, moist to dry soils, fixes soil nitrogen, attractive to pollinators/butterflies/hummingbirds	ready
dicentra cucullaria	Dutchman's breeches	Qt	white-pink flowers, spring, 6-12", part to full shade, med soil	dormant
dicentra eximia	wild bleeding heart	various	pale pink heart-shaped blooms on lacy blue/green foliage, spring-summer, 1'-2', part sun to shade, med to moist soil, morning sun/afternoon shade best	ready
dodecatheon meadia	Shooting star	4"/Qt	white/pink/lavender blooms, spring, 1', part to full shade, med soil	dormant
echinacea pallida	Upright prairie/pale purple coneflower	Gal	pale pink blooms appear drooping, June-July, 2'-3', full sun, drought tolerant, attracts pollinators/butterflies	sold out
echinacea pallida 'Hula Dancer'	Hula Dancer' pale purple coneflower	Qt	blush to almost white blooms with drooping petals and reddish cone, 2-3', sun to part shade, dry to med soils, a favorite in Piet Oudolf designs	ready
echinacea paradoxa	Yellow coneflower	Qt	bright pure yellow blooms with petals drooping from brown cone, early summer, 2'-3', full to part sun, average to dry soils, finches love the seed heads	sold out
echinacea purpurea	purple coneflower	Qt	purple to rose pink blooms with orange cone center, July-Aug, 2'-3', full to part sun, average to dry soils, attracts pollinators, birds, butterflies	ready
echinacea 'Baja Burgundy'	Baja Burgundy' coneflower	Gal	burgundy-red blooms, summer, 18-24", sun, avg to dry soils, attractive to pollinators/butterflies/birds	sold out
echinacea 'Cantaloupe'	Cantaloupe' coneflower	Qt	cantaloupe colored double/pompom blooms, summer, 24-30", sun, avg to dry soil	sold out

echinacea 'Cheyenne Spirit'	Cheyenne Spirit' coneflower	Qt	mix of colors (orange/pink/purple/white/yellow), summer, 18-24", sun, avg to dry soils, attractive to butterflies/pollinators, nice cut flower	few left
echinacea 'Fiery Meadow Mama'	Fiery Meadow Mama' coneflower	2 Qt	yellow blooms with reddish centers, summer, 2', full to part sun, avg to dry soils	sold out
echinacea 'Flamenco Orange'	Flamenco Orange' coneflower	Gal	orange blooms, summer-early fall, 18-20", full to part sun, avg soils, drought tolerant	sold out
echinacea 'Blushing Meadow Mama'	Blushing Meadow Mama' coneflower	2 Qt	white blooms with a hint of blush pink, summer, 2', full to part sun, avg to dry soil	sold out
echinacea 'Playful meadow mama'	Playful meadow mama' coneflower	2 Qt	dark pink petals with lighter to white tips, red centers, summer, 1-2', sun, med well drained soil	sold out
echinacea 'Fatal Attraction'	Fatal Attraction' coneflower	Qt	magenta-pink blooms, late summer, 2', sun to part sun, med well drained soil, darker stems than the species, petals curve slightly upwards	sold out
echinacea 'Green Twister'	'Green Twister' coneflower	Qt	pink/purple/red blooms with lime green/yellow tips, mid-summer to fall, 2'-3', full to part sun, avg to dry soils, a selection of echinacea purp. 'magnus'	sold out
echinacea 'Green Jewel'	Green Jewel' coneflower	Qt	light green blooms, summer, 2', full to part sun, avg to dry soils	sold out
echinacea 'Happy Star'	Happy Star' coneflower	Qt	white blooms, summer, 3', full sun, avg to dry soils	blooming
echinacea 'Kismet Red'	Kismet Red' coneflower	Qt	large red flowers, summer, 16-18", full sun	sold out
echinacea 'mellow yellows'	Mellow Yellows' coneflower	Qt	light yellow to golden blooms, mid-summer to fall, 2-3', full to part sun, avg to dry soils	ready
echinacea 'milkshake'	Milkshake' coneflower	2 Qt	creamy white double/pompom blooms, July-Sept, 2-3', sun, med, well-drained soil	sold out
echinacea 'Orange Skipper'	'Orange Skipper' coneflower	Gal	orange blooms, summer-early fall, 16-18", full to part sun, avg soils, drought tolerant, this cultivar is attractive to bees/butterflies	sold out
echinacea 'Powwow White'	Powwow White' coneflower	Qt	white blooms, summer-early fall, 1.5-2', full to part sun, avg well drained soils	sold out
echinacea 'Powwow Wild Berry'	Powwow Wild Berry' coneflower	Qt	rose-purple blooms with purple stems, summer, 1-2', full to part sun, avg well drained soil	sold out
echinacea 'Hot Coral'	Hot Coral' coneflower	Gal	hot orange-red flowers, summer, 20-24", sun, avg well drained soils, attractive to butterflies	sold out
Echinacea 'Rainbow Marcella'	Rainbow Marcella' coneflower	Gal	soft orange blooms fading to raspberry pink, summer, 18", full to part sun, avg well drained soil	sold out
Echinacea 'Ruby Star'	Ruby Star' coneflower	Qt	pinkish-red blooms, summer, 2-3', sun, avg well drained soils, stems of this variety often darker than most	sold out
echinacea 'Salsa Red'	Salsa Red' coneflower	Gal	red flowers, summer, 1.5-2', sun, avg well drained soils	sold out
echinacea 'Sangrita'	Sangrita' coneflower	Gal	reddish-orange blooms, 18-20", sun, avg well drained soils	sold out

echinacea 'Summer Solstice'	Summer Solstice' coneflower	Qt	Yellow blooms fading to white near the center, 1.5-2', sun, avg well drained soils	ready
echinacea 'Tomato Soup'	Tomato Soup' coneflower	Gal	tomato-red flowers, July-Sept, 2-3', sun, avg well drained soils, attractive to butterflies	sold out
echinacea 'Virgin'	Virgin' coneflower	Qt	white petals w/ green cone, 1-2', sun/part sun, avg well drained soils	sold out
echinacea 'White Swan'	White Swan' coneflower	Qt	white flowers, July-Sept, 2-3', avg well drained soils, sun	sold out
echinacea tennesseensis	Tennessee Coneflower 'Rocky Top	Qt	Pinkish-purple blooms, June-Sept, 2'-3', tolerant of very alkaline soils, full sun, well-drained soils, drought tolerant	plugs ready
epilobium angustifolium	fireweed	Qt	pink blooms Jul-Sep, 2'-6' tall, med/moist soil in full sun, attracts hummingbird, pollinators	sold out
erigeron pulchellus	Lynnhaven Carpet' robin's plantain	Qt	lavender-white fringed daisy-like flowers, gradually fading to white, spring, 12-15", part sun to shade, moist to dry soils, deer/drought tolerant, attracts pollinators/butterflies	ready
erigonum allenii 'Little Rascal'	Little Rascal' share barren buckwheat	Plug/Qt	clusters of yellow blooms, summer, 1.5-2', well-drained soils, drought tolerant, long blooming, attracts pollinators, good for rocky sites	ready small
eryngium yuccifolium	rattlesnake master	Gal	Bluish-silver blooms Jun-Sept, 4-5', prefers hot, dry sites	sold out
Erythronium americanum	trout lily	Qt	yellow blooms, Apr-may, 6", med/moist soil, shade/part shade	dormant
eupatorium 'Bartered Bride'	Bartered Bride' joe pye weed	Gal	white blooms, late summer/fall, 6-8', sun to part shade, med to moist soil, attractive to pollinators, highly rated in plant/pollinator trials	blooming
eupatorium coelestinum	mist flower/hardy ageratum	Qt	blue/lavendar blooms, Sept-Oct, 2'-3', sun-shade, avg to moist soil, late season pollinator attractor, in moist soil can spread to form groundcover	ready
eupatorium dubium	'Little Joe' joe pye weed	Gal	Mauve-pink flowers, late summer/fall, 3-4', sun to part shade, med to moist soils	one left
eupatorium dubium	coastal joe pye weed	Qt	2-5' tall, 2' wide, mauve-pink blooms, mid to late summer, moist to wet soil, sun to part shade	plugs
eupatorium hyssopifolium	Hyssop leaf thoroughwort	Gal	clusters of white flowers, Aug-Sept, 2'-4', full to part sun, med to dry soils, tolerates drought, attractive to pollinators, deer resistant	ready
eupatorium perfoliatum	Boneset	2 Qt	flat clusters of white blooms, July-Sept, 3-4', attracts butterflies, tolerant of wet and clay soils	ready
eupatorium 'Phantom'	Phantom' Joe Pye weed	Qt	rose-purple blooms, summer, up to 4', sun to part sun, moist to avg soil, butterfly nectar plant	ready
eupatorium purpureum	sweet joe pye weed	Qt	rose-pink blooms, late summer, 4-7', sun to part shade, dry to moist soils, more tolerant of dry soils and shade than most Joe Pye weed, butterfly nectar plant	ready

eupatorium 'Euphoria Ruby'	Euphoria Ruby' joe pye weed	Qt	mauve/pink flowers, mid-summer – fall, 2'-3', avg soil, full sun, attracts butterflies, earlier bloom, more compact and more drought tolerant than the straight species, high rating (4.5 out of 5, list of 'best of the best') in 2019 UGA garden trials	ready
eupatorium purpurea mac.	Joe pye weed 'Gateway'	2 Qt	Mauve-pink flowers, July-Sept, 5'-6', full to part sun, avg to moist soil, butterfly magnet!	blooming
eupatorium purp. 'atropurpureum'	Joe pye weed 'Atropurpureum'	Qt, 2 Qt	mauve blooms on dark stems, late summer-fall, 6-9', sun to part shade, moist soil, butterfly nectar plant,	budding
eupatorium rugosum	chocolate joe pye/snakeroot	Qt	white blooms on bronze foliage, summer, 3'-4', sun to shade, moist to dry, plant toxic to animals/humans if ingested	a few avail
euphorbia corollata	Flowering spurge aka wild baby's breath	Qt	white flowers resembling baby's breath, late June – Sept, 18" tall, full sun is best, med to dry soil, deer resistant	a few avail
filipendula rubra	queen of the prairie	gal/qt	pink blooms, 6'-8', sun, prefers moist but well drained soil	sold out
filipendula rubra	'Venusta magnifia' queen of pr.	gal	pink blooms, 4'-5', sun, prefers moist but well drained soil	sold out
fragaria virginiana	wild strawberry	Qt	white blooms, spring, followed by small edible red berries (a parent plant of the modern strawberry), sun to part shade, med soil, spreading groundcover	ready
gaillardia	Arizona Apricot' blanketflower	Qt	pale yellow edges with apricot centers, late spring to fall, 12", full sun, tolerant of dry and poor soils	sold out
gaillardia	Arizona Sun' blanketflower	Qt	red blooms with yellow tips, late spring to fall, 12-18", full sun, tolerant of dry/poor soils	sold out
gaultheria procumbens	Wintergreen/teaberry	Qt	white bell-shaped blooms, 3"-6", part to full shade, medium acidic soils, evergreen groundcover	sold out
gaultheria procumbens 'PP'	Peppermint Pearl' wintergreen	Qt	same as above, but with white berries	sold out
gentiana andrewsii	Closed bottle gentian	Qt	blue blooms, late summer/fall, 1-2', med to moist soil, part shade	sold out
geranium maculatum	Wild geranium	Qt	pink/lavender flowers, 12-18", sun to part shade, med to moist soil, attractive to pollinators	plugs ready
geranium 'Espresso'	Espresso' wild geranium	Gal	same as species (above), but with dusky brown foliage	one left
geum triflorum	Prairie smoke	Qt	feathery pink blooms, late spring, 3-6", full sun, dry to med soil, nice choice for rock garden	ready
helenium autumnale	Common sneezeweed	Qt	yellow flowers, late summer/early fall, 3-5', med to moist soils, sun to part shade, one of the higher rated heleniums in Mt Cuba plant trial, attracted highest number of pollinators	ready
helenium autumnale 'Helena Red Shades'	Helena Red Shades' sneezeweed	2 Qt	russet red to red with yellow blooms, mid-summer to fall, 4', sun to part shade, wet to avg soils, attractive to native pollinators and butterflies, unpalatable to mammals	sold out
helenium flexuosum	purple-headed sneezeweed	Qt	yellow reflexed petals with brownish-purple center cone, late summer-fall, 2-5', moist to wet soil	ready

helenium 'Siesta'	Siesta' sneezeweed	Qt	red flowers, late summer, 18-20", wet to avg soils	blooming
helenium 'Potter's Wheel'	Potters Wheel' sneezeweed	Qt	velvety-red flowers, late summer/fall, 3-4', wet to avg soils, full sun	blooming
helenium 'Dakota Gold'	Dakota Gold' sneezeweed	Qt	yellow flowers, summer to fall, 8-14", dry to med soils, full sun	blooming
helenium	sneezeweed 'Mardi Gras'	Qt	red/yellow/orange blooms, June-Aug, 2'-3', full sun, moist but well drained soil, adapts to avg garden soil well	sold out
helianthus decapetalus	Ten-petaled Sunflower	Gal	yellow daisy-like flowers, summer, 5', full sun to part shade, best in moist sites, adaptable, attractives to pollinators/butterflies	sold out
helianthus multiflorus	perennial sunflower 'flore pleno'	Qt	yellow blooms, summer/fall, 4'-6', full sun, average soil	special order only
helianthus occ. Dowelianus	naked stemmed sunflower	Qt	yellow blooms on long slender (sometimes reddish) stems, late summer-fall, 2-4', full sun, tolerant of dry, rocky, clay soils, deer resistant, attracts butterflies/pollinators, birds eat seeds, good cut flower, eastern subspecies	ready
helianthus salic. 'First Light'	'First Light' willowleaf sunflower	Gal	yellow blooms, Sept-Oct, 3-4', full sun, med soil	sold out
helianthus salic. 'Low Down'	'Low Down' willowleaf sunflower	Gal	yellow blooms, late summer/fall, 12", full sun, med soil	sold out
helianthus strumosus	woodland/paleleaf sunflower	2 Qt	yellow blooms, Aug—Oct, 3'-5', sun to part shade (often grows along woodland edge/dappled shade), dry to medium soil, attracts pollinators/butterflies, deer resistant, birds love the seeds	sold out
heliopsis helianthoides	Smooth oxeye/false sunflower	Qt	yellow blooms, June-Aug, 4-5', sun to part shade, med to moist soils, attracts butterflies, birds eat seeds in fall	sold out
heliopsis hel.	Smooth oxeye 'Summer Sun'	2 Qt	yellow semi-double blooms, July-Sept, 3'-4', full sun, moist well drained soil, but drought tolerant when established	sold out
heliopsis hel.	Smooth oxeye 'Summer Nights'	Gal	yellow blooms with reddish centers and red stems, late summer, 3-4', full sun, med to moist soils	sold out
heliopsis hel.	Smooth oxeye 'Bleeding Hearts'	Qt	ready blooms fading to orange, dark foliage, 3-4', sun, avg to moist soil	ready
heliopsis hel.	Smooth oxeye 'Burning Hearts'	Qt	yellow flowers with orange centers and dark purple foliage, summer, 3-4', sun to part shade, moist to avg soil, drought tolerant once established, attractive to butterflies and bees	sold out
hepatica acutiloba	sharp-lobed hepatica	Qt	white/pink/pale purple blooms, early spring, 6-8", med soils, part to full shade, good in limestone soils	spring 2022
heuchera americana	Coral bell	Qt	pinkish-green flowers, late spring, 12", part to full shade, well-drained soils, foliage slightly ruffled and veined, turning red in fall, hummingbirds	sold out
heuchera am. Dale's strain	Dale's Strain' coral bell	Qt	same as above, foliage more silvery-green	ready
heuchera x	heuchera cultivars	Qt/Gal	various	ready

heuchera villosa	Coral bell 'Autumn Bride'	Qt	Creamy-white flower spikes, late summer-frost, 2', shade/part shade, med/well-drained soil	ready
hibiscus laevis	rose mallow	Gal	hardy native hibiscus, light pink flowers with dark throat, late summer, 3-6', moist, sunny sites, good for rain garden/wet areas	ready
hibiscus moscheutos	Disco Belle Red' hibiscus	2Qt	large red blooms, 4-12" across, late summer, 2 – 2.5' tall, full sun, rich moist to wet soils, attracts pollinators/hummingbirds	ready
hibiscus varieties	hardy hibiscus	1 gal	various	ready
hydrastis canadensis	goldenseal	Qt	white flowers, April-May, 6-12", part shade, med soil, best in rich soils with leaf mold, flowers followed by non-edible red berries	ready
iris cris. 'Alba'	Dwarf crested iris 'Alba'	Qt	White flowers with yellow crest, spring, 6-8", sun to shade, med to moist soils, spreads to form groundcover	sold out
iris cris. 'Tennessee White'	Dwarf crested iris 'Tenn White'	Qt	White flowers with yellow crest, spring, 6-8", sun to shade, med to moist soils, spreads to form groundcover	sold out
jeffersonia diphylla	Twinleaf	Qt	white flowers in spring, interesting foliage, up to 1.5', shade to part shade, med to moist soils	a few ready
lespedeza virginica	slender bush clover	Qt	pink flowers, late summer, 2', sun to part shade, med to dry soils, attracts pollinators, birds eat seeds	ready
liatris ligulastylis	Meadow blazingstar	Qt	Pink to purple blooms, mid to late summer, 3-5', full sun, med to moist soils, a monarch magnet (and many other butterflies)	one avail
liatris microcephala	dwarf blazing star	Qt	Purple blooms, Aug-Sept, 18-24", full to part sun, avg to dry soil, attractive to butterflies	sold out
liatris scariosa	Savanna blazing star	Qt	purple blooms, late summer-fall, 3-5', full sun to part shade, moist to dry soil	ready
liatris spicata	spike gayfeather	Qt	Pinkish-purple spikes, July-Aug, 3'-5', avg to moist soil, attracts wide variety of butterflies/pollinators	ready
liatris spicata 'Floristan white'	Floristan white' gayfeather	Gal	White spikes, summer, 2-3', sun, avg to moist soils, attracts butterflies/pollinators, nice cut flower	sold out
lilium superbum	Turk's cap lily	Qt	orange blooms with maroon spots, mid summer, 4-7', sun, med to wet soils, part shade, attracts hummingbirds	ready
lobelia cardinalis	cardinal flower	Qt	Red blooms, July-Sept, 2'-4', sun to shade, prefers moist soil, attracts hummingbirds	ready
lobelia cardinalis	cardinal flower 'Black Truffle'	Gal	red blooms and burgundy foliage, July-Sept, 3'-4', sun to part shade, prefers moist soil, attracts hummingbirds	ready
lobelia siphilitica	Great Blue Lobelia	Qt	blue-violet blues, July-Sept, 2'-3', sun to part shade, prefers moist soil – attracts butterflies and hummingbirds	ready
lysimachia ciliata	Fringed loosestrife 'firecracker'	Qt	yellow blooms, summer, 2'-3', sun, new foliage maroon turning greener later in summer	sold out

lysimachia lanceolata purp	Lanceleaf loosestrife	Gal	yellow blooms, 1-2', sun to part shade, med to moist soils, foliage has hints of burgundy	sold out
medeola virginiana	Indian cucumber	Qt	small greenish-yellow flowers, late spring, 1-3', part to full shade	spring 2022
meehanian cordata	Meehan's mint	Qt	Blue-violet blooms, late spring, 6"-10", full shade to part sun, dry to moist soil, groundcover, good native substitute for ajuga	plugs ready
mertensia virginiana	Virginia bluebells	Qt	pink buds forming blue flowers, early spring, 8"-2', part to full shade, moist soils, good early pollinator plant, foliage dies back in summer	dormant
mitschella repens	Partridgeberry	4"	evergreen groundcover, small white flowers spring, red berries, 3", full to part shade, med soils	sold out
monarda 'balmy purple'	balmy purple' beebalm	Qt	violet-purple blooms, summer, 12", med to moist soils, good powdery mildew resistance	few left
monarda 'bee merry'	Bee Merry' beebalm	Gal	magenta blooms, summer, 12-15", good powdery mildew resistance	sold out
monarda 'coral reef'	Coral reef' beebalm	Gal	coral pink flowers, summer, 3', med to moist soils	sold out
monarda 'fire ball'	Fire ball' beebalm	Gal	red, summer, 24-30", med to moist soils	sold out
monarda bradburiana	Bradbury's/Eastern bee balm	Gal	pale pink blooms speckled w/ purple, late spring, 1'-2', sun to part shade, dry to avg soil, attracts pollinators/hummingbirds	sold out
monarda didyma	bee balm	Qt	the straight species , red blooms summer, 2-4', sun to part shade, med to moist soils, attracts hummingbirds/pollinators, aromatic foliage, not browsed by mammals	sold out
monarda didyma	Bee balm 'Marshall's delight'	Qt	Rose-pink flowers, summer, 3', sun to part shade, average to moist soils, attracts butterflies, pollinators, hummingbirds	sold out
monarda didyma	Bee balm 'Blue Stocking'	Qt	Deep violet blooms, Jun-July, 2'-3', sun to part shade, avg to moist but well-drained soil, attracts butterflies/pollinators/hummingbirds	sold out
monarda didyma	Bee balm 'Gardenview Scarlet'	Qt	Red blooms, mid to late summer, 2'-3', sun to part shade, avg to moist but well-drained soil, better resistance to mildew	ready
monarda 'Jacob Cline'	Bee balm 'Jacob Cline'	Qt/Gal	red blooms, mid to late summer, 3-5', sun to part shade, avg to moist soils	ready
monarda raspberry wine	Raspberry Wine' beebalm	Qt	wine red flowers, 3-4', sun to part shade, avg to moist soils, good mildew resistance	ready
monarda didyma	Bee Balm 'Purple Rooster'	Gal	Purple blooms, June-July, 3-4', sun to part shade, moist to dry soils, attractive to wide variety of pollinators/butterflies, drought tolerant, 'Purple Rooster' reported as mildew free in Mt Cuba trials	ready
monarda didyma	Bee balm ' White'	Qt	White blooms, July, 2'-3', sun, avg to moist but well-drained soil, attracts butterflies/pollinators/hummingbirds	sold out

monarda fistulosa	wild bergamot	Qt	Lavendar blooms, late summer, 2'-5', full to part sun, dry to moist soil, drought tolerant, aromatic foliage, attracts bees, butterflies, hummingbirds, more resistant to powdery mildew than most	ready
monarda media	Purple bergamot	Qt	Red/purple/pink blooms (varies), July, 2-3', avg to moist soil, sun to part shade, attracts butterflies/hummingbirds/pollinators	sold out
monarda punctata	horsemint/spotted bee balm	Gal	purple spotted flowers atop stems with pink/lavender/cream bracts, 1-3', sun, moist to dry soils, attractive to pollinators/butterflies/hummingbirds, deer/rabbit resistant	one left
monarda spp.	pink and purple varieties	Qt	unknown varieties, a few red, some pink varieties	sold out
oenothera fruticosa	narrowleaf evening primrose	Qt	red flower buds followed by bright yellow flowers, summer, 1-3', sun to part shade, dry to moist soil, attractive to pollinators and hummingbirds, songbirds eat seeds	sold out
oenothera fruticosa	Fireworks' evening primrose	Qt	red buds lead to yellow blooms on red stems, late spring-summer, 15-18", sun, dry to avg soil	ready
pachysandra procumbens	Allegheny spurge	Qt	white bottlebrush flowers, early spring, 6-12", part to full shade, med soil, gradually spreads to form a groundcover, drought tolerant once established	ready
packera obovata	roundleaf ragwort	Qt	yellow daisy-like blooms, Apr – June, 1'-2', sun to part shade, med to wet soils, foliage semi-evergreen, tinged with burgundy at time, good ground cover	ready
parthenium integrifolium	wild quinine	Qt	white flower clusters, 3'-5', summer-fall, full sun, dry to medium soils	blooming
paxistima canbyi	Canby's mountain lover/cliffgreen	Qt	evergreen groundcover, small green flowers, May, 6-12", sun to part shade, good for rocky slopes	fall 2021
pedicularis canadensis	Canadian wood betony	Qt	reddish/violet with yellow blooms, 12", Apr-May, full to part sun, med to dry soil, well drained best, attractive to bumblebees	sold out
penstemon calycosus	Calico penstemon	Qt	pale lavender to white tubular blooms, late spring/early summer, 2'-3', part shade, avg soil, attracts wide variety of pollinators/hummingbirds, tolerant of alkaline soils	sold out
penstemon digitalis	beardtongue	Qt	white to pink blooms, late spring/early summer, 3'-4', full sun to part sun, average to dry soil, drought tolerant, attracts bees/butterflies/hummingbirds	sold out
penstemon digitalis	beardtongue 'husker red'	Qt	pale pink/white blooms late spring/early summer, reddish-green foliage, 2-3', sun/part shade, average soil, attracts hummingbirds	sold out

penstemon 'Dark Towers'	Dark Towers' beardtongue	Qt	pale pink/white blooms late spring/early summer, very dark maroon foliage, 2-3', sun/part shade, average soil, attracts hummingbirds	sold out
penstemon 'Blackbeard'	Blackbeard' beardtongue	Gal	pale pink blooms, late spring, dark foliage, 3', sun/part shade, avg soil, attracts hummingbirds/bumblebees	sold out
penstemon 'Onyx and Pearls'	Onyx and Pearls' beardtongue	Gal	pale lavender to white blooms, late spring/early summer, 3-4', sun/part shade, avg soil, dark foliage (near black when mature),	sold out
penstemon hirsutus	hairy beardtongue	Qt	pale purple flowers, May-June, 12-18", sun to shade, moist to dry soils, attractive to bumblebees, butterflies and hummingbirds	ready fall
penstemon hir. 'Pygmaeus'	hairy beardtongue 'Pygmaeus'	Qt	pale pink/lavender/white blooms, late spring/early summer, 6", sun to part shade, med soil, good drainage, attracts hummingbirds/bumblebees, compact size for front of border	sold out
penstemon smallii	Small's penstemon	Qt	lavendar/pink blooms, summer, 1'-2', sun/part shade, average soil, attracts hummingbirds, bees, butterflies	one left
penstemon tubaeflorus	white wand beardtongue	Qt	white flowers, late spring/summer, 1-3', sun/part shade, avg to dry soil, attracts hummingbirds, bees	ready
phlox carolina	phlox 'Minnie Pearl'	Gal	white blooms, early summer, 1-2', sun to part sun, med soil, good resistance to powdery mildew	sold out
phlox carolina	thickleaf phlox 'Kim'	Qt	pinkish/purple blooms, summer, 1'-2', sun to part shade, avg to moist soil, good resistance to powdery mildew	sold out
phlox divaricata	wild blue phlox	Qt	pink/white/lavendar blooms Apr-May, 8"-12", part shade, moist soil, attracts butterflies, fragrant	few left
phlox divaricata	woodland phlox 'blue moon'	Qt	violet blue blooms Apr-May, 12"-18", part shade, moist soil, attracts hummingbirds, pollinators	few left
phlox divaricata	woodland phlox 'chattahoochee'	Qt	light violet blue blooms with magenta centers, Apr-May, 12-18", part shade, moist soils	one left
phlox divaricata	woodland phlox 'may breeze'	Qt	light blue to white blooms Apr-May, 10"-12", part shade, moist soil, attracts hummingbirds, pollinators	sold out
phlox glaberrima	Morris Berd' smooth phlox	Qt	bright pink flowers, late spring/early summer, 2-3', sun to part shade, moist to dry soil, excellent disease resistance, nice maroon foliage in fall, good rating in Mt Cuba and Chicago Botanic Garden Trials, similar to phlox paniculata but more compact, narrower foliage	ready
phlox maculata	wild sweet william/meadow phlox	Qt	pink-violet blooms, late summer to fall, 2-3', sun to part shade, moist soils, fragrant, spreads gradually, attracts butterflies, good powdery mildew resistance	ready

phlox paniculata	garden phlox 'Jeana'	Qt	lavendar/pink fragrant blooms, June to late summer, 3'-5', avg to moist soil, good resistance to powdery mildew, butterfly magnet	ready
phlox pan. 'Blue Paradise'	phlox 'Blue Paradise'	Gal	pale blue to deep violet blooms, summer, 2-3', sun/part shade, med to moist soil, attracts butterflies	sold out
phlox stolonifera	Creep. Phlox 'Blue Ridge'	Qt	lavender-blue blooms, late-spring to early summer, 6-8", med to moist (but well-drained) soil, part to full shade, attractive to butterflies/hummingbirds, drought tolerant once established, can gradually spread to form groundcover	ready
phlox stolonifera	Creep. Phlox 'Home Fires'	Qt	Deep pink flowers starting in Apr, 6-10", shade to part shade, moist well-drained soil, attracts butterflies/pollinators	few left
phlox stolonifera	Creep. Phlox 'Sherwood Purple'	Qt	Purplish-blue flowers starting in Apr, 6-10", shade to part shade, moist well-drained soil, attracts butterflies/pollinators	sold out
phlox subulata	Moss phlox	Qt, Gal	groundcover phlox with semi-evergreen foliage, spring, sun to part shade, well-drained soil, tolerates poor soils, several varieties available	sold out
physostegia virginiana	obedient plant	Qt	pink flowers spikes bloom late summer/fall, 3'-4', full sun, tolerates wet clay soil, but fine in average soil, can spread if happy	ready, also bareroot clumps
physostegia virginiana	obedient plant 'miss manners'	Qt	white flower spikes bloom late summer/fall, 2'-2.5', full sun, medium soil, tolerates moist, less aggressive	sold out
podophyllum peltatum	Mayapple	Qt	white blooms, Apr-May, 1-1.5', part to full shade, med soil, edible fruit after flowering	ready
polemonium reptans	Jacob's ladder	Gal	light blue flowers, late spring, 12"-18", shade/part sun, average to moist soil, forms groundcover	sold out
polemonium reptans 'Stairway to Heaven'	Stairway to Heaven' jacob's ladder	Gal	same as above, but with variegated foliage	one left
polemonium 'Blue Pearl'	Jacob's ladder	Qt	light blue flowers, late spring, 10-12", shade/part sun, avg to moist soils, forms groundcover	sold out
porteranthus trifolius	Bowman's root/Indian physic	Qt	White-pink blooms on red stems, late spring/early summer, 2'-3', shade to part sun, bronze-red fall foliage	sold out
prunella vulgaris	Magdalena' self heal	Qt	purple blooms, summer to fall, 6", avg to moist soils, sun to part shade, attracts bees and butterflies	blooming
pycnanthemum flexuosum	Appalachian mountain mint	Qt	Silver-white blooms, late summer/fall, 2'-3', full to part sun, moist to dry soil, more clump forming than most mountain mints, nice fall foliage color, host plant for gray hairstreak, attracts pollinators	sold out
pycnanthemum incanum	Hoary mountain mint	Qt	clusters of lavender to white flowers, late summer, 3'-4', sun to part shade, average well-drained soil, aromatic foliage with silver tinge, very attractive to wide variety of pollinators	ready

pycnanthemum muticum	Short toothed/clustered mountain mint	Qt	silver bracts with light pink blooms, late summer, 2'-3', full sun to full shade, moist to dry soil, aromatic foliage, nice in arrangements – attracts bees and butterflies	ready
pycnanthemum pilosum	Hairy mountain mint	Qt	fuzzy white blooms, late summer/fall, 1-3', sun to part shade, dry to medium soil, silvery-green foliage, attractive to numerous pollinators, deer/rabbit resistant	ready
pycnanthemum tenuifolium	narrowleaf mountain mint	Qt	white blooms, mid-late summer, 2'-3', sun to part shade, dry to medium soil, fragrant, attracts pollinators	one left
pycnanthemum virginianum	American mountain mint	Qt	white blooms, July-Sept, 2-3', full sun, wet to dry soil, aromatic foliage, attracts numerous pollinators	ready
ratibita pinnata	gray headed coneflower	Qt	yellow blooms with prominent center cone, late summer, 2-5', full sun, moist to dry	plugs
rudbeckia fulgida v. deamii	Deam's coneflower	Qt	yellow blooms, 3', summer, full sun, average soil, attractive to pollinators, seed heads attractive to birds	one left
rudbeckia hirta	black eyed susan	Qt, 2 Qt	yellow blooms, summer, 2'-3', sun to part shade, average soil, can be short-lived/biennial, but reseeds	sold out
rudbeckia hirta	varieties	Qt	varieties with brown/maroon centers	sold out
rudbeckia hirta	Prairie Sun' black eyed susan	Qt	green centers with darker petal color in the center, fading to yellow, 2-3', sun, avg soil	sold out
rudbeckia laciniata	cutleaf coneflower	Qt, Gal	yellow blooms, Aug-Sept, 5'-8', full to part sun, average to moist soil, attracts butterflies and birds, nice cut flower, pretty with ironweeds	ready
rudbeckia maxima	great coneflower	Qt	yellow flowers with dark cones July-Sept, blue/green foliage, 6'-8', full sun, dry to medium soil	ready
rudbeckia subtomentosa	sweet coneflower 'Henry Eilers'	Qt	yellow quilled flowers, Aug-Sept, 4-5', moist-average soil, drought tolerant when established	ready
rudbeckia subtomentosa	sweet coneflower 'little Henry'	Gal	yellow quilled flowers, Jul-Sept, 3', moist-average soil, drought tolerant when established	ready
rudbeckia triloba	Three lobed coneflower	Qt	yellow blooms, July-Sept, 3', sun, good for moist areas but tolerant of dry sites as well	ready
rudbeckia triloba 'Blackjack Gold'	Three lobed coneflower 'Blackjack Gold'	Gal	yellow blooms with dark centers/stems, 3', sun, longer lived than the species, longer bloom time	sold out
rudbeckia tri. 'Little Charm'	Little Charm' three lobed coneflower	Gal	yellow blooms, 3', sun, long blooming variety	sold out
rudbeckia 'Viette's little suzy'	Viette's Little Suzy' black eyed susan	Qt	yellow flowers w/ dark centers, summer-fall, 15-18", sun/part shade, a more compact form of black-eyed susan	sold out
rudbeckia 'American Gold Rush'	American Gold Rush' black-eyed susan	Qt	yellow blooms, summer to fall, 18-24", full/part sun, compact form, good disease resistance	ready
salvia azurea	Blue sage	Qt	sky blue blooms, late summer, 5', sun, med to dry soil, aromatic foliage, attractive to pollinators/butterflies, good native substitute for Russian sage	ready

salvia lyrata	Purple knockout' Lyre-leaf sage	4"	maroon foliage, white/lavendar blooms, 1', sun to part shade, moist to dry	sold out
sanguinaria canadensis	Bloodroot	Qt	white flowers, yellow centers, early spring, moist, shade	sold out
sanguisorba officinalis	greater burnet	Gal	dark red to maroon-purple blooms, summer, 2-3', sun, med soil, deer resistant, unusual foliage, attracts songbirds/pollinators/butterflies, nice addition to cut arrangements	sold out
sarracenia	pitcher plant		red/green "hooded pitchers", can reach 16" tall, bog plant	sold out
scrophularia marilandica	late figwort	Qt	small reddish-green blooms, late summer/fall, 6', sun to part sun, med to dry, attractive to hummingbirds/pollinators	ready
scutellaria incana	hoary skullcap	Qt	Voilet-blue blooms, summer, 2'-4', full to part sun, avg to dry soil, tolerates clay soil, attracts butterflies	ready
sedum ternatum	woodland stonecrop	Qt	Larinem Park', white blooms late spring/summer, 2"-6", full to part shade, moist/average soil, good groundcover for shade	sold out
senecio aureus	packera aurea	Qt	yellow blooms Mar-May, 12"-15" tall, full sun to shade, dry to moist, early pollinator plant	ready
silene caroliniana	wild pink 'short and sweet'	Qt	pink blooms May-Jun, 6"-8", sun to part shade, med to dry soil, attracts hummingbirds/butterflies, native subst for dianthus	ready
silene virginica	fire pink	Qt	scarlet red blooms spring, 12"-20", part shade, moist good drainage, found on rocky wooded slopes in open woods	sold out
silphium mohrii	Mohr's rosinweed	Gal	pale yellow blooms, mid sum - fall, 2-5', sun to part shade, med to dry soil, does well in rocky sites, a slightly more compact and drought tolerant silphium	one avail
silphium perfoliatum	Cup plant	2Qt and Gal	Yellow daisy-like blooms, July-Oct, 6-8', sun, med to wet soils, large leaves form 'cups' that collect water for birds, frogs and other wildlife	ready
Sisyrinchium ang. 'Suwannee'	Suwannee' Blue Eyed Grass	Gal	sky blooms blooms, spring into summer, 8-10", moist to dry soils, sun to part shade, grass-like foliage, groundcover	ready
Sisyrinchium ang. 'Lucerne'	Lucerne' blue eyed grass	Qt	violet-blue flowers, spring into summer, 8-10", moist to dry soils, sun to part shade, grass-like foliage	ready
Sisyrinchium 'Moody Blues'	Moody Blues' blue eyed grass	Qt	violet-blue flowers, spring to summer, 8-10", moist to avg, sun to part shade, grass-like foliage	ready
smilacina racemosa	False Solomon's seal	Qt	ivory flower plumes, late spring, followed by red berries, 1-3', part to full shade, med to moist soils	sold out
solidago flexicaulis	Zigzag Broadleaf goldenrod	Qt	yellow blooms late summer/fall, 1-3', a woodland variety of goldenrod, best in dappled shade, attracts pollinators	a few avail

solidago graminifolia	grass-leaved goldenrod	Qt	flat-topped clusters of golden-yellow flowers, fine textured foliage, late summer/fall, 3-4', sun to part shade, med to moist soil, attractive to butterflies/pollinators, a variety of birds eat the seeds, nice cut flower	ready
solidago juncea	Early goldenrod	Qt	2-4' tall, 2-3' wide, yellow flower panicles on arching stems, blooms July-Aug, moist to dry soil, sun to part shade	ready
solidago 'Little Lemon'	'Little Lemon' goldenrod	Qt	compact goldenrod, lemon-yellow blooms, 8"-14", good choice for fall containers	ready
solidago odora	Sweet goldenrod	Qt	yellow blooms, late summer/fall, 2-4', sun to part shade, tolerant of dry soil, clump forming (not as aggressive as other goldenrods), also called anise-scented goldenrod	ready
solidago rigida	Stiff goldenrod	Qt	yellow blooms, gray/green foliage, late summer/fall, 2'-5', full sun, moist to dry	sold out
solidago rugosa	'Fireworks' goldenrod	2 Qt	yellow blooms, late summer/fall, 3'-4', full to part sun, avg soil, attracts late season pollinators, nice with asters	sold out
solidago shortii	'Solar Cascade' goldenrod	Qt	yellow blooms, late summer/fall, 2'-3', full to part sun, average soil, drought tolerant once established, late season pollinator plant, not as aggressive as many other goldenrods	ready
solidago speciosa	Showy goldenrod	2 Qt	2-3' tall and wide, pyramidal yellow/gold blooms, reddish stems, late summer to fall, moist to dry, sun to part shade	sold out
solidago sph. 'Golden Fleece'	Golden Fleece' goldenrod	Gal	Yellow blooms, late summer-fall, 1-1.5', full sun, dry to med soil, more compact and mounding habit than most goldenrods	ready
spigelia marilandica	Indian pink	Gal	red w/ yellow blooms, 12"-18", summer, part sun/shade, moist soil	sold out
spiranthes cernua odora	Ladies tresses	Gal	fragrant white flowers late summer-frost, 8"- 2', part shade, medium to wet soil, prefers acidic, a native woodland orchid	sold out
stokesia laevis	Stokes' aster	Gal	lilac-blue flowers, summer, 18", sun, med to moist but well-drained soils	sold out
stokesia 'Color Wheel'	Color Wheel' aster	Gal	white flowers changing to lavender then blue/purple, 12-18", sun, med to moist well-drained soils	sold out
stokesia laevis 'Divinity'	Divinity' Stokes' aster	Gal	white blooms with pale yellow centers, 1-1.5', sun, med to moist but well-drained soil, avoid wet winter sites	sold out
stokesia 'Peachies Pick'	Peachies Pick' stokes' aster	Qt	lilac-blue blooms, summer, 12", sun, med to moist well drained soils	ready
stylophorum diphyllum	wood/celandine poppy	Qt	golden yellow blooms Apr – Jun, 12"-15", shade, moist soil, attracts butterflies/pollinators	ready
thalictrum dasycarpum	tall/purple meadow rue	Qt	cream blooms on purple stems, late spring, 6', full to part sun, med to wet soil,	ready
thermopsis caroliniana	Carolina lupine	Gal	yellow blooms, June, 3'-4', full sun, avg soil	sold out

tiarella cordifolia	foamflower	Qt	White/light pink blooms, 12"-18", full to part shade, moist to average soils, can spread to form groundcover in these conditions	one left
tiarella cordifolia	New Moon Motley' foamflower	Qt	white flowers, spring, 8-12", part to full shade, med to moist soils, this variety has a mix of leaf shades and dark variegation on the leaves	ready
tiarella wherryi	Wherry's foamflower	Qt	white blooms, spring, 10", part to full shade, moist soil	ready
tradescantia 'Sweet Kate'	Sweet Kate' spiderwort	Gal	purple flowers, chartreuse foliage, late spring/summer, 18", best with afternoon shade to prevent scorching	sold out
trillium	trillium (varieties)	Qt	various varieties - grandiflora (white), nodding, prairie	dormant
uvularia grandiflora	Bellwort	Qt	pale yellow blooms, mid spring, 1-2', part to full shade, med soil	ready
uvularia sessifolia	Small bellwort	Qt	cream to yellow flowers, spring, 6-12", part to full shade	spring 2022
verbena hastata	blue vervain	Qt	purple blooms, July/August, 4'-6', full sun, moist to wet soil, attracts butterflies	sold out
vernonia altissima	Tall ironweed	Gal	purple blooms, late summer, 5-8', sun to part sun, moist to wet soils, one of the tallest and showiest ironweeds	sold out
vernonia glauca	Upland Ironweed	Qt	purple blooms, Aug-Sept, 3-5', sun to part shade, moist to dry soils, attractive to wide variety of pollinators/butterflies, drought tolerant	ready
vernonia lettermannii	'Iron butterfly' ironweed	Qt	purple blooms, late summer-fall, 2-3', full sun, avg soil, fine-textured foliage, more tolerant of dry sites than most ironweed	sold out
vernonia noveboracensis	New York ironweed	Gal	purple blooms, late summer, 4'-7', full sun, moist to dry soil, but found naturally in moist soils – attracts butterflies, striking in mass mixed with yellow flowers (solidago, rudbeckia, etc)	ready
vernonia 'Southern Cross'	Southern Cross' ironweed	Gal	purple blooms, late summer/fall, 2.5-3', sun, dry to med soil, attracts butterflies/pollinators, a drought tolerant ironweed	ready
veronicastrum virginicum	Culver's root	Gal, Qt	white flower spikes, Jun-Aug, 4'-6', prefers moist soils but tolerates drought once established	sold out
veronicastrum virginicum	Culver's roots varieties	Gal	Roseum (pink) and Apollo (pale lavender)	ready
viola pedata	Bird foot's violet	Qt	lilac-purple blooms, spring, 3-6", sun to part shade, tolerant of dry, rocky soils, butterfly host plant, avoid over crowding and wet sites, attracts pollinators/small butterflies, host plant for fritillary butterflies	sold out
viola striata	stiped cream violet	Qt	cream colored flowers with some purple stripes on lower petal, spring-summer, 8-12", moist soils, part to full shade, deer resistant, ground cover	ready
Waldsteinia fragarioides	barren strawberry	Qt, 2 Q	yellow blooms early to late spring, 3-6" high, spreading groundcover, full sun to part shade	sold out

xanthorhiza simplicissima	yellowroot	Qt	Star-shaped maroon blooms, spring, 2-3', considered woody perennial or sub-shrub, part to full shade, med to wet soil, spreads to form groundcover, attractive fall color, shades of yellow/red/purple	ready
yucca filamentosa	Color Guard' yucca	Gal	creamy white flowers, summer, 3-6', sun, dry to med soils, gold foliage with green edges, has some pink coloration in fall	sold out
zizia aptera	heart-leaved alexander	Qt	yellow blooms, late spring/early summer, 1-3', sun to part shade, moist to dry sites, swallowtail host plant	plugs
zizia aurea	golden alexander	Qt/Gal	yellow blooms May-Jun, 2'-3', part shade, med to moist soil, attracts pollinators/butterflies, larval host to Black Swallowtail	ready
Vines				
Aristolochia durior	Dutchman's pipe/pipevine	Gal	Maroon-green pipe-shaped blooms, late spring, can reach 30', large heart-shaped leaves, good for shade on trellis, host plant for pipevine swallowtail	sold out
clematis virginiana	Virgin's bower	Gal	white blooms, late summer-fall, 9', sun to part shade, med to moist but well-drained soil	sold out
Decumaria barbara	climbing hydrangea/woodvamp	Gal	white blooms, summer to fall, dark foliage, climbs trees or brick, blooms attractive to butterflies/pollinators	ready
Lonicera sempervirens	Trumpet honeysuckle vine	Gal	Scarlet/orange/red blooms, late spring, followed by red berries in fall, 10-20', full sun, med soil, attractive to hummingbirds/pollinators	sold out
Lonicera sempervirens	Trumpet honeysuckle vine 'Major Wheeler'	Gal	Red blooms, late spring, followed by red berries in fall, 3-8', full sun, med soil, attractive to hummingbirds/pollinators	sold out
Lonicera sempervirens	Trumpet honeysuckle vine 'John Clayton'	Gal	pale yellow blooms, late spring, profuse berry production, 6-12', full sun, med soil, attractive to pollinators	ready
Matelea carolinensis	Caroline milkvine or climbing milkweed	2 Qt	Unusual maroon blooms in summer followed by seed pods, vines die back completely each winter and re-emerge late spring, blooms attractive to variety of butterflies, host plant for monarch	sold out
menispermum canadense	Common moonseed	Qt	greenish-white flowers, may-june, followed by fruit (not edible), part shade, medium soil, 8-20'	ready
Passiflora incarnata	Passion flower vine	Gal	Exotic-looking purple and white blooms following by small green 'fruit', summer-fall, up to 20', sun to part shade, attractive to pollinators	sold out
wisteria frutescens	american wisteria	Gal	Lilac-purple blooms, mid spring, 15-30', sun, med soil	sold out
wisteria frutescens 'Nivea'	american wisteria 'Nivea'	Gal	white flowered form of the above	sold out
Ferns				

adiantum pedatum	Maidenhair fern	Qt	delicate foliage on dark stems, 12"-18", part to full shade, avg to moist soil	few left
asplenium trichomanes	Maidenhair spleenwort	Qt	small evergreen fronds, dark stems, tolerant of dry, rocky sites in shade	few left
athyrium felix femina	lady fern	Qt	red/brown stems with green foliage, 2', prefers shade to part shade	ready
athyrium 'ghost'	ghost fern	Gal	silvery-green foliage with reddish stems, 2-3' tall/wide, part to full shade, med to moist soil	sold out
athyrium felix femina 'Lady in Red'	Lady in Red' lady fern	Qt	same as above, but stems have more red coloration	ready
athyrium felix femina 'minutissima'	dwarf lady fern	Qt	same as above, but more compact form (6-12")	sold out
athyrium felix femina 'Victoriae'	Victoriae' lady fern	Qt	unusual selection of lady fern with criss-crossed fronds with crested tips, 18-24" tall, part to full shade, med to moist soil, deer resistant	sold out
dennstaedtia punctilobula	Hay-scented fern	Qt	green foliage, 1.5-2', part to full shade, med soil	a few ready
dryopteris australis	Dixie wood fern	Qt	green foliage, 3-4' tall, full to part shade, med to moist soil	ready
dryopteris cristata	Crested woodfern	Qt	green foliage, 1-2', part to full shade, moist to wet soil	sold out
dryopteris filix-mas	Parsley' male fern	Gal	crested or fringed fern, 18-24", part to full shade, moist to avg soil, deer resistant	one left
dryopteris goldiana	Goldie's wood fern	Qt	green foliage, 3', part shade/shade, moist soil	sold out
dryopteris intermedia	evergreen wood fern	Qt	lacy, evergreen fronds, 1-3', best in moist, shady sites	sold out
dryopteris marginalis	eastern/marginal wood fern	Qt	green foliage, 12"-18", prefers shade to part shade, tolerates dry soils when established	sold out
matteuccia struthiopteris	ostrich fern	Qt, 2 Qt	large fern, 3-6', part to full shade, med to moist soils, deer/rabbit resistant, spreads to form colonies	ready
onoclea sensibilis	sensitive fern	Qt	green foliage, 12"-18", shade to part shade, moist soils, spreads to form groundcover	sold out
osmunda cinnamomea	cinnamon fern	Qt	green foliage, red/brown upright fronds emerge in summer, 2'-5', prefers shade/part shade, moist soil	ready
osmunda claytonia	interrupted fern	Qt	vase-like shape, 3-4', fronds develop brown clumps of spores halfway up giving the "interrupted" appearance, best in moist shade, but tolerant of drier conditions once established, deer resistant	sold out
polystichum acrostichoides	Christmas fern	Qt	evergreen foliage, 1-2', part to full shade, dry to medium soils, clump forming, grows well on rocky banks, good for erosion control	sold out
thelypteris noveboracensis	New York fern	Qt	fine textured, green foliage, 1-2', part to full shade, moist to dry, spreads to form colonies	sold out
thelypteris palustris	marsh fern	Qt	Yellow-green fronds 18"-24", tolerates sun in moist/wet soils	sold out

Grasses				
andropogon gerardii	big bluestem	Gal	green to blue-green foliage, purplish blooms resembling a turkey foot in fall, foliage has shades of red/bronze/purple in fall, 7'+, sun, dry to med soils	ready
andropogon 'Blackhawks'	Blackhawks' bluestem	Gal	dark green foliage turning dark purple to black in fall, 4-5', sun, dry to med soils	sold out
andropogon virginicus	Broomsedge	Gal	green foliage turning orange in fall, 2-3', sun, moist to dry	ready
carex appalachica	Appalachian Sedge	Qt	fine green foliage, 6", shade to part shade, avg to dry soil, good groundcover for dry, shady sites or accent plant in container/stump/rock crevice	ready
carex laxiculmis	bunny blue sedge	Qt	blue/green foliage, 8"-12", shade to part sun, evergreen (cut back late winter)	ready
carex pennsylvanica	Pennsylvania sedge	Qt	green airy foliage, 6"-12", shade to part shade, average to dry soil, good groundcover for dry, deciduous shade sites	ready
carex plantaginea	Seersucker sedge	Qt	wide dimpled leaves, purplish black flowers in spring, 8-12", part to full shade, dry to moist soils	ready
carex platyphylla	Silver Sedge	Qt	clump-forming sedge, 8-12", with powdery blue-green textured leaves about an inch wide, dry to moist soils, part to full shade, good for dry, rocky banks to stabilize soil	sold out
Chasmanthium latifolium	northern sea oats	Qt	Flat, oat-like seed heads on bamboo-like foliage, sun to part shade, good for dry shady sites	ready
deschampsia 'goldtau'	Goldtau' tufted hairgrass	Qt	Fine foliage, golden seed heads late summer/fall, part shade, med to moist soils	ready
Elymus hystrix	Bottlebrush grass	Gal	seed heads resembling bottle brushes, 3-5', tolerant of part shade and dry soil	ready
Elymus virginicus	Virginia wild rye	Qt	wheat/rye-like spikes, 2-4', moist sites, sun to shade, reseeds, good choice for erosion control on slopes	ready
eragrostis spectabilis	Purple love grass	Qt	green foliage with reddish-purple seed heads in late summer, 1-2', sun, dry to med soil, tolerant of poor/dry soils	ready
hierochloe odorata	vanilla sweet grass	Qt	blue green grass, brownish blooms, 1'-2', sun to part shade, moist to wet soil best, spreads up to 2' year, best in winter-proof container, leaves have vanilla fragrance (dried, braided and then burned, once used by Native Americans in ceremonies)	ready
muhlenbergia capillaris	Pink hair grass	QT	fluffy pink flower/seed heads, fall, 3-4', sun to part shade, tolerant of poor soils	sold out
muhlenbergia 'White Cloud'	White Cloud' white hair grass	Gal	soft clouds of airy ivory flower heads on blue-green foliage, 3-4'	sold out
panicum virgatum	Switchgrass ' Shenandoah'	Qt	green foliage turns to red late summer/fall, 2'-3', full to part sun, avg to moist soil, drought tolerant when established, good substitute for non-native ornamental grasses (miscanthus, blood grass, etc)	sold out

panicum virgatum	switchgrass, other varieties	Qt/Gal	Heavy Metal, Rotstrahlbusch, Purple tears avail	sold out
schizachrium scoparium	little bluestem	Qt	green/blue/purple turning red/orange in fall, white seed heads Aug-Oct, 3'-4', full sun, avg to dry soil, well drained	sold out
schizachrium scoparium	little bluestem 'The Blues'	1 Qt	Blue-green foliage with reddish tints, turning burgundy red in fall	sold out
schizachrium scoparium	little bluestem, additional varieties	Qt	Jazz' - blue/gray foliage, burgundy-red fall color, 2-3' upright clumping form, silvery-white seed heads in fall	ready
sorghastrum nutans	Indian grass	Gal	upright clumps of slender blue-green foliage, turning yellow/gold in fall, sun, moist to dry, 3-4'	sold out
Indian Steel' sorghastrum	Indian Steel' indian grass	Gal	same as above but with showier steel blue-green foliage	sold out
sporobolus heterolepis	prairie dropseed	Qt	fine textured, green hair-like foliage, 2'-3', drought tolerant, nice fall color, seeds attract birds,	sold out
Shrubs/Sm. Trees	<i>Check our Tree/Shrub Special Order List for full list of available trees/shrubs</i>			
Aesculus parviflora	bottlebush buckeye	2 gal	white flower, summer, 8-12', part to full shade, med to moist soil, attractive yellow fall foliage, large compound leaves, intolerant of dry sites	one avail
Aesculus pavia	Red Buckeye	1 gal	Red flower clusters, late spring, 12-15', sun to part shade, med soil, attracts hummingbirds	plugs ready
Amelanchier canadensis	Serviceberry/Shadblow	1 gal	large shrub/small tree, white spring flowers, edible june berries and fall color, attracts pollinators and birds	special order only
Amelanchier laevis	Allegheny serviceberry	1 gal	large shrub/small tree, white spring flowers, edible june berries and fall color, attracts pollinators and birds	special order only
Amelanchier stolonifera	Running serviceberry	Qt	white flowers, spring, followed by edible red fruits, nice fall color, 4-5', sun to part shade, med soil, spreading by suckers to form a low thicket	sold out
Aralia nudicaulis	Wild sarsaparilla	gal	white flowers, spring, followed by small berries, 18-24", part shade to shade, dry to moist soil, spreads by suckers	ready
Aralia racemosa	Spikenard	1 gal	clusters of white flowers, berries follow, 3-5', med soil, full to part shade	ready
Aronia arbutifolia	Red chokeberry	1 gal	white spring flowers, red berries persisting into fall, red leaves fall, attracts pollinators, native sub for burning bush	a few available
Aronia melanocarpa	Black chokeberry	1 gal	white flower clusters in summer, becoming dark purple/black berries, nice reddish fall foliage	special order only
aronia mel. Varieties	Ground hog' , 'Low Scape Mound'	3 gal	same as above, but compact (only 1-3')	special order only
Callicarpa americana	American beautyberry	1 gal	small lavender/pink blooms followed by vibrant purple berries in late summer/fall, 3'-6', sun to part shade, medium soil, may die back to the ground in harsh winters	special order only

Callicarpa americana 'Welch's pink'	American beautyberry 'Welch's pink'	1 gal	same as above but pink berry form	sold out
Calycanthus floridus	sweetshrub/caroline allspice	1-2 gal	Unique dark red/brown blooms with strong fragrance in late spring, tolerates clay soil, very adaptable, 6-10', grown from cuttings of highly fragrant parent plant	special order only
Calycanthus floridus 'Athens'	sweetshrub 'Athens'	1 gal	yellow-flowered form of the above	sold out
Ceanothus americanus	New Jersey tea	1 gal	White blooms May-June, 3'-4-, sun to part shade, med to dry soil, drought tolerant	special order only
Cephalanthus occidentalis	Common buttonbush	2 gal	white round blooms in June, moist/wet soils in full sun/part shade, attracts bees/butterflies	one avail
Clethra acuminata	Cinnamon pepperbush	gal	white blooms, mid to late summer, 6-12', part shade, dry to wet soil, prefers acidic, attractive yellow fall foliage, interesting bark	sold out
clethra alnifolia	Sweet pepperbush	gal	white blooms, late summer, 3-8', sun to part shade, med to wet soil, tolerant of full shade, attractive to pollinators/butterflies, nice fall color	special order only
Cornus amomum	silky dogwood	1 gal	yellow/white blooms in late spring/early summer followed by white to blue berries, 6'-12', sun to part shade, med to moist soil	special order only
Cornus drummondii	rough-leaved dogwood	1-2 gal	yellow-white blooms, late spring, white berries, 6-15', sun to part shade, med to moist soil, tolerant of poor/dry soils, tolerant of limestone soils, birds eat berries	a few in stock
Cornus racemosa	gray dogwood	2 gal	white blooms, May-June, 10-15', sun to part shade, white berries in fall, fall foliage purple/red	special order only
Euonymus americanus	Strawberry bush/hearts a bustin	Qt	greenish/yellow blooms, late spring, followed by attractive and unique fruit, 4-6', part shade, attractive fall foliage	a few small
Euonymus atropurpureus	Eastern wahoo	Qt	purple/red blooms, summer, followed by attractive fruit, 12-20', sun to part shade, med soil, nice fall foliage	one left small
Fothergilla gardenii	Dwart witchalder	1 gal	white blooms in spring, 1.5'-3', sun to part shade, medium soils, fall foliage shades of red/orange/yellow	one in stock
Gaylusaccia baccata	Black huckleberry	Qt	flowers in spring, black berries in summer, nice fall color, 1-3', prefers acidic soil	ready
Gaylusaccia brachycera	Box huckleberry	Qt	white flowers late spring/summer, berries in summer, 6-8", spreads to form colony/groundcover over time, acidic	sold out
Hamamelis virginiana	Witchhazel	1 gal	yellow blooms, fall, 15-20', sun to part shade, medium soil	special order only
Hydrangea quercifolia	Oakleaf hydrangea 'Little Honey'	1 gal	white blooms June/July, 3'-4', part shade, med to moist soil, foliage is golden-yellow to chartreuse in spring, turns shades of red in fall	ready, small

Hypericum prolificum	Shrubby St. John's wort	Gal	yellow blooms, June-Aug, 1'-5', sun to part shade, med soil, tolerates clay soil, dry, sandy and rocky soils	special order only
Ilex glabra	Inkberry	1 gal	evergreen shrub, 5-8', sun to part shade, med to wet soils, prefers acidic soils, black berries	special order only
Ilex verticillata	Winterberry	1 gal	3-12', red berries persist after leaves drop, sun to part shade, med to wet soils, prefers acidic soils	one avail
itea virginica	Virginia sweetspire	1 gal	white blooms, June-July, 3'-5', sun to part shade, med to wet soil, red/orange/gold fall foliage, substitute for burning bush	one avail
Kalmia latifolia	Mountain laurel	1 gal	white to rose blooms, late May/June, 5-15', part shade, med soil, acidic soil with good drainage	one avail
Lindera benzoin	Spicebush	1 gal	yellow blooms early spring, full sun/part shade, med soils, yellow fall color, host plant for Spicebush Swallowtail Butterfly	special order only
Myrica pensylvanica	Bayberry	1 gal	5-10', sun to part shade, dry to med soils, produces blue/gray berries attractive to birds	special order only
Neviusia alabamensis	Alabama snow wreath	1 gal	clusters of fluffy white flowers, late spring, 3-6', med soil, sun to part shade, rare	one avail
Rhus aromatica	Aromatic sumac 'Gro-Low'	1 gal	yellow blooms, Apr-May, 2', sun to part shade, medium to dry soils, tolerates shallow/rocky soil, females produce fruit attractive to wildlife, excellent fall color	special order only
Rosa virginiana	Virginia rose	1 gal	pink blooms late spring/summer, fragrant, attract butterflies/pollinators, 5'-6', cold hardy and more resistant to disease	special order only
Rubus odoratus	Purple flowering raspberry	1 gal	rose-purple blooms, summer, 3-6' tall, up to 12' wide (spreads by suckering), sun to part shade, med well-drained soil	ready
salix discolor	American pussy willow	1 gal	white catkins in spring, 6-15', moist to wet soil, full sun	special order only
Sambucus canadensis	American elderberry	1 gal	white flower clusters in early summer, black elderberry fruit later in summer	special order only
Spiraea alba	Meadowsweet	1 gal	white flower clusters, summer, 3-4', sun to part shade, med to wet soil	one avail
Spiraea tomentosa	Steeplebush	1 gal	pink spike blooms, Jul-Sept, 2'-3', sun to part sun, moist soil, host for columbia silkmoth, good substitute for invasive butterfly bush or japanese spiraea	a few in stock
Symphoricarpos albus	Snowberry bush	various	small pale pink flowers in summer followed by white berries in late summer/fall, tolerates drought, clay and rocky soils	few left
Symphoricarpos orbiculatus	Coralberry/Indian Currant	1 gal	small greenish-white flower clusters in summer followed by coral-pink to purple berries in late summer/fall, 2-4', shade to part sun, gradually spreads, good for bank stabilization	one left

Vaccinium angustifolium	Lowbush blueberry	Qt	6"-2', prefers moist acidic soil, blooms in spring, followed by fruit, then colorful fall foliage	ready
Vacc. Angust. Var. Pensyl.	Lowbush blueberry	Qt	6"-2', white blooms in spring, fruit in summer, acidic soil,	sold out
Vaccinium corymbosum	Highbush blueberry	1 gal	6'-12', prefers moist acidic soil, blooms in spring, followed by fruit, then colorful fall foliage	special order only
Vaccinium corymbosum	Blueberry varieties	1 L	variety, including 'Blue Gold', 'Chippewa' and 'Northland'	sold out
Viburnum acerifolium	Mapleleaf viburnum	1 gal	white flowers mid to late spring, blue/black berries later in summer, magenta fall foliage	a few available
Viburnum cassinoides	Witherod viburnum 'Lil Ditty'	1 gal	fragrant white flowers in spring followed by colorful berries and foliage in fall, compact shrub only 1'-2' tall and wide	one left
Viburnum dentatum	Arrowwood viburnum	1 gal	white flowers in late spring, blue/black fruit later in summer attractive to birds/wildlife	special order only
Viburnum lentago	Nannyberry viburnum	1 gal	white flowers, spring, followed by edible blue-black berries, 14-16', sun to part shade, med soil, nice fall color	special order only
Viburnum nudum	Smooth witherod or possumhaw	1 gal	aromatic white flowers late spring/early summer, berries change colors as ripen from pink to blue to purple/black with reddish foliage	special order only
Viburnum prunifolium	blackhaw	2 gal	white flowers in spring, blue/black berries later in summer attract birds/wildlife, red/purple foliage in fall	special order only
Viburnum trilobum	American cranberrybush	2 gal	lacecap white flowers in spring, red berries in fall	one avail
Trees				
acer pensylvanicum	Snakebark/striped maple	Qt	small understory maple, 15-25', part shade, greenish bark with white stripes on young trees/new branches, nice fall color	sold out
acer rubrum	Red Maple	2 gal	shade tree, 40-70', sun to part shade, med to wet soil, red fall color	one in stock
asimina triloba	pawpaw	1gal	purple blooms, April-May, followed by yellow-green edible fruit (similar taste to bananas), 15'-30', sun/part shade, med to moist soils	special order only
Cercis canadensis	Redbud	2 gal	pink blooms spring, part shade, med soils	a few in stock
Cercis canadensis	Rising Sun, Forest Pansy	15 gal	cultivars with apricot/gold/yellow/green foliage (Rising Sun) or dark maroon (forest pansy)	special order only
Chionothus virginiana	fringe tree	1 gal	white blooms, May-June, 12'-20', med soil, sun to part shade	special order only
Cladrastis lutea	Yellowwood	2 gal	shade tree, white blooms, spring, 30-50', tolerant of limestone soils, adaptable to moist to dry sites, yellow fall color	one in stock

Sheet1

Cornus alternifolia	pagoda dogwood	3 gal	clusters of small white blooms, May-June, 15-25', sun to part shade, best in moist soils, but can tolerate dry, nice fall foliage, blue-black berries	special order only
Cornus florida	dogwood	2 gal	white blooms in spring, 15'-30', sun to part shade, med soils, best in part shade, foliage shades of red in fall, red berries	a few in stock
Diospyros virginiana	American persimmon	2/3 gal	white/greenish yellow flowers in late spring, orange fruit in fall persists after leaf drop, nice fall foliage color, 35-60', sun to part shade, dry to med soils, few disease/pest issues	special order only
Franklinia alatamaha	Franklin Tree	1 gal	white blooms, late summer/fall, 10-20', sun to part shade, med well-drained soil, nice fall foliage	special order only
Gymnocladus dioicus	Kentucky coffee tree	2 gal	shade tree, white blooms spring, 60-75', full sun, moist well-drained soils, drought tolerant when established, tolerant of alkaline soils	special order only
Ilex opaca	American Holly	3 gal	evergreen foliage, red berries, 15'-30', prefers acidic soils	special order only
Juniperus virginiana	Eastern red cedar	1-2 gal	green/blue/gray evergreen, 30'-60', full sun, dry to medium soil, tolerant limestone soils, blue/gray berries	small, larger special order
Liriodendron tulipifera	Tulip poplar	2 gal	yellow/orange blooms, 60'-90', full sun, shade tree	special order only
Magnolia macrophylla	Bigleaf magnolia	1 gal	huge leaves with silvery undersides, 30-40', white flowers followed by red fruit, sun to part shade	sold out
magnolia tripetala	Umbrella magnolia	3 gal	large leaves, 15-30', white flowers with pink centers followed by pink-red fruit, part shade best	a few in stock
Magnolia virginiana	Sweetbay magnolia	1 gal	white blooms, May – June, 10'-35', full sun to part shade, med to moist soils, prefers acidic, red seeds in fall	special order only
Nyssa sylvatica	Tupelo/Black gum	2 gal	Greenish-white blooms, late spring, 30-50', sun to part shade, med to wet soils, scarlet fall foliage	one in stock
Oxydendrum arboreum	Sourwood	2 gal	white blooms resembling lily-of-the-valley in June-July, followed by vibrant red fall color, prefers moist, acidic, organically rich soil, full sun to part shade, excellent specimen tree	special order only
Pinus strobus	White pine	1 gal	Bluish-green needles, fast growing, full sun, med soils	special order only
Pinus rigida	Pitch pine	1 gal	dark green needles, 40-60', full sun, best in sandy, well-drained and acidic soils, tolerant of poor soil, interesting plated bark	special order only
Pinus taeda	Loblolly pine	1 gal	Fast-growing evergreen, 40'-90', full sun, med to wet soils	special order only

Pinus virginiana	Virginia pine	1 gal	Evergreen, 15'-40', full sun, med soils, does well in poor, dry sites	special order only
Prunus americana	Wild american plum	1 gal	White flowers followed by small fruits	A few in stock
Quercus alba	White Oak	2 gal	full sun, dry to med soil, tolerates drought/clay, fall color varies from brown to shades of red	special order only
Quercus alba	White oak 'Wye'	varies	full sun, dry to med soil, tolerates drought/clay, fall color varies from brown to shades of red, 'Wye' is descendant of historic MD Wye Oak	special order only
Quercus bicolor	Swamp white oak	2 gal	full sun, prefers medium/moist/wet soil, but can also tolerate drought once established	special order only
Quercus coccinea	Scarlet oak	2 gal	full sun, dry to med soil, scarlet foliage in fall	special order only
Quercus muehlenbergii	Chinkapin oak	2 gal	shade tree, 50'+ at maturity, full sun, dry to medium soil, tolerates limestone soils	special order only
Quercus palustris	Pin Oak	2 gal	shade tree, 50'-70', full sun, moist to avg soil, better in more acidic soil	special order only
Quercus phellos	Willow Oak	1 gal	shade tree, 40-75', med to wet soils, narrow leaves	special order only
Quercus rubra	Northern Red Oak	2 gal	shade tree, 50'-70', full sun, average to dry soil, red fall color	one in stock
Sassafras albidum	Sassafras	1 gal	Med-size tree, 30-60', full to part shade, greenish-yellow flowers in early spring, vibrant red/orange fall foliage	special order only