Current Availability

Updated: 5/25/21 GREEN = new for 2021 PURPLE = Limited Qty NOTE: Due to limited space at sales/events, not all plants listed will be available. If coming for a specific plant, call or message to be sure plants will be there for pickup.

| Scientific Name | Common Name | Size | Description | Now |
|--------------------------------------|-----------------------------------|---------|---|-----------|
| Perennials | | | | |
| achillea | yarrow - various | Qt | Oertel's rose', desert red and a few straight species, full sun, med to dry soils | ready |
| actaea pachypoda | doll's eyes | 1 gal | white blooms in spring turning to white berries in summer, 2'-3', full to part shade, avg soil, berries poisonous if ingested | sold out |
| actaea racemosa | black cohosh/fairy candles | 1, 2 Qt | med to moist soil | ready |
| Actinomeris (verbesina) alternifolia | wingstem | Qt | bright yellow, daisy-like blooms, Aug-Oct, 3-8', part-shade to shade, med to moist soil, high value to pollinators | one avail |
| agastache foeniculum | anise hyssop | Qt | purple blooms, late summer, 2'-4', full sun, avg to dry soil, attract pollinators/butterflies/hummingbirds | ready |
| agastache scrophulariaefolia | Purple giant hyssop | Qt | Very pale purple blooms, up to 6', full to part sun, dry to moist soil, attracts numerous pollinators/butterflies, birds feed on seeds | ready |
| allium cernuum | Nodding onion | Qt | soft pink/lilac blooms, late spring, 12-18", sun to part shade, med to dry soils, deer resistant, attracts pollinators, host plant for hairstreak butterfly | plugs |
| amorpha canescens | leadplant | Gal | blue/purple flowers w/ orange anthers, Jun-July, 2'-3', sun, dry to medium soil, substitute for butterfly bush | few left |
| amsonia | blue star 'blue ice' | 2 Qt | blue blooms, late spring, 1'-1.5', full sun to part shade, med soil | sold out |
| amsonia ciliata | amsonia ciliata 'Georgie Pancake' | 2 Qt | blue blooms, late spring, 3-6", sun to part shade, med soil, groundcover form of amsonia – unusual! | sold out |
| amsonia hubrichtii | threadleaf bluestar | Qt | blue blooms, late spring, 3', full to part sun, dry to moist soil, drought tolerant, bright gold to orange foliage in fall | ready |
| amsonia illustris | Shining bluestar | 2 Qt | blue blooms, late spring, 3', sun to part shade, deer/rabbit resistant, nice fall color | ready |
| amsonia 'Butterscotch' | Butterscotch' bluestar | Qt | blue blooms, late spring, 2-3', sun to part shade, dry to moist soil, colorful fall foliage | sold out |
| amsonia 'Starstruck' | Starstruck' bluestar | Gal | blue blooms, late spring/early summer, 20", sun to part shade, dry to moist, colorful fall foliage, darker stem than most amsonias | sold out |
| amsonia 'Storm Cloud' | Storm Cloud' bluestar | Gal | blue blooms, late spring, 24-30", sun/part shade, med soil, shoots/stems in spring dark | few left |

| amsonia tabernaemontana | bluestar | Qt | blue blooms, May, 2'-3', sun to part shade, avg soil, drought tolerant, willowy foliage turns yellow in fall, attracts butterflies | sold out |
|----------------------------|--------------------------------------|-----|--|-------------------|
| anemone virginiana | Tall thimbleweed | Qt | white/green flowers then prominent seed heads, mid-late spring, 1'-2', sun to part shade, dry to medium soil | ready |
| anemonella thalictroides | Rue anemone | Qt | small white flowers, early spring, part shade | ready |
| Antennaria plantaginifolia | pussytoes | Qt | fuzzy white clusters of blooms, Apr-Jun, 6"-12", dry to med soil, full sun best, soft gray foliage spreads to form a nice ground cover | one left |
| aquilegia canadensis | wild columbine | Qt | red blooms with yellow centers, spring, 1'-3', partial shade best, moist soil – attract hummingbirds | plugs |
| aquilegia canadensis | wild columbine 'Corbett' | Qt | butter yellow flowers Apr-May, 12"-18", sun to part shade, avg/moist soil, attracts hummingbirds | ready blooming |
| aquilegia canadensis | wild columbine 'little lanterns' | Qt | red and yellow, 10"-12", sun to part shade, avg/moist soil, attracts hummingbirds, dwarf selection of wild | ready blooming |
| arisaema triphylum | Jack-in-the-pulpit | Qt | green/purple 'bloom', Apr-May, 1-2', med to moist soil, part to full shade | few left |
| aruncus dioicus | goat's beard | Gal | white/cream flowers, Jun-July, 4'-5', shade/part shade, moist but well-drained soil, Attracts butterflies, larval host to Dusky Azure butterfly | ready |
| asaraum arifolium | little brown jug/evergreen ginger | Qt | small brown jug-shaped flowers, spring, evergreen foliage, moist soils | ready |
| asarum canadense | wild ginger | Qt | purple-brown blooms, mid spring, groundcover, part to full shade, med to wet soil | ready |
| asclepias exaltata | poke milkweed | Qt | white blooms, summer, 3-5', shade/part shade, med soil, host plant for monarch butterfly, a milkweed for shade! | sold out |
| asclepias incarnata | swamp/red milkweed | Qt | pink blooms, June/July, 3'-5', full/part sun, average to moist soil, attracts numerous pollinators, host plant for monarchs | ready |
| asclepias incarnata | swamp milkweed 'ice ballet' | Qt | white flowers June/July, moist soil, tolerates clay, attracts pollinators/monarchs | sold out |
| asclepias speciosa | showy milkweed | Qt | pink/purple flowers, May-Sept, 2-4', full sun, monarch host plant | plugs |
| asclepias syriaca | common milkweed | gal | pink clusters of fragrant flowers, June-July, 2'-4', full sun, avg to dry soils, host plant for monarch | gal and plug |
| asclepias tuberosa | butterfly milkweed | Qt | Orange blooms June-July, full sun, average to dry soils, drought tolerant, attracts many butterflies/pollinators, host plant for monarchs | sold out |
| asclepias tuberosa | butterfly milkweed 'gay butterflies' | Qt | orange/red/yellow blooms June-July, full sun, average to dry soils, drought tolerant, attracts many butterflies/pollinators, host plant for monarchs | sold out |

| asclepias tuberosa | butterfly milkweed 'hello yellow' | Qt | yellow blooms June-July, full sun, average to dry soils, drought tolerant, attracts many butterflies/pollinators, host plant for monarchs | dormant |
|------------------------------|-----------------------------------|-----|---|------------|
| asclepias verticillata | whorled milkweed | Qt | white or greenish-white blooms, Jul-Sept, 2', full sun to part shade, avg to dry soils, attracts numerous pollinators, host plant for monarch | few left |
| asclepias viridis | Spider Milkweed | Qt | Green blooms, May-June, 12", full sun to part shade, med to dry soil, host plant for monarch | sold out |
| aster azureus | sky blue aster | Gal | light blue-violet blooms, fall, 2-3', sun, dry to med soil, tolerates rocky soils | ready |
| aster 'Bridal Veil' | Bridal veil aster | Qt | Numerous while blooms on arching/spreading stems, fall, up to 2', sun to part sun, tolerant of dry slopes, salt tolerant, nice for cascading over walls/down a bank | ready |
| aster cordifolius | blue wood aster | Gal | clouds of blue-violet blooms, early fall, 2'-3', full shade to part sun, avg soil, attracts butterflies | plugs |
| aster cordifolius 'Avondale' | Avondale' blue wood aster | Gal | light blue blooms, early fall, 2-3', full to part shade, avg soil, attracts butterflies | sold out |
| aster divaricatus | white wood aster | Gal | white blooms, Aug-Sept, 1-2.5', part to full shade, med to dry soil, attracts buttterflies | ready soon |
| aster divaricatus | white wood aster 'Eastern Star' | Gal | white blooms on mahogony stems, fall, 18"-24", shade/part shade, moist to dry soils, attracts butterflies | sold out |
| aster ericoides | Heath aster 'Snow Flurry' | Gal | white blooms, Sept-Oct, 6"-8", mat-forming groundcover, full sun, drought tolerant | plugs |
| aster laevis | smooth aster | Gal | violet blooms, late summer, 2-3', sun, avg/dry soil, upright form and generally clean foliage | ready |
| aster laevis | Bluebird' smooth aster | Qt | violet blooms, late summer/fall, 3-4', avg/dry soil, attractive to butterflies/pollinators, deer resistant, generally pest-free foliage, earned #1 ranking in Mt Cuba Center aster trial | ready |
| aster lateriflorus | Lady in Black' calico aster | QT | pale pink to white daisy-like blooms, dark stems and tint of purple to foliage, late summer-fall, 3-4', sun to part shade, dry to moist soil, attractive to pollinators/butterflies, deer resistant | ready |
| aster macrophylla | big leaf aster | Qt | violet blooms, late summer – fall, 1-3', full to part shade, dry to moist soil, attracts butterflies/pollinators | ready |
| aster macrophylla | Twilight' big leaf aster | Gal | large lavender-blue blooms on reddish stems, fall, 2-3', sun to part shade, dry to moist soils | ready |
| aster novae-angliae | New England aster | Qt | Pink-purple blooms, fall, 3-6', full sun, med soils | ready |
| aster novae-angliae | Aster 'Purple Dome' | Gal | dark purple blooms, fall, 1.5-2', full sun, med soil | ready |
| aster novae-angliae | Aster 'Harrington's Pink' | Gal | pink blooms, fall, 3-6', full sun, avg soil, drought tolerant, deer resistant, attracts butterflies | ready |

| aster novae-angliae | Aster 'Violetta' | Gal | deep violet-purple blooms, fall, 4-5', full sun, avg soil, deer/rabbit | ready |
|---------------------------|------------------------------------|------|--|---------------------------|
| actor flovae ariginae | Actor Violetta | | resistant, attracts butterflies | Today |
| aster novi-belgii | New york aster | Qt | pink/purple/white blooms, Aug-Sept, 3'-5', full sun, avg to moist soil, attracts butterflies/pollinators, nice with fall mums | sold out |
| aster oblongifolius | Aromatic aster 'Raydon's favorite' | Qt | Blue-purple blooms, Sept-Oct, 2'-3', sun to part shade, tolerant of dry/poor soils | ready |
| aster oblongifolius | Aromatic aster 'October Skies' | Gal | light blue flowers, fall, 1.5-2', sun to part shade, tolerant of dry/poor soils | ready |
| aster puniceus | Purple-stemmed/swamp aster | 2 Qt | purple daisy-like blooms on reddish-purple stems, late Aug – Oct, 3'-6', moist soil, full sun | ready |
| aster umbellatus | Flat-topped white aster | Qt | clusters of white, daisy-like blooms, late Aug – Sept, 2'-5', moist soil, full sun to part shade, attractive to bees/butterflies | ready |
| aster 'wood's pink' | wood's pink' aster | Qt | clear pink flowers with gold centers, fall, 12", med to moist soil, sun to part shade | ready |
| aster 'Little Carlow' | Little Carlow blue wood aster | Qt | blue/purple blooms with yellow centers, Sept-Oct, 1.5-2', full sun, medium soil, a cross of a. cordifolius and a. novi-belgii | few left |
| astilbe biternata | Appalachian false goat's beard | 2 Qt | creamy white flowers, late spring/early summer, 4-6', full to part shade, avg to moist soil | ready |
| baptisia australis | Blue false indigo | Qt | blue blooms, late spring/early summer followed by interesting seed pods, 3-4', sun to part shade, med to dry soil, attractive to butterflies, drought tolerant, rabbit resistant | ready |
| baptisia 'Dark Chocolate' | Dark Chocolate' false indigo | Gal | dark purple to deep brown blooms, late spring/early summer, 3', sun/part sun, avg to poor soil | sold out |
| baptisia lactea | white false indigo | 2 Qt | white blooms, bluish stems, Jun-July, 3'-5', med to moist soil, full sun | sold out |
| baptisia tinctoria | yellow wild indigo | Gal | yelllow blooms, blue-green foliage, summer, sun/light shade, 3', deer resistant, drought tolerant | sold out |
| blephilia ciliata | downy wood mint/horsemint | qt | tiered clusters of lavender/pink blooms, June-Aug, 1-2', sun to part shade, med to dry soils, very attractive to a wide variety of pollinators (listed in '100 Plants to Feed the Bees' from the Xerces Society), drought tolerant | a few avail |
| blephilia hirsuta | hairy wood mint | Qt | tiered clusters of white blooms, late summer/fall, 3', part to full shade, med to moist soils, good pollinator plant | ready |
| cacalia atriplicifolia | Pale Indian plantain | 2 qt | White blooms, late summer/fall, 3 - 7', full to part sun, med to dry soils, purplish stems, bottom of leaves silvery | ready |
| callirhoe involucrata | wine cups/poppy mallow | qt | magenta flowers, summer, 6-8", full sun to part shade, dry to med soils, tolerant of poor/rocky soils and drought, makes a trailing groundcover, host plant for gray hairstreak butterfly and checkered skipper | ready, buds and blooms |

| campanula rotundifola | harebell | Gal, Q | blue blooms, June-Sept, 12"-15", sun to part shade, avg to moist soil, tolerates clay | sold out |
|-------------------------------------|--------------------------------|--------|---|------------------|
| cassia (senna) hebecarpa | wild senna | Qt | yellow blooms, July-Aug, 4'-6', full sun, med to moist soil, tolerates clay soil, seed pods attract upland game birds (such as turkey) | sold out |
| caulophyllum thalictroides | blue cohosh | Qt | green/yellow blooms in spring turning to blue berries, blue/green foliage, 1'-2', part to full shade, medium soil | ready |
| chelone glabra | white turtlehead | Qt | white blooms, late summer/fall, 2'-4', full to part sun, prefers moist soil, good for rain gardens, host plant for Baltimore checkerspot butterfly | quarts and plugs |
| chelone lyonii | pink turtlehead | Qt | pink blooms, mid-late summer, 2'-4', sun to part shade, med to moist soil | sold out |
| chelone Iyonii 'Hot Lips' | Hot Lips' pink turtlehead | Qt | pink flowers, late summer, 2-3', sun to part shade, med to moist soils, dark green foliage/dark stems | ready |
| chelone lyonii 'Tiny Tortuga' | pink turtlehead 'Tiny Tortuga' | Qt | pink blooms, late summer, 12-15", sun to part shade, moist soil | one left |
| chrysogonum virginianum | green and gold | Qt | yellow blooms on dark green foliage, spring, 6" (ground cover), shade/part shade, moist/average soil | sold out |
| chrysogonum virginianum | Pierre' green and gold | Qt | yellow blooms, spring, 6-8" (ground cover), shade/part shade, moist/avg soil | few left |
| coreopsis lanceolata | Lanceleaf coreopsis | Qt | golden yellow blooms, late spring-summer, full sun, dry to moist soils, drought resistant, deer resistant, short-lived perennial that easily reseeds, important nectar/pollen source, birds eat seeds | ready |
| coreopsis 'Gilded Lace' | Gilded Lace' tickseed | Qt | golden-yellow blooms for several weeks, summer – fall, fine textured foliage, 4-5', sun, dry to moist, attractive to pollinators, good resistance to disease, performed well in Mt Cuba plant trials | ready |
| coreopsis 'Red Satin' | Red Satin' tickseed | Qt | red blooms, fine foliage, summer, 15-18", sun, dry to med soi | ready |
| coreopsis rosea | tickseed 'American dream | Qt | medium pink flowers June-Aug, moist but well-drained soil, attracts butterflies | ready |
| coreopsis 'Mercury Rising' | Mercury Rising' tickseed | Qt | velvety dark red flowers later developing white streaks, midsummer to fall, 12-18", sun | sold out |
| coreopsis 'Moonbeam' | Moonbeam' tickseed | Qt | pale yellow flowers and fine green foliage, summer, 15", sun, med soil | ready small |
| coreopsis pal. 'Summer Sunshine' | Summer Sunshine' tickseed | Gal | golden blooms, late summer/fall, 3-4', sun, moist soils, highly rated in Mt. Cuba coreopsis trials | ready |
| coreopsis 'Route 66' | Route 66' tickseed | Qt | yellow blooms with a ring of burgundy at the crown fading towards the tips, mid-summer-fall, 24", sun, med soil | sold out |

| coreopsis tinctoria | Plains coreopsis/tickseed | Qt | Yellow blooms with red centers, summer to fall, 2-4', sun, dry to med soil, tolerant of poor soils, self seeds | sold out |
|------------------------------------|--|-------------|--|-------------------|
| coreopsis trip. 'Gold Standard' | Gold Standard' tickseed | Gal | Yellow blooms, late summer/fall, up to 6', sun, avg to dry soil, upright form, high rating in Mt Cuba trials | ready |
| coreopsis 'Uptick yellow and red' | Uptick yellow and red' tickseed | Qt | Yellow blooms with a dark purple/red eye, summer to early fall, 12-14", drought tolerant | ready |
| cornus canadensis | bunchberry | Plug/ Qt | white blooms in spring, red berries late summer/fall, spreads to form groundcover, part to full shade, acidic soil | sold out |
| delphinium exaltatum | tall larkspur | Qt | Violet blue blooms, Jun-Sept, 3'-6', sun to part shade, average to moist soil, attracts butterflies, cut flower | sold out |
| delphinium tricorne | dwarf larkspur | Qt | Blue to purple flowers, spring, 6-24", rich soils | ready |
| desmodium canadense | showy tick trefoil | 2 Qt | Pink blooms, July/Aug, 3-5', sun to part shade, moist to dry soils, fixes soil nitrogen, attractive to pollinators/butterflies/hummingbirds | ready |
| dicentra cucullaria | Dutchman's breeches | Qt | white-pink flowers, spring, 6-12", part to full shade, med soil | dormant |
| dicentra eximia | wild bleeding heart | variou s | pale pink heart-shaped blooms on lacy blue/green foliage, spring-summer, 1'-2', part sun to shade, med to moist soil, morning sun/afternoon shade best | ready blooming |
| dodecatheon meadia | Shooting star | 4"/Qt | white/pink/lavender blooms, spring, 1', part to full shade, med soil | ready |
| echinacea pallida | Upright prairie/pale purple coneflower | Gal | pale pink blooms appear drooping, June-July, 2'-3', full sun, drought tolerant, attracts pollinators/butterflies | sold out |
| echinacea pallida 'Hula Dancer' | Hula Dancer' pale purple coneflower | Qt | blush to almost white blooms with drooping petals and reddish cone, 2-3', sun to part shade, dry to med soils, a favorite in Piet Oudolf designs | ready |
| echinacea paradoxa | Yellow coneflower | Qt | bright pure yellow blooms with petals drooping from brown cone, early summer, 2'-3', full to part sun, average to dry soils, finches love the seed heads | sold out |
| echinacea purpurea | purple coneflower | Qt | purple to rose pink blooms with orange cone center, July-Aug, 2'-3', full to part sun, average to dry soils, attracts pollinators, birds, butterflies | ready |
| echinacea 'Baja Burgundy' | Baja Burgundy' coneflower | Gal | burgundy-red blooms, summer, 18-24", sun, avg to dry soils, attractive to pollinators/butterflies/birds | sold out |
| echinacea 'Cantaloupe' | Cantaloupe' coneflower | Qt | cantaloupe colored double/pompom blooms, summer, 24-30", sun, avg to dry soil | sold out |
| echinacea 'Cheyenne Spirit' | Cheyenne Spirit' coneflower | Qt | mix of colors (orange/pink/purple/white/yellow), summer, 18-24", sun, avg to dry soils, attractive to butterflies/pollinators, nice cut flower | sold out |
| echinacea 'Fiery Meadow Mama' | Fiery Meadow Mama' coneflower | 2 Qt | yellow blooms with reddish centers, summer, 2', full to part sun, avg to dry soils | sold out |

| echinacea 'Flamenco Orange' | Flamenco Orange' coneflower | Gal | orange blooms, summer-early fall, 18-20", full to part sun, avg soils, drought tolerant | sold out |
|-------------------------------------|----------------------------------|------|--|----------|
| echinacea 'Blushing Meadow Mama' | Blushing Meadow Mama' coneflower | 2 Qt | white blooms with a hint of blush pink, summer, 2', full to part sun, avg to dry soil | sold out |
| echinacea 'Playful meadow mama' | Playful meadow mama' coneflower | 2 Qt | dark pink petals with lighter to white tips, red centers, summer, 1-2', sun, med well drained soil | sold out |
| echinacea 'Fatal Attraction' | Fatal Attraction' coneflower | Qt | magenta-pink blooms, late summer, 2', sun to part sun, med well drained soil, darker stems than the species, petals curve slightly upwards | ready |
| echinacea 'Green Twister' | 'Green Twister' coneflower | Qt | pink/purple/red blooms with lime green/yellow tips, mid-summer to fall, 2'-3', full to part sun, avg to dry soils, a selection of echinacea purp. 'magnus' | sold out |
| echinacea 'Green Jewel' | Green Jewel' coneflower | Qt | light green blooms, summer, 2', full to part sun, avg to dry soils | sold out |
| echinacea 'Happy Star' | Happy Star' coneflower | Qt | white blooms, summer, 3', full sun, avg to dry soils | budding |
| echinacea 'Kismet Red' | Kismet Red' coneflower | Qt | large red flowers, summer, 16-18", full sun | ready |
| echinacea 'mellow yellows' | Mellow Yellows' coneflower | Gal | light yellow to golden blooms, mid-summer to fall, 2-3', full to part sun, avg to dry soils | one left |
| echinacea 'milkshake' | Milkshake' coneflower | 2 Qt | creamy white double/pompom blooms, July-Sept, 2-3', sun, med, well-drained soil | sold out |
| echinacea 'Orange Skipper' | 'Orange Skipper' coneflower | Qt | orange blooms, summer-early fall, 16-18", full to part sun, avg soils, drought tolerant, this cultivar is attractive to bees/butterflies | sold out |
| echinacea 'Powwow White' | Powwow White' coneflower | Qt | white blooms, summer-early fall, 1.5-2', full to part sun, avg well drained soils | sold out |
| echinacea 'Powwow Wild Berry' | Powwow Wild Berry' coneflower | Qt | rose-purple blooms with purple stems, summer, 1-2', full to part sun, avg well drained soil | sold out |
| echinacea 'Hot Coral' | Hot Coral' coneflower | Gal | hot orange-red flowers, summer, 20-24", sun, avg well drained soils, attractive to butterflies | sold out |
| Echinacea 'Rainbow Marcella' | Rainbow Marcella' coneflower | Gal | soft orange blooms fading to raspberry pink, summer, 18", full to part sun, avg well drained soil | sold out |
| Echinacea 'Ruby Star' | Ruby Star' coneflower | Qt | pinkish-red blooms, summer, 2-3', sun, avg well drained soils, stems of this variety often darker than most | ready |
| echinacea 'Salsa Red' | Salsa Red' coneflower | Gal | red flowers, summer, 1.5-2', sun, avg well drained soils | sold out |
| echinacea 'Sangrita' | Sangrita' coneflower | Gal | reddish-orange blooms, 18-20", sun, avg well drained soils | sold out |
| echinacea 'Summer Solstice' | Summer Solstice' coneflower | Qt | Yellow blooms fading to white near the center, 1.5-2', sun, avg well drained soils | ready |
| echinacea 'Tomato Soup' | Tomato Soup' coneflower | Gal | tomato-red flowers, July-Sept, 2-3', sun, avg well drained soils, attractive to butterflies | sold out |

| echinacea 'Virgin' | Virgin' coneflower | Qt | white petals w/ green cone, 1-2', sun/part sun, avg well drained soils | sold out |
|--------------------------------------|--|--------|--|----------------------|
| echinacea 'White Swan' | White Swan' coneflower | Qt | white flowers, July-Sept, 2-3', avg well drained soils, sun | sold out |
| echinacea tennesseensis | Tennessee Coneflower 'Rocky Top | Qt | Pinkish-purple blooms, June-Sept, 2'-3', tolerant of very alkaline soils, full sun, well-drained soils, drought tolerant | plugs ready |
| epilobium angustifolium | fireweed | Qt | pink blooms Jul-Sep, 2'-6' tall, med/moist soil in full sun, attracts hummingbird, pollinators | sold out |
| erigeron pulchellus | Lynnhaven Carpet' robin's plantain | Qt | lavender-white fringed daisy-like flowers, gradually fading to white, spring, 12-15", part sun to shade, moist to dry soils, deer/drought tolerant, attracts pollinators/butterflies | ready |
| eriogonum allenii 'Little Rascal' | Little Rascal' share barren buckwheat | Plug/Q | clusters of yellow blooms, summer, 1.5-2', well-drained soils, drought tolerant, long blooming, attracts pollinators, good for rocky sites | ready small |
| eryngium yuccifolium | rattlesnake master | Gal | Bluish-silver blooms Jun-Sept, 4-5', prefers hot, dry sites | ready |
| Erythronium americanum | trout lily | Qt | yellow blooms, Apr-may, 6", med/moist soil, shade/part shade | going dormant |
| eupatorium 'Bartered Bride' | Bartered Bride' joe pye weed | Gal | white blooms, late summer/fall, 6-8', sun to part shade, med to moist soil, attractive to pollinators, highly rated in plant/pollinator trials | ready |
| eupatorium coelestinum | mist flower/hardy ageratum | Qt | blue/lavendar blooms, Sept-Oct, 2'-3', sun-shade, avg to moist soil, late season pollinator attractor, in moist soil can spread to form groundcover | ready a few weeks |
| eupatorium dubium | 'Little Joe' joe pye weed | Gal | Mauve-pink flowers, late summer/fall, 3-4', sun to part shade, med to moist soils | few left |
| eupatorium dubium | coastal joe pye weed | Qt | 2-5' tall, 2' wide, mauve-pink blooms, mid to late summer, moist to wet soil, sun to part shade | plugs |
| eupatorium hyssopifolium | Hyssop leaf thoroughwort | Qt | clusters of white flowers, Aug-Sept, 2'-4', full to part sun, med to dry soils, tolerates drought, attractive to pollinators, deer resistant | sold out |
| eupatorium perfoliatum | Boneset | 2 Qt | flat clusters of white blooms, July-Sept, 3-4', attracts butterflies, tolerant of wet and clay soils | ready |
| eupatorium 'Phantom' | Phantom' Joe Pye weed | Qt | rose-purple blooms, summer, up to 4', sun to part sun, moist to avg soil, butterfly nectar plant | ready |
| eupatorium purpureum | sweet joe pye weed | Qt | rose-pink blooms, late summer, 4-7', sun to part shade, dry to moist soils, more tolerant of dry soils and shade than most Joe Pye weed, butterfly nectar plant | ready |

| eupatorium 'Euphoria Ruby' | Euphoria Ruby' joe pye weed | Qt | mauve/pink flowers, mid-summer – fall, 2'-3', avg soil, full sun, attracts butterflies, earlier bloom, more compact and more drought tolerant than the straight species, high rating (4.5 out of 5, list of 'best of the best') in 2019 UGA garden trials | ready |
|---|---|--------|---|--------------------|
| eupatorium purpurea mac. | Joe pye weed 'Gateway' | 2 Qt | Mauve-pink flowers, July-Sept, 5'-6', full to part sun, avg to moist soil, butterfly magnet! | ready |
| eupatorium rugosum | chocolate joe pye/snakeroot | Qt | white blooms on bronze foliage, summer, 3'-4', sun to shade, moist to dry, plant toxic to animals/humans if ingested | a few avail |
| euphorbia corollata | Flowering spurge aka wild baby's breath | Qt | white flowers resembling baby's breath, late June – Sept, 18" tall, full sun is best, med to dry soil, deer resistant | sold out |
| filipendula rubra | queen of the prairie | gal/qt | pink blooms, 6'-8', sun, prefers moist but well drained soil | sold out |
| filipendula rubra | 'Venusta magnifia' queen of pr. | gal | pink blooms, 4'-5', sun, prefers moist but well drained soil | sold out |
| fragaria virginiana | wild strawberry | Qt | white blooms, spring, followed by small edible red berries (a parent plant of the modern strawberry), sun to part shade, med soil, spreading groundcover | ready |
| gaillardia | Arizona Apricot' blanketflower | Qt | pale yellow edges with apricot centers, late spring to fall, 12", full sun, tolerant of dry and poor soils | sold out |
| gaillardia | Arizona Sun' blanketflower | Qt | red blooms with yellow tips, late spring to fall, 12-18", full sun, tolerant of dry/poor soils | buds and blooms |
| gaultheria procumbens | Wintergreen/teaberry | Qt | white bell-shaped blooms, 3"-6", part to full shade, medium acidic soils, evergreen groundcover | sold out |
| gaultheria procumbens 'PP' | Peppermint Pearl' wintergreen | Qt | same as above, but with white berries | sold out |
| gentiana andrewsii | Closed bottle gentian | Qt | blue blooms, late summer/fall, 1-2', med to moist soil, part shade | sold out |
| geranium maculatum | Wild geranium | Qt | pink/lavender flowers, 12-18", sun to part shade, med to moist soil, attractive to pollinators | plugs ready |
| geranium 'Espresso' | Espresso' wild geranium | Gal | same as species (above), but with dusky brown foliage | ready |
| geum triflorum | Prairie smoke | Qt | feathery pink blooms, late spring, 3-6", full sun, dry to med soil, nice choice for rock garden | sold out |
| helenium autumnale | Common sneezeweed | Qt | yellow flowers, late summer/early fall, 3-5', med to moist soils, sun to part shade, one of the higher rated heleniums in Mt Cuba plant trial, attracted highest number of pollinators | ready |
| helenium autumnale 'Helena Red Shades' | Helena Red Shades' sneezeweed | 2 Qt | russet red to red with yellow blooms, mid-summer to fall, 4', sun to part shade, wet to avg soils, attractive to native pollinators and butterflies, unpalatable to mammals | sold out |
| helenium 'Salsa' | Salsa' sneezeweed | Gal | tomato-red flowers, late summer, 18-20", wet to avg soils | sold out |
| helenium 'Potter's Wheel' | Potters Wheel' sneezeweed | Qt | velvety-red flowers, late summer/fall, 3-4', wet to avg soils, full sun | ready |
| | | | | |

| helenium | sneezeweed 'Mardi Gras' | Qt | red/yellow/orange blooms, June-Aug, 2'-3', full sun, moist but well drained soil, adapts to avg garden soil well | sold out |
|---------------------------------|------------------------------------|------------|---|------------------------|
| helianthus decapetalus | Ten-petaled Sunflower | Gal | yellow daisy-like flowers, summer, 5', full sun to part shade, best in moist sites, adaptable, attractives to pollinators/butterflies | ready |
| helianthus multiflorus | perennial sunflower 'flore pleno' | Qt | yellow blooms, summer/fall, 4'-6', full sun, average soil | special order only |
| helianthus occ. Dowelianus | naked stemmed sunflower | Qt | yellow blooms on long slender (sometimes reddish) stems, late summer-fall, 2-4', full sun, tolerant of dry, rocky, clay soils, deer resistant, attracts butterflies/pollinators, birds eat seeds, good cut flower, eastern subspecies | ready |
| helianthus salic. 'First Light' | 'First Light' willowleaf sunflower | Gal | yellow blooms, Sept-Oct, 3-4', full sun, med soil | sold out |
| helianthus salic. 'Low Down' | 'Low Down' willowleaf sunflower | Gal | yellow blooms, late summer/fall, 12", full sun, med soil | sold out |
| helianthus strumosus | woodland/paleleaf sunflower | 2 Qt | yellow blooms, Aug—Oct, 3'-5', sun to part shade (often grows along woodland edge/dappled shade), dry to medium soil, attracts pollinators/butterflies, deer resistant, birds love the seeds | sold out |
| heliopsis helianthoides | Smooth oxeye/false sunflower | Qt | yellow blooms, June-Aug, 4-5', sun to part shade, med to moist soils, attracts butterflies, birds eat seeds in fall | sold out |
| heliopsis hel. | Smooth oxeye 'Summer Sun' | 2 Qt | yellow semi-double blooms, July-Sept, 3'-4', full sun, moist well drained soil, but drought tolerant when established | sold out |
| heliopsis hel. | Smooth oxeye 'Summer Nights' | Gal | yellow blooms with reddish centers and red stems, late summer, 3-4', full sun, med to moist soils | sold out |
| heliopsis hel. | Smooth oxeye 'Burning Hearts' | Qt | yellow flowers with orange centers and dark purple foliage, summer, 3-4', sun to part shade, moist to avg soil, drought tolerant once established, attractive to butterflies and bees | sold out |
| hepatica acutiloba | sharp-lobed hepatica | Qt | white/pink/pale purple blooms, early spring, 6-8", med soils, part to full shade, good in limestone soils | sping 2022 |
| heuchera americana | Coral bell | Qt | pinkish-green flowers, late spring, 12", part to full shade, well-drained soils, foliage slightly ruffled and veined, turning red in fall, hummingbirds | ready |
| heuchera x | heuchera cultivars | Qt/Ga I | various | ready |
| heuchera villosa | Coral bell 'Autumn Bride' | Qt | Creamy-white flower spikes, late summer-frost, 2', shade/part shade, med/well-drained soil | ready |
| hibiscus laevis | rose mallow | Gal | hardy native hibiscus, light pink flowers with dark throat, late summer, 3-6', moist, sunny sites, good for rain garden/wet areas | breaking |
| hibiscus moscheutos | Disco Belle Red' hibiscus | 2Qt | large red blooms, 4-12" across, late summer, 2 – 2.5' tall, full sun, rich moist to wet soils, attracts pollinators/hummingbirds | ready 2 qt and plug |

| hibiscus varieties | hardy hibiscus | 1 gal | Kopper King | sold out |
|-----------------------------------|-----------------------------------|-------|--|----------------------|
| hydrastis canadensis | goldenseal | Qt | white flowers, April-May, 6-12", part shade, med soil, best in rich soils with leaf mold, flowers followed by non-edible red berries | ready |
| iris cris. 'Alba' | Dwarf crested iris 'Alba' | Qt | White flowers with yellow crest, spring, 6-8", sun to shade, med to moist soils, spreads to form groundcover | sold out |
| iris cris. 'Tennessee White' | Dwarf crested iris 'Tenn White' | Qt | White flowers with yellow crest, spring, 6-8", sun to shade, med to moist soils, spreads to form groundcover | sold out |
| jeffersonia diphylla | Twinleaf | Qt | white flowers in spring, interesting foliage, up to 1.5', shade to part shade, med to moist soils | a few ready |
| lespedeza virginica | slender bush clover | Qt | pink flowers, late summer, 2', sun to part shade, med to dry soils, attracts pollinators, birds eat seeds | ready |
| liatris ligulastylis | Meadow blazingstar | Qt | Pink to purple blooms, mid to late summer, 3-5', full sun, med to moist soils, a monarch magnet (and many other butterflies) | sold out |
| liatris microcephela | dwarf blazing star | Qt | Purple blooms, Aug-Sept, 18-24", full to part sun, avg to dry soil, attractive to butterflies | a few breaking |
| liatris spicata | spike gayfeather | Qt | Pinkish-purple spikes, July-Aug, 3'-5', avg to moist soil, attracts wide variety of butterflies/pollinators | ready |
| liatris spicata 'Floristan white' | Floristan white' gayfeather | Gal | White spikes, summer, 2-3', sun, avg to moist soils, attractives butterflies/pollinators, nice cut flower | ready |
| lilium superbum | Turk's cap lily | Qt | orange blooms with maroon spots, mid summer, 4-7', sun, med to wet soils, part shade, attracts hummingbirds | ready |
| lobelia cardinalis | cardinal flower | Qt | Red blooms, July-Sept, 2'-4', sun to shade, prefers moist soil, attracts hummingbirds | plugs ready |
| lobelia cardinalis | cardinal flower 'Black Truffle' | Gal | red blooms and burgundy foliage, July-Sept, 3'-4', sun to part shade, prefers moist soil, attracts hummingbirds | ready |
| lobelia siphilitica | Great Blue Lobelia | Qt | blue-violet blues, July-Sept, 2'-3', sun to part shade, prefers moist soil – attracts butterflies and hummingbirds | plugs and few quarts |
| lysimachia ciliata | Fringed loosestrife 'firecracker' | Qt | yellow blooms, summer, 2'-3', sun, new foliage maroon turning greener later in summer | a few avail |
| lysimachia lanceolata purp | Lanceleaf loosestrife | Gal | yellow blooms, 1-2', sun to part shade, med to moist soils, foliage has hints of burgundy | ready |
| medeola virginiana | Indian cucumber | Qt | small greenish-yellow flowers, late spring, 1-3', part to full shade | ready a few weeks |
| meehania cordata | Meehan's mint | Qt | Blue-violet blooms, late spring, 6"-10", full shade to part sun, dry to moist soil, groundcover, good native substitute for ajuga | plugs ready |
| mertensia virginiana | Virginia bluebells | Qt | pink buds forming blue flowers, early spring, 8"-2', part to full shade, moist soils, good early pollinator plant, foliage dies back in summer | a few ready |

| mitchella repens | Partridgeberry | 4" | evergreen groundcover, small white flowers spring, red berries, 3", full to part shade, med soils | sold out |
|------------------------|-------------------------------|-----|--|----------|
| monarda 'balmy purple' | balmy purple' beebalm | Qt | violet-purple blooms, summer, 12", med to moist soils, good powdery mildew resistance | ready |
| monarda 'bee merry' | Bee Merry' beebalm | Gal | magenta blooms, summer, 12-15', good powdery mildew resistance | sold out |
| monarda 'coral reef' | Coral reef' beebalm | Gal | coral pink flowers, summer, 3', med to moist soils | sold out |
| monarda 'fire ball' | Fire ball' beebalm | Gal | red, summer, 24-30", med to moist soils | sold out |
| monarda bradburiana | Bradbury's/Eastern bee balm | Qt | pale pink blooms speckled w/ purple, late spring, 1'-2', sun to part shade, dry to avg soil, attracts pollinators/hummingbirds | sold out |
| monarda didyma | bee balm | Qt | the straight species, red blooms summer, 2-4', sun to part shade, med to moist soils, attracts hummingbirds/pollinators, aromatic foliage, not browsed by mammals | sold out |
| monarda didyma | Bee balm 'Marshall's delight' | Qt | Rose-pink flowers, summer, 3', sun to part shade, average to moist soils, attracts butterflies, pollinators, hummingbirds | sold out |
| monarda didyma | Bee balm 'Blue Stocking' | Qt | Deep violet blooms, Jun-July, 2'-3', sun to part shade, avg to moist but well-drained soil, attracts butterflies/pollinators/hummingbirds | sold out |
| monarda didyma | Bee balm 'Gardenview Scarlet' | Qt | Red blooms, mid to late summer, 2'-3', sun to part shade, avg to moist but well-drained soil, better resistance to mildew | sold out |
| monarda 'Jacob Cline' | Bee balm 'Jacob Cline' | Qt | red blooms, mid to late summer, 3-5', sun to part shade, avg to moist soils | ready |
| monarda raspberry wine | Raspberry Wine' beebalm | Qt | wine red flowers, 3-4', sun to part shade, avg to moist soils, good mildew resistance | sold out |
| monarda didyma | Bee Balm 'Purple Rooster' | Gal | Purple blooms, June-July, 3-4', sun to part shade, moist to dry soils, attractive to wide variety of pollinators/butterflies, drought tolerant, 'Purple Rooster' reported as mildew free in Mt Cuba trials | ready |
| monarda didyma | Bee balm ' White' | Qt | White blooms, July, 2'-3', sun, avg to moist but well-drained soil, attracts butterflies/pollinators/hummingbirds | sold out |
| monarda fistulosa | wild bergamot | Qt | Lavendar blooms, late summer, 2'-5', full to part sun, dry to moist soil, drought tolerant, aromatic foliage, attracts bees, butterflies, hummingbirds, more resistant to powdery mildew than most | sold out |
| monarda media | Purple bergamot | Qt | Red/purple/pink blooms (varies), July, 2-3', avg to moist soil, sun to part shade, attracts butterflies/hummingbirds/pollinators | sold out |
| monarda punctata | horsemint/spotted bee balm | Qt | purple spotted flowers atop stems with pink/lavender/cream bracts, 1-3', sun, moist to dry soils, attractive to pollinators/butterflies/hummingbirds, deer/rabbit resistant | ready |

| monarda spp. | pink and purple varieties | Qt | unknown varieties, a few red, some pink varieties | sold out |
|--------------------------------|-----------------------------------|-----|---|------------|
| oenothera fruticosa | narrowleaf evening primrose | Qt | red flower buds followed by bright yellow flowers, summer, 1-3', sun to part shade, dry to moist soil, attractive to pollinators and hummingbirds, songbirds eat seeds | sold out |
| pachysandra procumbens | Allegheny spurge | Qt | white bottlebrush flowers, early spring, 6-12", part to full shade, med soil, gradually spreads to form a groundcover, drought tolerant once established | ready |
| packera obovata | roundleaf ragwort | Qt | yellow daisy-like blooms, Apr – June, 1'-2', sun to part shade, med to wet soils, foliage semi-evergreen, tinged with burgundy at time, good ground cover | ready |
| parthenium integrifolium | wild quinine | Qt | white flower clusters, 3'-5', summer-fall, full sun, dry to medium soils | ready |
| paxistima canbyi | Canby's mountain lover/cliffgreen | Qt | evergreen groundcover, small green flowers, May, 6-12", sun to part shade, good for rocky slopes | ready soon |
| pedicularis canadensis | Canadian wood betony | Qt | reddish/violet with yellow blooms, 12", Apr-May, full to part sun, med to dry soil, well drained best, attractive to bumblebees | sold out |
| penstemon calycosus | Calico penstemon | Qt | pale lavendar to white tubular blooms, late spring/early summer, 2'-3', part shade, avg soil, attracts wide variety of pollinators/hummingbirds, tolerant of alkaline soils | sold out |
| penstemon digitalis | beardtongue | Qt | white to pink blooms, late spring/early summer, 3'-4', full sun to part sun, average to dry soil, drought tolerant, attracts bees/butterflies/hummingbirds | sold out |
| penstemon digitalis | beardtongue 'husker red' | Qt | pale pink/white blooms late spring/early summer, reddish-green foliage, 2-3',sun/part shade, average soil, attracts hummingbirds | sold out |
| penstemon 'Dark Towers' | Dark Towers' beardtongue | Qt | pale pink/white blooms late spring/early summer, very dark maroon foliage, 2-3',sun/part shade, average soil, attracts hummingbirds | ready |
| penstemon 'Onyx and Pearls' | Onyx and Pearls' beardtongue | Gal | pale lavender to white blooms, late spring/early summer, 3-4', sun/part shade, avg soil, dark foliage (near black when mature), | sold out |
| penstemon hirsutus | hairy beardtongue | Qt | pale purple flowers, May-June, 12-18", sun to shade, moist to dry soils, attractive to bumblebees, butterflies and hummingbirds | ready fall |
| penstemon hir. 'Pygmaeus' | hairy beardtongue 'Pygmaeus' | Qt | pale pink/lavender/white blooms, late spring/early summer, 6", sun to part shade, med soil, good drainage, attracts hummingbirds/bumblebees, compact size for front of border | sold out |
| penstemon smallii | Small's penstemon | Qt | lavendar/pink blooms, summer, 1'-2', sun/part shade, average soil, attracts hummingbirds, bees, butterflies | sold out |

| penstemon tubaeflorus | white wand beardtongue | Qt | white flowers, late spring/summer, 1-3', sun/part shade, avg to dry soil, attracts hummingbirds, bees | budding |
|----------------------------|---------------------------------|--------|--|-------------|
| phlox carolina | phlox 'Minnie Pearl' | Gal | white blooms, early summer, 1-2', sun to part sun, med soil, good resistance to powdery mildew | sold out |
| phlox carolina | thickleaf phlox 'Kim' | Qt | pinkish/purple blooms, summer, 1'-2', sun to part shade, avg to moist soil, good resistance to powdery mildew | sold out |
| phlox divaricata | wild blue phlox | Qt | pink/white/lavendar blooms Apr-May, 8"-12", part shade, moist soil, attracts butterflies, fragrant | bloooming |
| phlox divaricata | woodland phlox 'blue moon' | Qt | violet blue blooms Apr–May, 12"-18", part shade, moist soil, attracts hummingbirds, pollinators | bloooming |
| phlox divaricata | woodland phlox 'chattahoochee' | Qt | light violet blue blooms with magenta centers, Apr-May, 12-18", part shade, moist soils | bloooming |
| phlox divaricata | woodland phlox 'may breeze' | Qt | light blue to white blooms Apr–May, 10"-12", part shade, moist soil, attracts hummingbirds, pollinators | sold out |
| phlox glaberrima | Morris Berd' smooth phlox | Gal | bright pink flowers, late spring/early summer, 2-3', sun to part shade, moist to dry soil, excellent disease resistance, nice maroon foliage in fall, good rating in Mt Cuba and Chicago Botanic Garden Trials, similar to phlox paniculata but more compact, narrower foliage | plugs ready |
| phlox maculata | wild sweet william/meadow phlox | Qt | pink-violet blooms, late summer to fall, 2-3', sun to part shade, moist soils, fragrant, spreads gradually, attracts butterflies, good powdery mildew resistance | ready |
| phlox paniculata | garden phlox 'Jeana' | Qt | lavendar/pink fragrant blooms, June to late summer, 3'-5', avg to moist soil, good resistance to powdery mildew, butterfly magnet | ready |
| phlox pan. 'Blue Paradise' | phlox 'Blue Paradise' | Gal | pale blue to deep violet blooms, summer, 2-3', sun/part shade, med to moist soil, attracts butterflies | sold out |
| phlox stolonifera | Creep. Phlox 'Blue Ridge' | Qt | lavender-blue blooms, late-spring to early summer, 6-8", med to moist (but well-drained) soil, part to full shade, attractive to butterflies/hummingbirds, drought tolerant once established, can gradually spread to form groundcover | plugs ready |
| phlox stolonifera | Creep. Phlox 'Home Fires' | Qt | Deep pink flowers starting in Apr, 6-10", shade to part shade, moist well-drained soil, attracts butterflies/pollinators | few left |
| phlox stolonifera | Creep. Phlox 'Sherwood Purple | Qt | Purplish-blue flowers starting in Apr, 6-10", shade to part shade, moist well-drained soil, attracts butterflies/pollinators | sold out |
| phlox subulata | Moss phlox | Qt, Ga | groundcover phlox with semi-evergreen foliage, spring, sun to part shade, well-drained soil, tolerates poor soils, several varieties available | ready |

| physostegia virginiana | obedient plant | Qt | pink flowers spikes bloom late summer/fall, 3'-4', full sun, tolerates wet clay soil, but fine in average soil, can spread if happy | ready, also bareroot clumps |
|--|---------------------------------------|-------------|---|-----------------------------------|
| physostegia virginiana | obedient plant 'miss manners' | Qt | white flower spikes bloom late summer/fall, 2'-2.5', full sun, medium soil, tolerates moist, less aggressive | ready |
| podophyllum peltatum | Mayapple | Qt | white blooms, Apr-May, 1-1.5', part to full shade, med soil, edible fruit after flowering | ready |
| polemonium reptans | Jacob's ladder | Gal | light blue flowers, late spring, 12"-18", shade/part sun, average to moist soil, forms groundcover | sold out |
| polemonium reptans 'Stairway to Heaven' | Stairway to Heaven' jacob's ladder | Gal | same as above, but with variegated foliage | ready blooming |
| polemonium 'Blue Pearl' | Jacob's ladder | Qt | light blue flowers, late spring, 10-12", shade/part sun, avg to moist soils, forms groundcover | sold out |
| porteranthus trifoliatus | Bowman's root/Indian physic | Qt | White-pink blooms on red stems, late spring/early summer, 2'-3', shade to part sun, bronze-red fall foliage | sold out |
| prunella vulgaris | Magdalena' self heal | Qt | purple blooms, summer to fall, 6", avg to moist soils, sun to part shade, attracts bees and butterflies | ready |
| pycnanthemum flexuosum | Appalachian mountain mint | Qt | Silver-white blooms, late summer/fall, 2'-3', full to part sun, moist to dry soil, more clump forming that most mountain mints, nice fall foliage color, host plant for gray hairstreak, attracts pollinators | sold out |
| pycnanthemum incanum | Hoary mountain mint | Qt | clusters of lavender to white flowers, late summer, 3'-4', sun to part shade, average well-drained soil, aromatic foliage with silver tinge, very attractive to wide variety of pollinators | plugs ready |
| pycnanthemum muticum | Short toothed/clustered mountain mint | Qt | silver bracts with light pink blooms, late summer, 2'-3', full sun to full shade, moist to dry soil, aromatic foliage, nice in arrangements – attracts bees and butterflies | ready |
| pycnanthemum pilosum | Hairy mountain mint | Qt | fuzzy white blooms, late summer/fall, 1-3', sun to part shade, dry to medium soil, silvery-green foliage, attractive to numerous pollinators, deer/rabbit resistant | ready |
| pycnanthemum tenuifolium | narrowleaf mountain mint | Qt | white blooms, mid-late summer, 2'-3', sun to part shade, dry to medium soil, fragrant, attracts pollinators | one left |
| pycnanthemum virginianum | American mountain mint | Qt | white blooms, July-Sept, 2-3', full sun, wet to dry soil, aromatic foliage, attracts numerous pollinators | ready |
| rudbeckia fulgida v. deamii | Deam's coneflower | Qt | yellow blooms, 3', summer, full sun, average soil, attractive to pollinators, seed heads attractive to birds | ready |
| rudbeckia hirta | black eyed susan | Qt, 2 Qt | yellow blooms, summer, 2'-3', sun to part shade, average soil, can be short-lived/bienniel, but reseeds | sold out |
| rudbeckia hirta | varieties | Qt | varieties with brown/maroon centers | ready |
| rudbeckia hirta | Prairie Sun' black eyed susan | Qt | green centers with darker petal color in the center, fading to yellow, 2-3', sun, avg soil | sold out |

| rudbeckia laciniata | cutleaf coneflower | Qt, Gal | yellow blooms, Aug-Sept, 5'-8', full to part sun, average to moist soil, attracts butterflies and birds, nice cut flower, pretty with ironweeds | ready |
|---------------------------------------|---|------------|---|-------------|
| rudbeckia maxima | great coneflower | Qt | yellow flowers with dark cones July-Sept, blue/green foliage, 6'-8', full sun, dry to medium soil | ready |
| rudbeckia subtomentosa | sweet coneflower 'Henry Eilers' | Gal | yellow quilled flowers, Aug-Sept, 4-5', moist-average soil, drought tolerant when established | plugs ready |
| rudbeckia subtomentosa | sweet coneflower 'little Henry' | 2 Qt | yellow quilled flowers, Jul-Sept, 3', moist-average soil, drought tolerant when established | sold out |
| rudbeckia triloba | Three lobed coneflower | Qt | yellow blooms, July-Sept, 3', sun, good for moist areas but tolerant of dry sites as well | ready |
| rudbeckia triloba 'Blackjack Gold' | Three lobed coneflower 'Blackjack Gold' | Gal | yellow blooms with dark centers/stems, 3', sun, longer lived than the species, longer bloom time | sold out |
| rudbeckia tri. 'Little Charm' | Little Charm' three lobed coneflower | Gal | yellow blooms, 3', sun, long blooming variety | sold out |
| rudbeckia 'Viette's little suzy' | Viette's Little Suzy' black eyed susan | Qt | yellow flowers w/ dark centers, summer-fall, 15-18", sun/part shade, a more compact form of black-eyed susan | sold out |
| salvia azurea | Blue sage | Qt | sky blue blooms, late summer, 5', sun, med to dry soil, aromatic foliage, attractive to pollinators/butterflies, good native substitute for Russian sage | ready |
| salvia lyrata | Purple knockout' Lyre-leaf sage | 4" | maroon foliage, white/lavendar blooms, 1', sun to part shade, moist to dry | ready |
| sanguinaria canadensis | Bloodroot | Qt | white flowers, yellow centers, early spring, moist, shade | ready |
| sanguisorba officinalis | greater burnet | Gal | dark red to maroon-purple blooms, summer, 2-3', sun, med soil, deer resistant, unusual foliage, attracts songbirds/pollinators/butterflies, nice addition to cut arrangements | sold out |
| sarracenia | pitcher plant | | red/green "hooded pitchers", can reach 16" tall, bog plant | sold out |
| scrophularia marilandica | late figwort | Qt | small reddish-green blooms, late summer/fall, 6', sun to part sun, med to dry, attractive to hummingbirds/pollinators | ready |
| scutellaria incana | hoary skullcap | 2 Qt | Voilet-blue blooms, summer, 2'-4', full to part sun, avg to dry soil, tolerates clay soil, attracts butterflies | plugs ready |
| sedum ternatum | woodland stonecrop | Qt | Larinem Park', white blooms late spring/summer, 2"-6", full to part shade, moist/average soil, good groundcover for shade | ready nice |
| senecio aureus | packera aurea | Qt | yellow blooms Mar-May, 12"-15" tall, full sun to shade, dry to moist, early pollinator plant | sold out |
| silene caroliniana | wild pink 'short and sweet' | Qt | pink blooms May-Jun, 6"-8", sun to part shade, med to dry soil, attracts hummingbirds/butterflies, native subst for dianthus | sold out |

| fire pink | Qt | scarlet red blooms spring, 12"-20", part shade, moist good drainage, found on rocky wooded slopes in open woods | sold out |
|----------------------------|--|--|---|
| Mohr's rosinweed | Gal | pale yellow blooms, mid sum - fall, 2-5', sun to part shade, med to dry soil, does well in rocky sites, a slightly more compact and drought tolerant silphium | one avail |
| Cup plant | Gal | Yellow daisy-like blooms, July-Oct, 6-8', sun, med to wet soils, large leaves form 'cups' that collect water for birds, frogs and other wildlife | a few avail |
| Suwannee' Blue Eyed Grass | Gal | sky blooms blooms, spring into summer, 8-10", moist to dry soils, sun to part shade, grass-like foliage, groundcover | one left |
| Lucerne' blue eyed grass | Qt | violet-blue flowers, spring into summer, 8-10", moist to dry soils, sun to part shade, grass-like foliage | sold out |
| False Solomon's seal | Qt | ivory flower plumes, late spring, followed by red berries, 1-3', part to full shade, med to moist soils | sold out |
| Zigzag Broadleaf goldenrod | Qt | yellow blooms late summer/fall, 1-3', a woodland variety of goldenrod, best in dappled shade, attracts pollinators | a few avail |
| grass-leaved goldenrod | Qt | flat-topped clusters of golden-yellow flowers, fine textured foliage, late summer/fall, 3-4', sun to part shade, med to moist soil, attractive to butterflies/pollinators, a variety of birds eat the seeds, nice cut flower | ready |
| Early goldenrod | Qt | 2-4' tall, 2-3' wide, yellow flower panicles on arching stems, | ready |
| 'Little Lemon' goldenrod | Qt | compact goldenrod, lemon-yellow blooms, 8"-14", good choice | ready |
| Sweet goldenrod | Qt | yellow blooms, late summer/fall, 2-4', sun to part shade, tolerant of dry soil, clump forminging (not as aggressive as other goldenrods), also called anise-scented goldenrod | one avail |
| Stiff goldenrod | Qt | yellow blooms, gray/green foliage, late summer/fall, 2'-5', full sun, moist to dry | sold out |
| 'Fireworks' goldenrod | 2 Qt | yellow blooms, late summer/fall, 3'-4', full to part sun, avg soil, attracts late season pollinators, nice with asters | sold out |
| 'Solar Cascade' goldenrod | Qt | yellow blooms, late summer/fall, 2'-3', full to part sun, average soil, drought tolerant once established, late season pollinator plant, not as aggressive as many other goldenrods | ready |
| Showy goldenrod | 2 Qt | 2-3' tall and wide, pyramidal yellow/gold blooms, reddish stems, late summer to fall, moist to dry, sun to part shade | ready |
| Golden Fleece' goldenrod | Gal | Yellow blooms, late summer-fall, 1-1.5', full sun, dry to med soil, more compact and mounding habbit than most goldenrods | ready |
| Indian pink | Gal | red w/ yellow blooms, 12"-18", summer, part sun/shade, moist soil | ready |
| | Mohr's rosinweed Cup plant Suwannee' Blue Eyed Grass Lucerne' blue eyed grass False Solomon's seal Zigzag Broadleaf goldenrod grass-leaved goldenrod Early goldenrod 'Little Lemon' goldenrod Sweet goldenrod Stiff goldenrod 'Fireworks' goldenrod 'Solar Cascade' goldenrod Showy goldenrod Golden Fleece' goldenrod | Mohr's rosinweed Gal Cup plant Gal Suwannee' Blue Eyed Grass Gal Lucerne' blue eyed grass Qt False Solomon's seal Qt Zigzag Broadleaf goldenrod Qt grass-leaved goldenrod Qt Early goldenrod Qt 'Little Lemon' goldenrod Qt Sweet goldenrod Qt Stiff goldenrod Qt 'Fireworks' goldenrod Qt 'Solar Cascade' goldenrod Qt Showy goldenrod Gal | Mohr's rosinweed Gal Gal Mohr's rosinweed Gal Gal Mohr's rosinweed Gal Gal Gal Mohr's rosinweed Gal Gal |

| spiranthes cernua odora | Ladies tresses | Gal | fragrant white flowers late summer-frost, 8"- 2', part shade, medium to wet soil, prefers acidic, a native woodland orchid | sold out |
|----------------------------|-----------------------------|--------|--|-------------|
| stokesia laevis | Stokes' aster | Gal | lilac-blue flowers, summer, 18", sun, med to moist but well- drained soils | budding |
| stokesia 'Color Wheel' | Color Wheel' aster | Gal | white flowers changing to lavender then blue/purple, 12-18", sun, med to moist well-drained soils | sold out |
| stokesia laevis 'Divinity' | Divinity' Stokes' aster | Gal | white blooms with pale yellow centers, 1-1.5', sun, med to moist but well-drained soil, avoid wet winter sites | one left |
| stylophorum diphyllum | wood/celandine poppy | Qt | golden yellow blooms Apr – Jun, 12"-15", shade, moist soil, attracts butterflies/pollinators | ready |
| thalictrum dasycarpum | tall/purple meadow rue | Qt | cream blooms on purple stems, late spring, 6', full to part sun, med to wet soil, | ready |
| thermopsis caroliniana | Carolina lupine | Gal | yellow blooms, June, 3'-4', full sun, avg soil | sold out |
| tiarella cordifolia | foamflower | Qt | White/light pink blooms, 12"-18", full to part shade, moist to average soils, can spread to form groundcover in these conditions | few left |
| tiarella cordifolia | New Moon Motley' foamflower | Qt | white flowers, spring, 8-12", part to full shade, med to moist soils, this variety has a mix of leaf shades and dark variegation on the leaves | ready |
| tradescantia 'Sweet Kate' | Sweet Kate' spiderwort | Gal | purple flowers, chartreuse foliage, late spring/summer, 18", best with afternoon shade to prevent scorching | sold out |
| trillium | trillium (varieties) | Qt | various varieties - grandiflora (white), nodding, prairie | few left |
| uvularia grandiflora | Bellwort | Qt | pale yellow blooms, mid spring, 1-2', part to full shade, med soil | ready |
| uvularia sessifolia | Small bellwort | Qt | cream to yellow flowers, spring, 6-12", part to full shade | spring 2022 |
| verbena hastata | blue vervain | Qt | purple blooms, July/August, 4'-6', full sun, moist to wet soil, attracts butterflies | sold out |
| vernonia altissima | Tall ironweed | Gal | purple blooms, late summer, 5-8', sun to part sun, moist to wet soils, one of the tallest and showiest ironweeds | ready |
| vernonia glauca | Upland Ironweed | Qt | purple blooms, Aug-Sept, 3-5', sun to part shade, moist to dry soils, attractive to wide variety of pollinators/butterflies, drought tolerant | plugs ready |
| vernonia lettermannii | 'Iron butterfly' ironweed | Qt | purple blooms, late summer-fall, 2-3', full sun, avg soil, fine-textured foliage, more tolerant of dry sites than most ironweed | ready |
| vernonia noveboracensis | New York ironweed | Gal | purple blooms, late summer, 4'-7', full sun, moist to dry soil, but found naturally in moist soils – attracts butterflies, striking in mass mixed with yellow flowers (solidago, rudbeckia, etc) | sold out |
| vernonia 'Southern Cross' | Southern Cross' ironweed | Gal | purple blooms, late summer/fall, 2.5-3', sun, dry to med soil, attracts butterflies/pollinators, a drought tolerant ironweed | ready |
| veronicastrum virginicum | Culver's root | Gal, Q | tolerates drought once established | ready |
| veronicastrum virginicum | Culver's roots varieties | Gal | Roseum (pink) and Apollo (pale lavender) | ready |

| viola pedata | Bird foot's violet | Qt | lilac-purple blooms, spring, 3-6", sun to part shade, tolerant of dry, rocky soils, butterfly host plant, avoid over crowding and wet sites, attracts pollinators/small butterflies, host plant for fritillary butterflies | one left |
|---------------------------|---|---------|--|-----------|
| viola striata | stiped cream violet | Qt | cream colored flowers with some purple stripes on lower petal, spring-summer, 8-12", moist soils, part to full shade, deer resistant, ground cover | ready |
| Waldsteinia fragarioides | barren strawberry | Qt, 2 Q | yellow blooms early to late spring, 3-6" high, spreading groundcover, full sun to part shade | sold out |
| xanthorhiza simplicissima | yellowroot | Qt | Star-shaped maroon blooms, spring, 2-3', considered woody perennial or sub-shrub, part to full shade, med to wet soil, spreads to form groundcover, attractive fall color, shades of yellow/red/purple | ready |
| yucca filamentosa | Color Guard' yucca | Gal | creamy white flowers, summer, 3-6', sun, dry to med soils, gold foliage with green edges, has some pink coloration in fall | sold out |
| zizia aurea | golden alexander | Qt/Gal | yellow blooms May-Jun, 2'-3', part shade, med to moist soil, attracts pollinators/butterflies, larval host to Black Swallowtail | ready |
| Vines | | | | |
| Aristolochia durior | Dutchman's pipe/pipevine | Gal | Maroon-green pipe-shaped blooms, late spring, can reach 30', large heart-shaped leaves, good for shade on trellis, host plant for pipevine swallowtail | one avail |
| clematis virginiana | Virgin's bower | Gal | white blooms, late summer-fall, 9', sun to part shade, med to moist but well-drained soil | sold out |
| Decumaria barbara | climbing hydrangea/woodvamp | Gal | white blooms, summer to fall, dark foliage, climbs trees or brick, blooms attractive to butterflies/pollinators | ready |
| Lonicera sempervirens | Trumpet honeysuckle vine | Gal | Scarlet/orange/red blooms, late spring, followed by red berries in fall, 10-20', full sun, med soil, attractive to hummingbirds/pollinators | sold out |
| Lonicera sempervirens | Trumpet honeysuckle vine 'Major Wheeler' | Gal | Red blooms, late spring, followed by red berries in fall, 3-8', full sun, med soil, attractive to hummingbirds/pollinators | sold out |
| Lonicera sempervirens | Trumpet honeysuckle vine 'John Clayton' | Gal | pale yellow blooms, late spring, profuse berry production, 6-12', full sun, med soil, attractive to pollinators | sold out |
| Matelea carolinensis | Caroline milkvine or climbing milkweed | 2 Qt | Unusual maroon blooms in summer followed by seed pods, vines die back completely each winter and re-emerge late spring, blooms attractive to variety of butterflies, host plant for monarch | sold out |
| menispermum canadense | Common moonseed | Qt | greenish-white flowers, may-june, followed by fruit (not edible), part shade, medium soil, 8-20' | ready |

| Passiflora incarnata | Passion flower vine | Gal | Exotic-looking purple and white blooms following by small green 'fruit', summer-fall, up to 20', sun to part shade, attractive to pollinators | dormant |
|--|----------------------------|-------------|--|-----------------|
| wisteria frutescens | american wisteria | Gal | Lilac-purple blooms, mid spring, 15-30', sun, med soil | sold out |
| wisteria frutescens 'Nivea' | american wisteria 'Nivea' | Gal | white flowered form of the above | sold out |
| Ferns | | | | |
| adiantum pedatum | Maidenhair fern | Qt | delicate foliage on dark stems, 12"-18", part to full shade, avg to moist soil | ready |
| asplenium trichomanes | Maidenhair spleenwort | Qt | small evergreen fronds, dark stems, tolerant of dry, rocky sites in shade | few left |
| athyrium felix femina | lady fern | Qt | red/brown stems with green foliage, 2', prefers shade to part shade | ready |
| athyrium 'ghost' | ghost fern | Gal | silvery-green foliage with reddish stems, 2-3' tall/wide, part to full shade, med to moist soil | sold out |
| athyrium felix femina 'Lady in Red' | Lady in Red' lady fern | Qt | same as above, but stems have more red coloration | sold out |
| athyrium felix femina 'minutissima' | dwarf lady fern | Qt | same as above, but more compact form (6-12") | sold out |
| athyrium felix femina 'Victoriae' | Victoriae' lady fern | Qt | unusual selection of lady fern with criss-crossed fronds with crested tips, 18-24" tall, part to full shade, med to moist soil, deer resistant | sold out |
| dennstaedtia punctilobula | Hay-scented fern | Qt | green foliage, 1.5-2', part to full shade, med soil | more ready soon |
| dryopteris australis | Dixie wood fern | Qt | green foliage, 3-4' tall, full to part shade, med to moist soil | nice |
| dryopteris cristata | Crested woodfern | Qt | green foliage, 1-2', part to full shade, moist to wet soil | sold out |
| dryopteris filix-mas | Parsley' male fern | Gal | crested or fringed fern, 18-24", part to full shade, moist to avg soil, deer resistant | breaking |
| dryopteris goldiana | Goldie's wood fern | Qt | green foliage, 3', part shade/shade, moist soil | sold out |
| dryopteris intermedia | evergreen wood fern | Qt | lacy, evergreen fronds, 1-3', best in moist, shady sites | sold out |
| dryopteris marginalis | eastern/marginal wood fern | Qt | green foliage, 12"-18", prefers shade to part shade, tolerates dry soils when established | sold out |
| matteuccia struthiopteris | ostrich fern | Qt, 2 Qt | large fern, 3-6', part to full shade, med to moist soils, deer/rabbit resistant, spreads to form colonies | ready |
| onoclea sensibilis | sensitive fern | Qt | green foliage, 12"-18", shade to part shade, moist soils, spreads to form groundcover | sold out |
| osmunda cinnamomea | cinnamon fern | Qt | green foliage, red/brown upright fronds emerge in summer, 2'-5', prefers shade/part shade, moist soil | ready |

| osmunda claytonia | interrupted fern | Qt | vase-like shape, 3-4', fronds develop brown clumps of spores halfway up giving the "interrupted" appearance, best in moist shade, but tolerant of drier conditions once established, deer resistant | few left |
|----------------------------|----------------------|-----|--|-----------|
| polystichum acrostichoides | Christmas fern | Qt | evergreen foliage, 1-2', part to full shade, dry to medium soils, clump forming, grows well on rocky banks, good for erosion control | ready |
| thelypteris noveboracensis | New York fern | Qt | fine textured, green foliage, 1-2', part to full shade, moist to dry, spreads to form colonies | sold out |
| thelypteris palustris | marsh fern | Qt | Yellow-green fronds 18"-24", tolerates sun in moist/wet soils | one avail |
| Grasses | | | | |
| andropogon gerardii | big bluestem | Gal | green to blue-green foliage, purplish blooms resembling a turkey foot in fall, foliage has shades of red/bronze/purple in fall, 7'+, sun, dry to med soils | ready |
| andropogon 'Blackhawks' | Blackhawks' bluestem | Gal | dark green foliage turning dark purple to black in fall, 4-5', sun, dry to med soils | sold out |
| carex appalachica | Appalachian Sedge | Qt | fine green foliage, 6", shade to part shade, avg to dry soil, good groundcover for dry, shady sites or accent plant in container/stump/rock crevice | ready |
| carex laxiculmis | bunny blue sedge | Qt | blue/green foliage, 8"-12", shade to part sun, evergreen (cut back late winter) | sold out |
| carex pennsylvanica | Pennsylvania sedge | Qt | green airy foliage, 6"-12", shade to part shade, average to dry soil, good groundcover for dry, deciduous shade sites | ready |
| carex plantaginea | Seersucker sedge | Qt | wide dimpled leaves, purplish black flowers in spring, 8-12", part to full shade, dry to moist soils | ready |
| carex platyphylla | Silver Sedge | Qt | clump-forming sedge, 8-12", with powdery blue-green textured leaves about an inch wide, dry to moist soils, part to full shade, good for dry, rocky banks to stabilize soil | sold out |
| Chasmanthium latifolium | northern sea oats | Qt | Flat, oat-like seed heads on bamboo-like foliage, sun to part shade, good for dry shady sites | sold out |
| Elymus hystrix | Bottlebrush grass | Gal | seed heads resembling bottle brushes, 3-5', tolerant of part shade and dry soil | ready |
| Elymus virginicus | Virginia wild rye | Qt | wheat/rye-like spikes, 2-4', moist sites, sun to shade, reseeds, good choice for erosion control on slopes | ready |
| eragrostis spectabilis | Purple love grass | Qt | green foliage with reddish-purple seed heads in late summer, 1-2', sun, dry to med soil, tolerant of poor/dry soils | sold out |
| hierochloe odorata | vanilla sweet grass | Qt | blue green grass, brownish blooms, 1'-2', sun to part shade, moist to wet soil best, spreads up to 2' year, best in winter-proof container,leaves have vanilla fragrance (dried, braided and then burned, once used by Native Americans in ceremonies) | ready |

| muhlenbergia capillaris | Pink hair grass | QT | fluffy pink flower/seed heads, fall, 3-4', sun to part shade, tolerant of poor soils | sold out |
|--|--|----------------------------|--|---|
| muhlenbergia 'White Cloud' | White Cloud' white hair grass | Gal | soft clouds of airy ivory flower heads on blue-green foliage, 3-4' | sold out |
| panicum virgatum | Switchgrass ' Shenandoah' | Qt | green foliage turns to red late summer/fall, 2'-3', full to part sun, avg to moist soil, drought tolerant when established, good substitute for non-native ornamental grasses (miscanthus, blood grass, etc) | ready |
| panicum virgatum | switchgrass, other varieties | Qt/Gal | , , | sold out |
| schizachrium scoparium | little bluestem | Qt | green/blue/purple turning red/orange in fall, white seed heads Aug-Oct, 3'-4', full sun, avg to dry soil, well drained | sold out |
| schizachrium scoparium | little bluestem 'The Blues' | 1 Qt | Blue-green foliage with reddish tints, turning burgundy red in fall | sold out |
| schizachrium scoparium | little bluestem, additional varieties | Qt | Jazz' - blue/gray foliage, burgundy-red fall color, 2-3' upright clumping form, silvery-white seed heads in fall | ready |
| sorghastrum nutans | Indian grass | Gal | upright clumps of slender blue-green foliage, turning yellow/gold in fall, sun, moist to dry, 3-4' | ready |
| Indian Steel' sorghastrum | Indian Steel' indian grass | Gal | same as above but with showier steel blue-green foliage | ready |
| sporobolus heterolepis | prairie dropseed | Qt | fine textured, green hair-like foliage, 2'-3', drought tolerant, nice fall color, seeds attract birds, | sold out |
| | | | | |
| Shrubs/Sm. Trees | Check our Tree/Shrub Special | Order | r List for full list of available trees/shrubs | |
| Shrubs/Sm. Trees Aesculus parviflora | Check our Tree/Shrub Special bottlebush buckeye | Order 2 gal | List for full list of available trees/shrubs white flower, summer, 8-12', part to full shade, med to moist soil, attractive yellow fall foliage, large compound leaves, intolerant of dry sites | one avail |
| | | | white flower, summer, 8-12', part to full shade, med to moist | one avail |
| Aesculus parviflora | bottlebush buckeye | 2 gal | white flower, summer, 8-12', part to full shade, med to moist soil, attractive yellow fall foliage, large compound leaves, intolerant of dry sites Red flower clusters, late spring, 12-15', sun to part shade, med soil, attracts hummingbirds large shrub/small tree, white spring flowers, edible june berries and fall color, attracts pollinators and birds | |
| Aesculus parviflora Aesculus pavia | bottlebush buckeye Red Buckeye | 2 gal 1 gal | white flower, summer, 8-12', part to full shade, med to moist soil, attractive yellow fall foliage, large compound leaves, intolerant of dry sites Red flower clusters, late spring, 12-15', sun to part shade, med soil, attracts hummingbirds large shrub/small tree, white spring flowers, edible june berries and fall color, attracts pollinators and birds large shrub/small tree, white spring flowers, edible june berries and fall color, attracts pollinators and birds | plugs ready a few |
| Aesculus parviflora Aesculus pavia Amelanchier canadensis | bottlebush buckeye Red Buckeye Serviceberry/Shadblow | 2 gal 1 gal 1 gal 1 gal | white flower, summer, 8-12', part to full shade, med to moist soil, attractive yellow fall foliage, large compound leaves, intolerant of dry sites Red flower clusters, late spring, 12-15', sun to part shade, med soil, attracts hummingbirds large shrub/small tree, white spring flowers, edible june berries and fall color, attracts pollinators and birds large shrub/small tree, white spring flowers, edible june berries and fall color, attracts pollinators and birds white flowers, spring, followed by edible red fruits, nice fall color, 4-5', sun to part shade, med soil, spreading by suckers to form a low thicket | plugs ready a few available special |
| Aesculus parviflora Aesculus pavia Amelanchier canadensis Amelanchier laevis | bottlebush buckeye Red Buckeye Serviceberry/Shadblow Allegheny serviceberry | 2 gal 1 gal 1 gal 1 gal | white flower, summer, 8-12', part to full shade, med to moist soil, attractive yellow fall foliage, large compound leaves, intolerant of dry sites Red flower clusters, late spring, 12-15', sun to part shade, med soil, attracts hummingbirds large shrub/small tree, white spring flowers, edible june berries and fall color, attracts pollinators and birds large shrub/small tree, white spring flowers, edible june berries and fall color, attracts pollinators and birds white flowers, spring, followed by edible red fruits, nice fall color, 4-5', sun to part shade, med soil, spreading by suckers to form a low thicket white flowers, spring, followed by small berries, 18-24", part shade to shade, dry to moist soil, spreads by suckers | plugs ready a few available special order only |
| Aesculus parviflora Aesculus pavia Amelanchier canadensis Amelanchier laevis Amelanchier stolonifera | bottlebush buckeye Red Buckeye Serviceberry/Shadblow Allegheny serviceberry Running serviceberry | 2 gal 1 gal 1 gal 1 gal Qt | white flower, summer, 8-12', part to full shade, med to moist soil, attractive yellow fall foliage, large compound leaves, intolerant of dry sites Red flower clusters, late spring, 12-15', sun to part shade, med soil, attracts hummingbirds large shrub/small tree, white spring flowers, edible june berries and fall color, attracts pollinators and birds large shrub/small tree, white spring flowers, edible june berries and fall color, attracts pollinators and birds white flowers, spring, followed by edible red fruits, nice fall color, 4-5', sun to part shade, med soil, spreading by suckers to form a low thicket white flowers, spring, followed by small berries, 18-24", part | plugs ready a few available special order only sold out |

| Aronia melanocarpa | Black chokeberry | 1 gal | white flower clusters in summer, becoming dark purple/black berries, nice reddish fall foliage | a few available |
|--|-------------------------------------|------------|--|-----------------------|
| aronia mel. Varieties | Ground hog', 'Low Scape Mound' | 3 gal | same as above, but compact (only 1-3') | special order only |
| Callicarpa americana | American beautyberry | 1 gal | small lavendar/pink blooms followed by vibrant purple berries in late summer/fall, 3'-6', sun to part shade, medium soil, may die back to the ground in harsh winters | a few in stock |
| Callicarpa americana 'Welch's pink' | American beautyberry 'Welch's pink' | 1 gal | same as above but pink berry form | sold out |
| Calycanthus floridus | sweetshrub/caroline allspice | 1-2 gal | Unique dark red/brown blooms with strong fragrance in late spring, tolerates clay soil, very adaptable, 6-10', grown from cuttings of highly fragrant parent plant | ready |
| Calycanthus floridus 'Athens' | sweetshrub 'Athens' | 1 gal | yellow-flowered form of the above | sold out |
| Ceanothus americanus | New Jersey tea | 1 gal | White blooms May-June, 3'-4-, sun to part shade, med to dry soil, drought tolerant | special order only |
| Cephalanthus occidentalis | Common buttonbush | 2 gal | white round blooms in June, moist/wet soils in full sun/part shade, attracts bees/butterflies | a few in stock |
| Clethra acuminata | Cinnamon pepperbush | gal | white blooms, mid to late summer, 6-12', part shade, dry to wet soil, prefers acidic, attractive yellow fall foliage, interesting bark | sold out |
| clethra alnifolia | Sweet pepperbush | gal | white blooms, late summer, 3-8', sun to part shade, med to wet soil, tolerant of full shade, attractive to pollinators/butterflies, nice fall color | special order only |
| Cornus amomum | silky dogwood | 1 gal | yellow/white blooms in late spring/early summer followed by white to blue berries, 6'-12', sun to part shade, med to moist soil | special order only |
| Cornus drummondii | rough-leaved dogwood | 1-2 gal | yellow-white blooms, late spring, white berries, 6-15', sun to part shade, med to moist soil, tolerant of poor/dry soils, tolerant of limestone soils, birds eat berries | a few in stock |
| Cornus racemosa | gray dogwood | 2 gal | white blooms, May-June, 10-15', sun to part shade, white berries in fall, fall foliage purple/red | special order only |
| Euonymus americanus | Strawberry bush/hearts a bustin | Qt | greenish/yellow blooms, late spring, followed by attractive and unique fruit, 4-6', part shade, attactive fall foliage | a few small |
| Euonymus atropurpureus | Eastern wahoo | Qt | purple/red blooms, summer, followed by attractive fruit, 12-20', sun to part shade, med soil, nice fall foliage | one left small |
| Fothergilla gardenii | Dwart witchalder | 1 gal | white blooms in spring, 1.5'-3', sun to part shade, medium soils, fall foliage shades of red/orange/yellow | special order only |
| Gaylusaccia baccata | Black huckleberry | Qt | flowers in spring, black berries in summer, nice fall color, 1-3', prefers acidic soil | ready |

| Gaylusaccia brachycera | Box huckleberry | Qt | white flowers late spring/summer, berries in summer, 6-8", spreads to form colony/groundcover over time, acidic | sold out |
|------------------------|----------------------------------|-------|--|-----------------------|
| Hamamelis virginiana | Witchhazel | 1 gal | yellow blooms, fall, 15-20', sun to part shade, medium soil | special order only |
| Hydrangea quercifolia | Oakleaf hydrangea 'Little Honey' | 1 gal | white blooms June/July, 3'-4', part shade, med to moist soil, foliage is golden-yellow to chartreuse in spring, turns shades of red in fall | ready, sma |
| Hypericum prolificum | Shrubby St. John's wort | Gal | yellow blooms, June-Aug, 1'-5', sun to part shade, med soil, tolerates clay soil, dry, sandy and rocky soils | a few available |
| llex glabra | Inkberry | 1 gal | evergreen shrub, 5-8', sun to part shade, med to wet soils, prefers acidic soils, black berries | special order only |
| llex verticillata | Winterberry | 1 gal | 3-12', red berries persist after leaves drop, sun to part shade, med to wet soils, prefers acidic soils | a few in stock |
| itea virginica | Virginia sweetspire | 1 gal | white blooms, June-July, 3'-5', sun to part shade, med to wet soil, red/orange/gold fall foliage, substitute for burning bush | one avail |
| Kalmia latifolia | Mountain laurel | 1 gal | white to rose blooms, late May/June, 5-15', part shade, med soil, acidic soil with good drainage | one avail |
| Lindera benzoin | Spicebush | 1 gal | yellow blooms early spring, full sun/part shade, med soils, yellow fall color, host plant for Spicebush Swallowtail Butterfly | special order only |
| Myrica pensylvanica | Bayberry | 1 gal | 5-10', sun to part shade, dry to med soils, produces blue/gray berries attractive to birds | special order only |
| Neviusia alabamensis | Alabama snow wreath | 1 gal | clusters of fluffy white flowers, late spring, 3-6', med soil, sun to part shade, rare | one avail |
| Rhus aromatica | Aromatic sumac 'Gro-Low' | 1 gal | yellow blooms, Apr-May, 2', sun to part shade, medium to dry soils, tolerates shallow/rocky soil, females produce fruit attractive to wildlife, excellent fall color | special order only |
| Rosa virginiana | Virginia rose | 1 gal | pink blooms late spring/summer, fragrant, attract butterflies/pollinators, 5'-6', cold hardy and more resistant to disease | special order only |
| Rubus odoratus | Purple flowering raspberry | 1 gal | rose-purple blooms, summer, 3-6' tall, up to 12' wide (spreads by suckering), sun to part shade, med well-drained soil | ready |
| salix discolor | American pussy willow | 1 gal | white catkins in spring, 6-15', moist to wet soil, full sun | a few in stoc |
| Sambucus canadensis | American elderberry | 1 gal | white flower clusters in early summer, black elderberry fruit later in summer | a few in stock |
| Spiraea alba | Meadowsweet | 1 gal | white flower clusters, summer, 3-4', sun to part shade, med to wet soil | special order only |
| Spiraea tomentosa | Steeplebush | 2 gal | pink spike blooms, Jul-Sept, 2'-3', sun to part sun, moist soil, host for columbia silkmoth, good substitute for invasive butterfly bush or japanese spiraea | special order only |

| Symphoricarpos albus | Snowberry bush | various | small pale pink flowers in summer followed by white berries in late summer/fall, tolerates drought, clay and rocky soils | few left |
|----------------------------|-------------------------------|---------|---|--------------------|
| Symphoricarpos orbiculatus | Coralberry/Indian Currant | 1 gal | small greenish-white flower clusters in summer followed by coral- pink to purple berries in late summer/fall, 2-4', shade to part sun, gradually spreads, good for bank stabilization | one left |
| Vaccinium angustifolium | Lowbush blueberry | Qt | 6"-2', prefers moist acidic soil, blooms in spring, followed by fruit, then colorful fall foliage | ready |
| Vacc. Angust. Var. Pensyl. | Lowbush blueberry | Qt | 6"-2', white blooms in spring, fruit in summer, acidic soil, | sold out |
| Vaccinium corymbosum | Highbush blueberry | 1 gal | 6'-12', prefers moist acidic soil, blooms in spring, followed by fruit, then colorful fall foliage | special order only |
| Vaccinium corymbosum | Blueberry varieties | 1 L | variety, including 'Blue Gold', 'Chippewa' and 'Northland' | ready |
| Viburnum acerifolium | Mapleleaf viburnum | 1 gal | white flowers mid to late spring, blue/black berries later in summer, magenta fall foliage | a few available |
| Viburnum cassinoides | Witherod viburnum 'Lil Ditty' | 1 gal | fragrant white flowers in spring followed by colorful berries and foliage in fall, compact shrub only 1'-2' tall and wide | one left |
| Viburnum dentatum | Arrowwood viburnum | 1 gal | white flowers in late spring, blue/black fruit later in summer attractive to birds/wildlife | special order only |
| Viburnum lentago | Nannyberry viburnum | 1 gal | white flowers, spring, followed by edible blue-black berries, 14- 16', sun to part shade, med soil, nice fall color | special order only |
| Viburnum nudum | Smooth witherod or possumhaw | 1 gal | aromatic white flowers late spring/early summer, berries change colors as ripen from pink to blue to purple/black with reddish foliage | a few available |
| Viburnum prunifolium | blackhaw | 2 gal | white flowers in spring, blue/black berries later in summer attract birds/wildlife, red/purple foliage in fall | special order only |
| Viburnum trilobum | American cranberrybush | 2 gal | lacecap white flowers in spring, red berries in fall | a few available |
| Trees | | | | |
| acer pensylvanicum | Snakebark/striped maple | Qt | small understory maple, 15-25', part shade, greenish bark with white stripes on young trees/new branches, nice fall color | sold out |
| acer rubrum | Red Maple | 2 gal | shade tree, 40-70', sun to part shade, med to wet soil, red fall color | one in stock |
| asimina triloba | pawpaw | 1gal | purple blooms, April-May, followed by yellow-green edible fruit (similar taste to bananas), 15'-30', sun/part shade, med to moist soils | one in stock |
| Cercis canadensis | Redbud | 2 gal | pink blooms spring, part shade, med soils | special order only |
| Cercis canadensis | Rising Sun, Forest Pansy | 15 gal | cultivars with apricot/gold/yellow/green foliage (Rising Sun) or dark maroon (forest pansy) | special order only |

| Chionothus virginiana | fringe tree | 1 gal | white blooms, May-June, 12'-20', med soil, sun to part shade | special order only |
|-------------------------|----------------------|---------|--|----------------------------------|
| Cladrastis lutea | Yellowwood | 2 gal | shade tree, white blooms, spring, 30-50', tolerant of limestone soils, adaptable to moist to dry sites, yellow fall color | one in stock |
| Cornus alternifolia | pagoda dogwood | 3 gal | clusters of small white blooms, May-June, 15-25', sun to part shade, best in moist soils, but can tolerate dry, nice fall foliage, blue-black berries | special order only |
| Cornus florida | dogwood | 2 gal | white blooms in spring, 15'-30', sun to part shade, med soils, best in part shade, foliage shades of red in fall, red berries | a few in stock |
| Diospyros virginiana | American persimmon | 2/3 gal | white/greenish yellow flowers in late spring, orange fruit in fall persists after leaf drop, nice fall foliage color, 35-60', sun to part shade, dry to med soils, few disease/pest issues | special order only |
| Franklinia alatamaha | Franklin Tree | 1 gal | white bloooms, late summer/fall, 10-20', sun to part shade, med well-drained soil, nice fall foliage | special order only |
| Gymnocladus dioicus | Kentucky coffee tree | 2 gal | shade tree, white blooms spring, 60-75', full sun, moist well- drained soils, drought tolerant when established, tolerant of alkaline soils | special order only |
| llex opaca | American Holly | 3 gal | evergreen foliage, red berries, 15'-30', prefers acidic soils | special order only |
| Juniperus virginiana | Eastern red cedar | 1-2 gal | green/blue/gray evergreen, 30'-60', full sun, dry to medium soil, tolerant limestone soils, blue/gray berries | small, large special order |
| Liriodendron tulipifera | Tulip poplar | 2 gal | yellow/orange blooms, 60'-90', full sun, shade tree | special order only |
| Magnolia macrophylla | Bigleaf magnolia | 1 gal | huge leaves with silvery undersides, 30-40', white flowers followed by red fruit, sun to part shade | one left |
| Magnolia virginiana | Sweetbay magnolia | 1 gal | white blooms, May – June, 10'-35', full sun to part shade, med to moist soils, prefers acidic, red seeds in fall | special order only |
| Nyssa sylvatica | Tupelo/Black gum | 2 gal | Greenish-white blooms, late spring, 30-50', sun to part shade, med to wet soils, scarlet fall foliage | one in stock |
| Oxydendrum arboreum | Sourwood | 2 gal | white blooms resembling lily-of-the-valley in June-July, followed by vibrant red fall color, prefers moist, acidic, organically rich soil, full sun to part shade, excellent specimen tree | special order only |
| Pinus strobus | White pine | 1 gal | Bluish-green needles, fast growing, full sun, med soils | special order only |
| Pinus rigida | Pitch pine | 1 gal | dark green needles, 40-60', full sun, best in sandy, well-drained and acidic soils, tolerant of poor soil, interesting plated bark | a few in stock |

| Pinus taeda | Loblolly pine | 1 gal | Fast-growing evergreen, 40'-90', full sun, med to wet soils | special order only |
|-----------------------|--------------------|--------|--|-----------------------|
| Pinus virginiana | Virginia pine | 1 gal | Evergreen, 15'-40', full sun, med soils, does well in poor, dry sites | special order only |
| Prunus americana | Wild american plum | 1 gal | White flowers followed by small fruits | A few in stock |
| Quercus alba | White Oak | 2 gal | full sun, dry to med soil, tolerates drought/clay, fall color varies from brown to shades of red | special order only |
| Quercus alba | White oak 'Wye' | varies | full sun, dry to med soil, tolerates drought/clay, fall color varies from brown to shades of red, 'Wye' is descendant of historic MD Wye Oak | special order only |
| Quercus bicolor | Swamp white oak | 2 gal | full sun, prefers medium/moist/wet soil, but can also tolerate drought once established | special order only |
| Quercus coccinea | Scarlet oak | 2 gal | full sun, dry to med soil, scarlet foliage in fall | special order only |
| Quercus muehlenbergii | Chinkapin oak | 2 gal | shade tree, 50'+ at maturity, full sun, dry to medium soil, tolerates limestone soils | one in stock |
| Quercus palustris | Pin Oak | 2 gal | shade tree, 50'-70', full sun, moist to avg soil, better in more acidic soil | special order only |
| Quercus phellos | Willow Oak | 1 gal | shade tree, 40-75', med to wet soils, narrow leaves | special order only |
| Quercus rubra | Northern Red Oak | 2 gal | shade tree, 50'-70', full sun, average to dry soil, red fall color | special order only |
| Sassafras albidum | Sassafras | 1 gal | Med-size tree, 30-60', full to part shade, greenish-yellow flowers in early spring, vibrant red/orange fall foliage | special order only |